



BE SURE. BUILD SURE.

Page 1/11

## **Safety data sheet** **according to Regulation (EC) No 1907/2006, Article 31**

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

· **Trade name** Centripor SK 120

· **Article number:** 997

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

#### **Application of the substance / the mixture**

Concrete/Mortar admixtures

#### **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

#### **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

##### **Classification according to Regulation (EC) No 1272/2008**

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

#### **2.2 Label elements**

##### **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

##### **Hazard pictograms**



GHS05

##### **Signal word**

Danger

(Contd. on page 2)

IE

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 1)

- **Hazard-determining components of labelling:** Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate  
Amines, C12-14 (even numbered)-alkyldimethyl, N-oxides
- **Hazard statements**  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H412 Harmful to aquatic life with long lasting effects.
- **Precautionary statements**  
P273 Avoid release to the environment.  
P280 Wear protective gloves / eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER/doctor.  
P321 Specific treatment (see on this label).  
P362+P364 Take off contaminated clothing and wash it before reuse.
- **Additional information:** EUH208 Contains Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.  
Contains biocidal products: Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

## SECTION 3: Composition/information on ingredients

### · 3.2 Mixtures

· **Description:** Mixture consisting of the following components.

#### · **Dangerous components:**

CAS: 68439-57-6 EINECS: 270-407-8 Reg.nr.: 01-2119513401-0001	Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts ----- Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: $C \geq 5\%$ Eye Dam. 1; H318: $C \geq 38\%$ Eye Irrit. 2; H319: $5\% \leq C < 38\%$	10-30%
CAS: 68891-38-3	Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate ----- Eye Dam. 1, H318; Skin Irrit. 2, H315; Aquatic Chronic 3, H412 Specific concentration limits: Eye Dam. 1; H318: $C \geq 10\%$ Eye Irrit. 2; H319: $5\% \leq C < 10\%$	$\geq 10$ -<25%

(Contd. on page 3)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

<p>EC number: 931-292-6</p>	<p>Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid</p> <p>Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Acute Tox. 4, H302; Skin Irrit. 2, H315</p>	<p>(Contd. of page 2)</p> <p>≥3-&lt;10%</p>
<p>CAS: 55965-84-9 EC number: 911-418-6</p>	<p>Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)</p> <p>Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071</p> <p>Specific concentration limits:</p> <p>Skin Corr. 1C; H314: <math>C \geq 0.6 \%</math> Skin Irrit. 2; H315: <math>0.06 \% \leq C &lt; 0.6 \%</math> Eye Dam. 1; H318: <math>C \geq 0.6 \%</math> Eye Irrit. 2; H319: <math>0.06 \% \leq C &lt; 0.6 \%</math> Skin Sens. 1A; H317: <math>C \geq 0.0015 \%</math></p>	<p>≥0.00025-&lt;0.0015%</p>

· **Additional information**

For the wording of the listed hazard phrases refer to section 16.

## SECTION 4: First aid measures

### · 4.1 Description of first aid measures

#### · General information

For all first aid measures: observe self-protection and consult a doctor!

#### · After inhalation

Take the person out into the fresh air.

#### · After skin contact

Remove contaminated clothing immediately.

Hold affected areas under cold running water for at least 15 minutes.

#### · After eye contact

Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!

#### · After swallowing

Drink plenty of water in small sips.

Do not induce vomiting.

## SECTION 5: Firefighting measures

### · 5.1 Extinguishing media

· **Suitable extinguishing agents** Use fire fighting measures that suit the environment.

### · 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

### · 5.3 Advice for firefighters

#### · Protective equipment:

No special measures required.

(Contd. on page 4)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 3)

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Prevent material from reaching sewage system, holes and cellars.  
Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** Avoid splashing.  
Avoid dust development with powder products.  
Limit the storage quantity at the workplace to one shift requirement.  
Do not leave containers open.  
Provide washing facilities in the work area.  
Provide an eye shower or eyewash bottle.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Avoid splashing.  
Avoid dust development with powder products.  
Limit the storage quantity at the workplace to one shift requirement.  
Do not leave containers open.  
Provide washing facilities in the work area.  
Provide an eye shower or eyewash bottle.
- **Information about storage in one common storage facility:** Combined storage bans apply from a total storage quantity of 200 kg.  
Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7  
Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
- **Further information about storage conditions:** None.

(Contd. on page 5)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

· **Storage class**

12

(Contd. of page 4)

### SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- **DNELs**

**CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts**

Oral	DNEL	12.95 mg/kg bw/Tag (ArL)
Dermal	DNEL	2158.33 mg/kg bw/day (ArL)
Inhalative	DNEL	152.22 mg/m <sup>3</sup> (ArL)

**CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate**

Oral	DNEL	15 mg/kg bw/Tag (ArL)
Dermal	DNEL	2750 mg/kg bw/day (ArL)
Inhalative	DNEL	175 mg/m <sup>3</sup> (ArL)

- **Additional information:** The lists that were valid during the compilation were used as basis.

- **8.2 Exposure controls**
- **Appropriate engineering controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**

No further data; see section 7.

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!  
Avoid contact with eyes, skin and clothing!  
Clean hands thoroughly after work and before cleaning!  
Use skin care products after work (moisturising cream).  
Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!

- **Breathing equipment:**

If the limit value is exceeded:  
Combination filter A-P2 (brown/white).

- **Hand protection**

Gloves made of: Natural latex, polychloroprene, nitrile rubber.  
(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).  
When wearing protective gloves, cotton undergloves are recommended.

- **Material of gloves**
- **Penetration time of glove material**

see "Hand protection"

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

- **Eye/face protection**
- **Body protection:**

Gauze goggles  
Alkali-resistant protective clothing

(Contd. on page 6)

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

· **Skin protection**

Use greasy skin protection ointment for all uncovered parts of the body!

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Colour:</b>	Yellow
· <b>Smell:</b>	Weak, characteristic
· <b>Melting point/freezing point:</b>	Not determined Not applicable
· <b>Boiling point or initial boiling point and boiling range</b>	100 °C (CAS: 7732-18-5 Water)
· <b>Flash point:</b>	Not applicable
· <b>pH</b>	Not determined.
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>Water:</b>	Fully miscible
· <b>Steam pressure at 20 °C:</b>	23 hPa (CAS: 7732-18-5 Water)
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C</b>	1.02 g/cm <sup>3</sup>

· **9.2 Other information**

· <b>Appearance:</b>	
· <b>Form:</b>	Fluid
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive.

· **Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void

(Contd. on page 7)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 6)

· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

**CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts**

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	6300 mg/kg (rabbit)
Inhalative	LC50/4 h	52 mg/l (rat)

**CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate**

Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

**Amine, C12-14 (geradzahlig)-alkyldimethyl, N-oxid**

Oral	LD50	3432 mg/kg (rat)
------	------	------------------

**CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

Oral	LD50	49.6-75 mg/kg (rat)
Dermal	LD50	87.12 mg/kg (rabbit)
Inhalative	LC50/4 h	0.171 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Causes skin irritation.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

(Contd. on page 8)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 7)

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 68439-57-6 Sulphonic acids, C14-16 alkane hydroxy and C14-16 alkene, sodium salts**

IC50/72h	230 mg/l (BEL)
LC50/96h	4.2 mg/l (Danio rerio)
	1-10 mg/l (Brachydanio rerio)
EC50/48h	4.5 mg/l (Ceriodaphnia dubia)
NOEC	3.2 mg/l (Ske)
	6.7 mg/l (Daphnia magna)
ErC50/72h	5.2 mg/l (Ske)

**CAS: 68891-38-3 Alcohols, c12-c14 (even numbered), ethoxylated < 2.5 EO, sulphates, sodium salts Translate**

LC50/96h	7.1 mg/l (Brachydanio rerio)
EC50/48h	7.2 mg/l (Daphnia magna)
NOEC	0.95 mg/l (Scenedesmus subspicatus)
ErC50/72h	27.7 mg/l (Scenedesmus subspicatus)

**CAS: 55965-84-9 Mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1)**

LC50/24h	0.19 mg/l (fish)
EC50/72h	0.027 mg/l (Pseudokirchneriella subcapitata)
LC50/96h	0.19 mg/l (Oncorhynchus mykiss)
LC50/48h	0.28 mg/l (fish)
EC50/48h	0.16 mg/l (Daphnia magna)
NOEC	0.02 mg/l (Oncorhynchus mykiss)
	0.00049 mg/l (Ske)
	0.1 mg/l (Daphnia magna)

· **12.2 Persistence and degradability**

No further relevant information available.

· **12.3 Bioaccumulative potential**

No further relevant information available.

(Contd. on page 9)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 8)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Danger to drinking water if even extremely small quantities leak into soil.

## SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

### · **European waste catalogue**

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 10 00	aqueous liquid wastes destined for off-site treatment
16 10 01*	aqueous liquid wastes containing hazardous substances
HP4	Irritant - skin irritation and eye damage
HP14	Ecotoxic

- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
- **Recommended cleaning agent:** Water, if necessary with cleaning agent.

## SECTION 14: Transport information

- |  |      |
|--|------|
| · <b>14.1 UN number or ID number</b>     |      |
| · <b>ADR, ADN, IMDG, IATA</b>            | Void |
| · <b>14.2 UN proper shipping name</b>    |      |
| · <b>ADR, ADN, IMDG, IATA</b>            | Void |
| · <b>14.3 Transport hazard class(es)</b> |      |
| · <b>ADR, ADN, IMDG, IATA</b>            |      |
| · <b>Class</b>                           | Void |
| · <b>14.4 Packing group</b>              |      |
| · <b>ADR, IMDG, IATA</b>                 | Void |

(Contd. on page 10)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 9)

- |   |                 |
|---|-----------------|
| <b>· 14.5 Environmental hazards:</b>                                  |                 |
| <b>· Marine pollutant:</b>  | No              |
| <b>· 14.6 Special precautions for user</b>                            | Not applicable. |
| <b>· 14.7 Maritime transport in bulk according to IMO instruments</b> | Not applicable. |
| <b>· UN "Model Regulation":</b>                                       | Void            |

### SECTION 15: Regulatory information

- |   |  |
|---|--|
| <b>· 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture</b>                                   | No further relevant information available.             |
| <b>· REGULATION (EC) No 1907/2006 ANNEX XVII</b>  | Conditions of restriction: 3                           |
| <b>· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II</b>   |  |
| None of the ingredients is listed.  |  |
| <b>· REGULATION (EU) 2019/1148</b>  |  |
| <b>· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))</b>                         |  |
| None of the ingredients is listed.  |  |
| <b>· Annex II - REPORTABLE EXPLOSIVES PRECURSORS</b>  |  |
| None of the ingredients is listed.  |  |
| <b>· Regulation (EC) No 273/2004 on drug precursors</b>   |  |
| None of the ingredients is listed.  |  |
| <b>· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors</b> |  |
| None of the ingredients is listed.  |  |
| <b>· 15.2 Chemical safety assessment:</b>   | A Chemical Safety Assessment has not been carried out. |

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- |                           |      |  |
|---------------------------|------|--|
| <b>· Relevant phrases</b> | H301 | Toxic if swallowed.                      |
|                           | H302 | Harmful if swallowed.                    |
|                           | H310 | Fatal in contact with skin.              |
|                           | H314 | Causes severe skin burns and eye damage. |
|                           | H315 | Causes skin irritation.                  |

(Contd. on page 11)



BE SURE. BUILD SURE.

Page 11/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

**Trade name Centripor SK 120**

(Contd. of page 10)

H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**

Environment protection department.

· **Date of previous version:**

15.10.2021

· **Version number of previous version:**

32

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Corr. 1C: Skin corrosion/irritation – Category 1C  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2  
Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· **\* Data compared to the previous version altered.**

IE