

Page 1/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name Emcefix floor

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Sealing mortar

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05 GHS07

· Signal word Danger

· Hazard-determining

components of labelling: Portland cement (low chromate)

(Contd. on page 2)



Page 2/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

(Contd. of page 1)

Calcium sulfoaluminate clinker

Calcium hydroxide

Flue dust, portland cement

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· Additional information: EUH212 Warning! Hazardous respirable dust may be formed when

used. Do not breathe dust.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz sand substance with a Community workplace exposure limit	30-60%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥20-≤30%
EC number: 934-133-9	Calcium sulfoaluminate clinker Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	≥10-<20%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide substance with a Community workplace exposure limit	<3%
CAS: 1305-62-0 EINECS: 215-137-3	Calcium hydroxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%
CAS: 68475-76-3 EINECS: 270-659-9	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%
CAS: 7778-18-9 EINECS: 231-900-3 Reg.nr.: 1-2119444918-26		<1.5%

(Contd. on page 3)



Page 3/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

Trade name Emcefix floor

(Contd. of page 2)

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Remove people from the dusty area.

· After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water

· After eye contact Rinse for 10 minutes under running water with the eyelids open.

Always consult an ophthalmologist!

· After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

## SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

5.2 Special hazards arising

from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

### **SECTION 6: Accidental release measures**

 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

## SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Avoid dust formation! Avoid spraying the ready-to-use cementitious

product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products!

(Contd. on page 4)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

(Contd. of page 3)

Page 4/11

Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and

after each break. Observe work restrictions!

· Information about protection

against explosions and fires: Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: Store bags tightly closed: protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2;

7

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about

storage conditions:

Store in a dry and frost-free place.

· Storage class 13

11

## SECTION 8: Exposure controls/personal protection

### · 8.1 Control parameters

cii coiii ci parametere		
Components with critical values that require monitoring at the workplace:		
CAS: 14808-60-7 Quartz	sand	
OEL (Ireland)	Long-term value: 0.1 mg/m³	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
CAS: 65997-15-1 Portlan	d cement (low chromate)	
OEL (Ireland)	Long-term value: 1 mg/m³ respirable fraction	
CAS: 13463-67-7 titaniun	n dioxide	
OEL (Ireland)	Long-term value: 10* 4** mg/m³ *total inhalable **respirable dust	
CAS: 1305-62-0 Calcium	hydroxide	
OEL (Ireland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ IOELV, respirable fraction	
	(Contd. on page	

onta. on page



Page 5/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

		(Contd. of pa
IOELV (Euro	ppean Union)	Short-term value: 4 mg/m³
		Long-term value: 1 mg/m³
		Respirable fraction
CAS: 7778-	18-9 Calcium	sulphate
OEL (Ireland	d)	Long-term value: 10 mg/m³
DNELs		
CAS: 65997	'-15-1 Portlan	d cement (low chromate)
Inhalative D	NEL 1 mg/m	<sup>3</sup> (ArL)
CAS: 1305-	62-0 Calcium	hydroxide
Inhalative D	NEL 1 mg/m <sup>3</sup>	<sup>3</sup> (ArL)
CAS: 7778-	18-9 Calcium	sulphate
Oral D	NEL 1.52 mg	/kg bw/Tag (ArL)
Inhalative D	NEL 21.17 m	g/m³ (ArL)
PNECs		
CAS: 1305-	62-0 Calcium	hydroxide
PNEC 3 mg	ı/l (BEL)	
0.32	mg/l (Mew)	
0.49	mg/l (Freshwa	ater)
PNEC 1080	) mg/kg dwt (B	od)
CAS: 7778-	18-9 Calcium	sulphate
PNEC 100 i	mg/l (Kla)	
Additional i	information:	The lists that were valid during the compilation were used as ba

Additional information

The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

Appropriate engineering

controls No further data; see section 7.

Individual protection measures, such as personal protective equipment

General protective and

hygienic measures Do not store food, eat, drink, sniff or smoke in the work area!

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing!

Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

after every break.

Breathing equipment: For work with higher dust loads particle filter class P2

• Hand protection Check protective gloves prior to each use for their proper condition.

• Material of gloves Nitrile impregnated cotton gloves.

· Penetration time of glove

material The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection · Body protection:

Safety glasses Protective work clothing.

(Contd. on page 6)



Page 6/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 30.08.2025 Printing date 30.08.2025 Version number 32 (replaces version 31)

Trade name Emcefix floor

(Contd. of page 5)

Use greasy skin protection ointment for all uncovered parts of the · Skin protection

body!

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: According to product specification

· Smell: Characteristic

• Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 2230 °C (CAS: 14808-60-7 Quartz sand)

· Flash point: Not applicable · pH Not applicable.

· Viscosity:

· Kinematic viscosity Not applicable. · dynamic: Not applicable.

· Solubility

· Water: Unsoluble

· Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz sand)

· Density and/or relative density

· Density at 20 °C 2.74 a/cm3 See section 3. · Particle characteristics

· 9.2 Other information

· Appearance:

· Form: Solid.

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties:

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void · Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void Void · Pyrophoric liquids Void · Pyrophoric solids · Self-heating substances and mixtures Void

· Substances and mixtures, which emit

Void flammable gases in contact with water · Oxidising liquids Void

(Contd. on page 7)



Page 7/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

(Contd. of page 6)

· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:
CAS: 65997-15-1 Portland cement (low chromate)

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

CAS: 13463-67-7 titanium dioxide

 Oral
 LD50
 >5000 mg/kg (rat)

 Dermal
 LD50
 >10000 mg/kg (rabbit)

Inhalative LC50/4 h >6.8 mg/l (rat)

CAS: 1305-62-0 Calcium hydroxide

Oral LD50 7340 mg/kg (rat)

CAS: 7778-18-9 Calcium sulphate

 Oral
 LD50
 >1581 mg/kg (rat)

 Dermal
 NOAEL
 790 mg/kg (rat)

 Inhalative
 LC50/4 h
 >2.61 mg/l (rat)

· Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.
 Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

• Germ cell mutagenicity
• Carcinogenicity

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

(Contd. of page 7)

• Reproductive toxicity Based on available data, the classification criteria are not met.

· STOT-single exposure May cause respiratory irritation.

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II

## **SECTION 12: Ecological information**

· 12.1 Toxicity

Aquatic toxicity:

CAS: 7778-18-9 Calcium sulphate

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h | >79 mg/l (fish) EC50 | >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

• 12.5 Results of PBT and vPvB assessment
• PBT:
• vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

## SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· European waste catalogue

17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL

FROM CONTAMINATED SITES)

17 09 00 other construction and demolition wastes

(Contd. on page 9)



Page 9/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

· Uncleaned packagings: · Recommendation:

	(Contd. of page 8)
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising

Disposal must be made according to official regulations.

## **SECTION 14: Transport information**

· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk according to IMO instruments  Not applicable.		
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

(Contd. on page 10)



Page 10/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 30.08.2025 Printing date 30.08.2025 Version number 32 (replaces version 31)

#### Trade name Emcefix floor

(Contd. of page 9)

· 15.1 Safety, health and environmental regulations/ legislation specific for the

No further relevant information available. substance or mixture

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

H315 Causes skin irritation. · Relevant phrases

> H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

· Department issuing data

specification sheet: Environment protection department.

· Date of previous version: 01.01.2023

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

(Contd. on page 11)



Page 11/11

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.08.2025 Version number 32 (replaces version 31) Revision: 30.08.2025

#### Trade name Emcefix floor

(Contd. of page 10)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

\* Data compared to the previous version altered.

ΙE