

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Emcekrete 70 F
• Article number: • 1.2 Relevant identified uses of the substance or mixture and uses advised against	3711 No further relevant information available.
 Application of the substance / the mixture 	Filling mortar
• 1.3 Details of the supplier of • Manufacturer/Supplier:	<i>the safety data sheet</i> MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
 Informing department: 1.4 Emergency telephone number: 	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	entification
 2.1 Classification of the subs Classification according to R Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes sen STOT SE 3 H335 May cause 	Regulation (EC) No 1272/2008 n irritation. ious eye damage.
· 2.2 Label elements · Labelling according to	8 The product is classified and labelled according to the CLP regulation.
· Hazard pictograms	

GHS05 GHS07

Danger

· Signal word

(Contd. on page 2)



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

Page 2/9

Trade name Emcekrete 70 F

		(Contd. of page 1)
Hazard-determining		
components of labelling:	Portland cemer	nt
, 5	Fly ash Portland	d cement
Hazard statements	H315 Causes s	
	H318 Causes s	erious eye damage.
		se respiratory irritation.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
2.3 Other hazards		0 /
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Mixture consisting of the following components.

· Dangerous compo	nents:	
	Quartz (SiO2) substance with a Community workplace exposure limit	30-60%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	30-60%
CAS: 68475-76-3	Fly ash Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%
· Additional information	tion For the wording of the listed hazard phrases refer to see	ction 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

· General information	For all first aid measures: observe self-protection and consult a doctor!
• After inhalation	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
	(Contd. on page 3)

IF



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

Trade name Emcekrete 70 F

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters

No further relevant information available.

• Protective equipment: No special measures required.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
6.3 Methods and material for	
containment and cleaning up	: Collect mechanically.
· 6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

- 7.2 Conditions for safe storage, including any incompatibilities
- [.] Storage

 Requirements to be met by storerooms and containers: Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passageways and confined spaces.
 (Contd. on pers.4)

(Contd. on page 4)

IF



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

Trade name Emcekrete 70 F

Information about stars in	(Contd. of page 3)
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200 kg.
	<i>Do not store together with substances of the following LGK: 1; 6.2;</i>
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
· Further information about	
storage conditions: • Storage class	<i>Store in a dry and frost-free place.</i> 13

SECTION 8: Exposure controls/personal protection

•	8.1	Control	parameters	
---	-----	---------	------------	--

respirable fraction DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: Hand protection Material of gloves Penetration time of glove	•	I values that require monitoring at the workplace:
BOELV (European Union) Long-term value: 0.1* mg/m³ *respirable fraction CAS: 65997-15-1 Portland cement OEL (Ireland) Long-term value: 1 mg/m³ DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls No further data; see section 7. Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change and clean heavily soiled clothing! Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work an after every break. Per work with higher dust loads particle filter class P2 Hand protection Check protective gloves prior to each use for their proper condition Nitrile impregnated cotton gloves. Penetration time of glove The exact breakth		
*respirable fraction CAS: 65997-15-1 Portland cement OEL (Ireland) Long-term value: 1 mg/m³ respirable fraction DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Mygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work an after every break. For work with higher dust loads particle filter class P2 Hand protection Check protective gloves prior to each use for their proper condition Nitrile impregnated cotton gloves. Penetration time of gloves The exact breakthrough time must be obtained from the protecting glove manufacturer and must be observed. Safety glasses Safety glasses <td>OEL (Ireland)</td> <td>Long-term value: 0.1 mg/m³</td>	OEL (Ireland)	Long-term value: 0.1 mg/m³
CAS: 65997-15-1 Portland cement OEL (Ireland) Long-term value: 1 mg/m³ respirable fraction DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves. Penetration time of glove material The exact breakthrough time must be obtained from the protectin glove manufacturer and must be observed. Eye/face protection Safety glasses	BOELV (European Union)	
OEL (Ireland) Long-term value: 1 mg/m³ respirable fraction DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves. Penetration time of glove material The exact breakthrough time must be obtained from the protectin glove manufacturer and must be observed. Eye/face protection Safety glasses		*respirable fraction
respirable fraction DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change and clean heavily soiled clothing! Change and clean heavily soiled clothing! Change and clean heavily soiled clothing! Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: For work with higher dust loads particle filter class P2 Hand protection Check protective gloves prior to each use for their proper condition Nitrile impregnated cotton gloves. Penetration time of gloves The exact breakthrough time must be obtained from the protectin glove manufacturer and must be observed. <	CAS: 65997-15-1 Portlan	d cement
DNELs CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering Controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: Hand protection Material of gloves Penetration time of glove material The exact breakthrough time must be obtained from the protection glove manufacturer and must be observed. Eye/face protection Safety	OEL (Ireland)	Long-term value: 1 mg/m ³
CAS: 65997-15-1 Portland cement Inhalative DNEL 1 mg/m³ (ArL) Additional information: The lists that were valid during the compilation were used as basi 8.2 Exposure controls Appropriate engineering Appropriate engineering No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: For work with higher dust loads particle filter class P2 Hand protection Material of gloves Penetration time of glove material The exact breakthrough time must be obtained from the protection glove manufacturer and must be observed. Safety glasses		respirable fraction
InhalativeDNEL1 mg/m³ (ArL)Additional information:The lists that were valid during the compilation were used as basi8.2 Exposure controlsNo further data; see section 7.Appropriate engineering controlsNo further data; see section 7.Individual protection measures, such as personal protective equipmentGeneral protective and hygienic measuresDo not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.Penetration time of glove materialThe exact breakthrough time must be obtained from the protection Safety glasses	DNELs	
Additional information:The lists that were valid during the compilation were used as basi8.2 Exposure controls Appropriate engineering controlsNo further data; see section 7.Individual protection measures, such as personal protective equipment General protective and hygienic measuresDo not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves Penetration time of glove materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.Eye/face protectionThe exact breakthrough time must be obtained from the protection gloves manufacturer and must be observed. Safety glasses	CAS: 65997-15-1 Portlan	d cement
8.2 Exposure controls Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment General protective and hygienic measures Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. Breathing equipment: Hand protection Material of gloves Penetration time of glove material The exact breakthrough time must be obtained from the protecting glove manufacturer and must be observed. Eye/face protection	Inhalative DNEL 1 mg/m ³	³ (ArL)
Appropriate engineering controlsNo further data; see section 7.Individual protection measures, such as personal protective equipmentGeneral protective and hygienic measuresDo not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper condition Nitrile impregnated cotton gloves.Penetration time of glove materialThe exact breakthrough time must be obtained from the protection glove manufacturer and must be observed.Eye/face protectionSafety glasses	Additional information:	The lists that were valid during the compilation were used as basis
Avoid contact with eyes and skin!Clean hands thoroughly at the end of work and before breaks!Use skin care products after work (moisturising cream).Change and clean heavily soiled clothing!Change clothes at the end of work!Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment:Hand protection Material of gloves materialPenetration time of glove materialEye/face protection	Individual protection me	
General protective and hygienic measuresDo not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves Penetration time of glove materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.Eye/face protectionThe exact breakthrough time must be obtained from the protection glove manufacturer and must be observed. Safety glasses		
Avoid contact with eyes and skin!Clean hands thoroughly at the end of work and before breaks!Use skin care products after work (moisturising cream).Change and clean heavily soiled clothing!Change clothes at the end of work!Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment:Hand protection Material of gloves materialPenetration time of glove materialEye/face protection	Individual protection me	
Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.Penetration time of glove materialThe exact breakthrough time must be obtained from the protectiv glove manufacturer and must be observed.Eye/face protectionSafety glasses	General protective and	asures, such as personal protective equipment
Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.Penetration time of glove materialThe exact breakthrough time must be obtained from the protectiv glove manufacturer and must be observed.Eye/face protectionSafety glasses	Individual protection me General protective and	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area!
Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.Breathing equipment: Hand protection Material of gloves materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio 	Individual protection me General protective and	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin!
Apply greasy skin protection ointment before starting work an after every break.Breathing equipment: Hand protection Material of gloves materialFor work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.Penetration time of glove materialThe exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.Eye/face protectionSafety glasses	Individual protection me General protective and	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks!
Breathing equipment:For work with higher dust loads particle filter class P2Hand protectionFor work with higher dust loads particle filter class P2Hand protectionCheck protective gloves prior to each use for their proper conditionMaterial of glovesNitrile impregnated cotton gloves.Penetration time of gloveThe exact breakthrough time must be obtained from the protectiveglove manufacturer and must be observed.Safety glasses	Individual protection me General protective and	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream).
Breathing equipment:For work with higher dust loads particle filter class P2Hand protectionCheck protective gloves prior to each use for their proper conditionMaterial of glovesNitrile impregnated cotton gloves.Penetration time of gloveThe exact breakthrough time must be obtained from the protectiveglove manufacturer and must be observed.Safety glasses	Individual protection me General protective and	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work!
Hand protectionCheck protective gloves prior to each use for their proper conditionMaterial of glovesNitrile impregnated cotton gloves.Penetration time of gloveThe exact breakthrough time must be obtained from the protectivematerialThe exact breakthrough time must be observed.Eye/face protectionSafety glasses	Individual protection me General protective and	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar
Penetration time of glove materialThe exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.Eye/face protectionSafety glasses	Individual protection me General protective and hygienic measures	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break.
materialThe exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.Eye/face protectionSafety glasses	Individual protection me General protective and hygienic measures Breathing equipment:	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio
glove manufacturer and must be observed. Eye/face protection Safety glasses	Individual protection me General protective and hygienic measures Breathing equipment: Hand protection Material of gloves	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper condition Nitrile impregnated cotton gloves.
	Individual protection me General protective and hygienic measures Breathing equipment: Hand protection Material of gloves Penetration time of glove	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work ar after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper conditio Nitrile impregnated cotton gloves.
	Individual protection me General protective and hygienic measures Breathing equipment: Hand protection Material of gloves	asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after every break. For work with higher dust loads particle filter class P2 Check protective gloves prior to each use for their proper condition. Nitrile impregnated cotton gloves. The exact breakthrough time must be obtained from the protective.



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

(Contd. of page 4)

Trade name Emcekrete 70 F

Body protection:
 Skin protection

Protective work clothing. Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemica	
9.1 Information on basic physical and ch	emical properties
General Information	
Colour:	Grey
Smell:	neutral
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))
Flash point:	Not applicable
pH	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Unsoluble
Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))
Density and/or relative density	Not determined
Density Particle characteristics	See section 3.
Particle characteristics	See Section 3.
9.2 Other information	
Appearance:	
Form:	Powder
Important information on protection of he	ealth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Information with regard to physical ha	zard
classes	
Explosives	Void
Flammable gases	Void
Aerosols	Void
Oxidising gases	Void
Gases under pressure	Void
	Void
Flammable liquids	
Flammable liquids Flammable solids	Void
Flammable solids Self-reactive substances and mixtures	Void Void
Flammable solids	
Flammable solids Self-reactive substances and mixtures	Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures	Void Void
Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	Void Void Void

IE



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

Trade name Emcekrete 70 F

		(Contd. of page 5)
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
 Desensitised explosives 	Void	

SECTION 10: Stability and reactivity

 10.1 Reactivity 10.2 Chemical stability 	No further relevant information available.
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.
 10.3 Possibility of hazardous reactions 10.4 Conditions to avoid 	No dangerous reactions known No further relevant information available.
• 10.5 Incompatible materials: • 10.6 Hazardous	No further relevant information available.
decomposition products:	No dangerous decomposition products known

SECTION 11: Toxicological information

• **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.

CAS: 659	97-15-1 Po	ortland cen	nent	
Dermal	LD50	2000 mg/k	g (rabbit)	
Inhalative	LC50/4 h	5 mg/l (rat)		
· Primary in	ritant effe	ct:		
· Skin corre			Causes skin irritation.	
· Serious e	ye damag	e/irritation	Causes serious eye damage.	
Respirato	ry or skin			
sensitisat	tion		Based on available data, the classification criteria are not me	et.
[.] Germ cell	mutagen	icity	Based on available data, the classification criteria are not me	et.
· Carcinoge	enicity	-	Based on available data, the classification criteria are not me	et.
Reproduc	tive toxic	ity	Based on available data, the classification criteria are not me	et.
STOT-sin	gle expos	ure	May cause respiratory irritation.	
STOT-rep	eated exp	osure	Based on available data, the classification criteria are not me	et.
• Aspiration hazard			Based on available data, the classification criteria are not me	et.
• 11.2 Infor	mation on	other haz	ards	
· Endocrine	e disruptii	ng properti	es	
CAC: 400	27026	Di-tert-butyl	n crosol	List I

(Contd. on page 7)

Page 6/9



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

Trade name Emcekrete 70 F

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity	No further relevant information available.
 Aquatic toxicity: 12.2 Persistence and 	
degradability	No further relevant information available.
 12.3 Bioaccumulative 	
potential	No further relevant information available.
 12.4 Mobility in soil 	No further relevant information available.
 12.5 Results of PBT and vPvE 	3 assessment
· PBT:	Not applicable.
· vPvB:	Not applicable.
 12.6 Endocrine disrupting 	
properties	For information on endocrine disrupting properties see section 11.
 12.7 Other adverse effects 	
 Additional ecological information 	tion:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

Recomme	endation Must not be disposed of together with household garbage. Do no allow product to reach sewage system.
European	waste catalogue
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 09 00	other construction and demolition wastes
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

(Contd. of page 7)

(Contd. on page 9)

IE

Trade name Emcekrete 70 F

- Uncleaned packagings:
- · Recommendation:

Non contaminated packagings can be used for recycling.

SECTION 14: Transport informa	tion	
· 14.1 UN number or ID number · ADR, ADN, IMDG, IATA	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
 14.5 Environmental hazards: Marine pollutant: 	No	
· 14.6 Special precautions for user	Not applicable.	
 14.7 Maritime transport in bulk accordi IMO instruments 	ing to Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture 	No further relevant information available.
 DIRECTIVE 2011/65/EU on the electrical and electronic equitient 	e restriction of the use of certain hazardous substances in ipment – Annex II
None of the ingredients is listed	1.
· REGULATION (EU) 2019/1148	3
• Annex I - RESTRICTED EXPL licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is listed	1.
· Annex II - REPORTABLE EXF	PLOSIVES PRECURSORS
None of the ingredients is listed	1.
· Regulation (EC) No 273/2004	on drug precursors
None of the ingredients is listed	1.

Page 8/9



Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 25 (replaces version 24)

Revision: 17.01.2025

Trade name Emcekrete 70 F

	(Contd. of page
Regulation (EC) No 111/20 Community and third cou	05 laying down rules for the monitoring of trade between the
None of the ingredients is lis	
•	sieu.
15.2 Chemical safety	A Chamical Cafety Assessment has not been as wind out
assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other in	formation
	<i>Ir present knowledge. However, they shall not constitute a guarantee</i> s and shall not establish a legally valid contractual relationship.
Relevant phrases	H315 Causes skin irritation.
-	H318 Causes serious eye damage.
	H335 May cause respiratory irritation.
Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	19.10.2021
Version number of previo	us
version:	24
Abbreviations and acronym	ms: RID: Règlement international concernant le transport des marchandi dangereuses par chemin de fer (Regulations Concerning the Internatio Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Danger Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
* Data compared to the	
previous version altered.	