# Safety data sheet

**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

*

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· **1.1 Product identifier**

· **Trade name** **Konudur 102 - Komponente B**

· **Article number:** 904

· **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.

· **Application of the substance / the mixture** Epoxy sealing
Hardening agent/ Curing agent

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:**
MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**
Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +1 872 5888271 (MCR)

*

## SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

| | |
|---|---|
| Acute Tox. 4 | H302 Harmful if swallowed. |
| Skin Irrit. 2 | H315 Causes skin irritation. |
| Eye Dam. 1 | H318 Causes serious eye damage. |
| Skin Sens. 1 | H317 May cause an allergic skin reaction. |
| Carc. 2 | H351 Suspected of causing cancer. |
| Aquatic Chronic 1 | H410 Very toxic to aquatic life with long lasting effects. |

· **2.2 Label elements**

· **Labelling according to Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 1)

· **Hazard pictograms**

GHS05 GHS07 GHS08 GHS09

· **Signal word** Danger

· **Hazard-determining components of labelling:**
2-Ethyl-4-methylimidazole
4-Methylimidazole
2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid

· **Hazard statements**
H302 Harmful if swallowed.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.

· **Precautionary statements**

| | |
|---|---|
| P261 | Avoid breathing dust/fume/gas/mist/vapours/spray. |
| P305+P351+P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P310 | Immediately call a POISON CENTER/doctor. |
| P321 | Specific treatment (see on this label). |
| P330 | Rinse mouth. |
| P362+P364 | Take off contaminated clothing and wash it before reuse. |

· **2.3 Other hazards**
· **Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.

· **Determination of endocrine-disrupting properties**

| | | |
|---|---|---|
| CAS: 61788-44-1 | 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid | List II |

* 

## SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**
· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

| | | |
|---|---|---|
| CAS: 931-36-2<br>EINECS: 213-234-5 | 2-Ethyl-4-methylimidazole<br>Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317 | 30-60% |
| CAS: 38640-62-9<br>EINECS: 254-052-6<br>Reg.nr.: 01-2119565150-48-0000 | Diisopropylnaphthalin-Isomere<br>Asp. Tox. 1, H304; Aquatic Chronic 1, H410 | ≥25-≤30% |

(Contd. on page 3)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 2)

| | | |
|---|---|---|
| CAS: 61788-44-1<br>EINECS: 262-975-0 | 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid<br>Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1, H317 | ≥10-<25% |
| CAS: 822-36-6<br>EINECS: 212-497-3 | 4-Methylimidazole<br>Acute Tox. 3, H311; Carc. 2, H351; Skin Corr. 1B, H314; Eye Dam. 1, H318; Acute Tox. 4, H302 | ≥3-<5% |

· **Additional information** For the wording of the listed hazard phrases refer to section 16.

* 

## SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information** Remove contaminated clothing immediately. Consult a doctor if symptoms occur. Move affected person to fresh air.

· **After inhalation** Supply fresh air; seek medical advice if symptoms occur.
If unconscious, place in recovery position and seek medical advice.

· **After skin contact** In case of contact with skin, wash carefully with plenty of soap and water. Consult a doctor in case of skin reactions.

· **After eye contact** Rinse opened eye for several minutes under running water.
Call a doctor immediately

· **After swallowing** Rinse mouth with water. Never give anything by mouth to an unconscious person. DO NOT induce vomiting. If symptoms persist, consult a doctor.

· **4.2 Most important symptoms and effects, both acute and delayed** Advice for the doctor: Elementary aid, decontamination, symptomatic treatment.

## SECTION 5: Firefighting measures

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** $CO_2$, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.

· **5.2 Special hazards arising from the substance or mixture** Can be released in case of fire
Carbon monoxide (CO)

· **5.3 Advice for firefighters**

· **Protective equipment:** Put on breathing apparatus.

## SECTION 6: Accidental release measures

· **6.1 Personal precautions, protective equipment and emergency procedures** Wear protective equipment. Keep unprotected persons away.

(Contd. on page 4)

(Contd. of page 3)

· **6.2 Environmental precautions:** No special measures required.

· **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

· **6.4 Reference to other sections** See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for information on disposal.

* 

## SECTION 7: Handling and storage

· **7.1 Precautions for safe handling** Open and handle containers with care.
Only use in well-ventilated areas (e.g. open construction, outdoor areas), in rooms without air exchange (e.g. closed rooms, underground car parks) ventilation measures are required.
are required.
Wear suitable personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Change contaminated or damaged gloves and contaminated clothing immediately and wash skin immediately. Mix slowly, partially covering the mixing container. Pour carefully and slowly when repotting. Observe the BGBau technical data sheet and practical guide for handling epoxy resins. Open and handle containers with care.

· **Information about protection against explosions and fires:** Ensure sufficient air exchange and/or extraction in the working areas. Take precautionary measures to avoid electrostatic discharges.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** No special requirements.

· **Further information about storage conditions:** None.

· **Storage class** 10

* 

## SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

(Contd. on page 5)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 4)

| · **DNELs** | | |
|---|---|---|
| **CAS: 931-36-2 2-Ethyl-4-methylimidazole** | | |
| Dermal | DNEL | 4 mg/kg bw/day (ArL) |
| Inhalative | DNEL | 7 mg/m³ (ArL) |

| · **PNECs** | |
|---|---|
| **CAS: 931-36-2 2-Ethyl-4-methylimidazole** | |
| PNEC | 65 mg/l (Kla) |
| | 0.00681 mg/l (Mew) |
| | 0.0681 mg/l (Freshwater) |
| PNEC | 6.91 mg/kg dwt (Bod) |
| | 3.49 mg/kg dwt (Sediment) |
| | 34.9 mg/kg dwt (Fresh water sediment) |

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Appropriate engineering controls** No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures** Keep away from food, drink and animal feed.
Remove soiled, soaked clothing immediately.
Wash hands before breaks and at the end of work.
Avoid contact with eyes and skin.

· **Breathing equipment:** If workplace limit values cannot be complied with by ventilation measures or if rooms cannot be technically ventilated, respiratory protection must be worn: Use combination filter A1-P2 (brown/white) in rooms that cannot be ventilated. If oxygen deficiency is expected, use self-contained breathing apparatus. Observe wearing time limits according to §9 (3) GefStoffV in conjunction with BGR 190.

· **Hand protection** Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves** You can find help with choosing gloves on the website https://www.bgbau.de/fileadmin/Gisbau/Projekte.pdf
For example, we recommend the Sol-vex 37-900 protective gloves from Ansell GmbH. The breakthrough time of the protective gloves can be found under point 8 "Penetration time of the glove material".
The selection of a suitable glove depends not only on the material, but also on other quality features and varies from manufacturer to manufacturer. As the product
is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be checked before use.
Nitrile rubber
Recommended material thickness:≥ 0.4 mm

(Contd. on page 6)

# Safety data sheet

**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 5)

| | |
|---|---|
| · **Penetration time of glove material** | The breakthrough times of the Sol-vex 37-900 protective gloves are around 8 hours.<br>The following applies to all other gloves:<br>The exact breakthrough time must be obtained from the protective glove manufacturer and adhered to.<br>Nitrile rubber<br>Material thickness: ≥ 0.40 mm<br>Penetration time: ≥ 480 min<br>Butyl rubber:<br>Material thickness: ≥ 0.5 mm<br>Penetration time: ≥ 480 min |
| · **Eye/face protection** | Tight-fitting safety goggles.<br>Safety goggles. |
| · **Body protection:** | Protective clothing<br>Suitable protective clothing should be worn when working with epoxy resins. In addition to normal work clothing (long trousers, long-sleeved shirt or T-shirt), disposable overalls, aprons, overshoes, sleeve protectors etc. may be necessary depending on the activity. Uncovered areas of skin should be avoided as far as possible, even in hot weather. If the work involves kneeling, the lower leg area should be protected by protective trousers. |

* 

## SECTION 9: Physical and chemical properties

| | |
|---|---|
| · **9.1 Information on basic physical and chemical properties** | |
| · **General Information** | |
| · **Colour:** | Light yellow |
| · **Smell:** | Characteristic |
| · **Melting point/freezing point:** | Not determined |
| · **Boiling point or initial boiling point and boiling range** | 255 °C |
| · **Flash point:** | 101 °C |
| · **pH** | Not determined. |
| · **Viscosity:** | |
| · **Kinematic viscosity** | Not determined. |
| · **dynamic at 20 °C:** | 200 mPas |
| · **Solubility** | |
| · **Water:** | Not miscible or difficult to mix |
| · **Steam pressure:** | Not determined. |
| · **Density and/or relative density** | |
| · **Density at 20 °C** | 0.99 g/cm³ |
| · **9.2 Other information** | |
| · **Appearance:** | |
| · **Form:** | Fluid |

(Contd. on page 7)

# Safety data sheet

**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 6)

| | |
|---|---|
| · **Important information on protection of health and environment, and on safety.** | |
| · **Self-inflammability:** | Product is not selfigniting. |
| · **Explosive properties:** | Product is not explosive. |

| | |
|---|---|
| · **Information with regard to physical hazard classes** | |
| · **Explosives** | Void |
| · **Flammable gases** | Void |
| · **Aerosols** | Void |
| · **Oxidising gases** | Void |
| · **Gases under pressure** | Void |
| · **Flammable liquids** | Void |
| · **Flammable solids** | Void |
| · **Self-reactive substances and mixtures** | Void |
| · **Pyrophoric liquids** | Void |
| · **Pyrophoric solids** | Void |
| · **Self-heating substances and mixtures** | Void |
| · **Substances and mixtures, which emit flammable gases in contact with water** | Void |
| · **Oxidising liquids** | Void |
| · **Oxidising solids** | Void |
| · **Organic peroxides** | Void |
| · **Corrosive to metals** | Void |
| · **Desensitised explosives** | Void |

* 

## SECTION 10: Stability and reactivity

| | |
|---|---|
| · **10.1 Reactivity** | No further relevant information available. |
| · **10.2 Chemical stability** | |
| · **Thermal decomposition / conditions to be avoided:** | No decomposition if used according to specifications. |
| · **10.3 Possibility of hazardous reactions** | No dangerous reactions known |
| · **10.4 Conditions to avoid** | No further relevant information available. |
| · **10.5 Incompatible materials:** | No further relevant information available. |
| · **10.6 Hazardous decomposition products:** | No dangerous decomposition products known |

* 

## SECTION 11: Toxicological information

· **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**

· **Acute toxicity** Harmful if swallowed.

(Contd. on page 8)

# Safety data sheet
## according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 7)

| · LD/LC50 values that are relevant for classification: | | |
|---|---|---|
| **CAS: 931-36-2 2-Ethyl-4-methylimidazole** | | |
| Oral | LD50 | 731 mg/kg (rat) |
| **CAS: 38640-62-9 Diisopropylnaphthalin-Isomere** | | |
| Oral | LD50 | >4000 mg/kg (rat) |
| Dermal | LD50 | >4000 mg/kg (rat) |
| Inhalative | LC50 OECD 403 | >5.6 mg/l (rat) |

· **Skin corrosion/irritation** Causes skin irritation.
· **Serious eye damage/irritation** Causes serious eye damage.
· **Respiratory or skin sensitisation** May cause an allergic skin reaction.
· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
· **Carcinogenicity** Suspected of causing cancer.
· **Reproductive toxicity** Based on available data, the classification criteria are not met.
· **STOT-single exposure** Based on available data, the classification criteria are not met.
· **STOT-repeated exposure** Based on available data, the classification criteria are not met.
· **Aspiration hazard** Based on available data, the classification criteria are not met.
· **11.2 Information on other hazards**

| · Endocrine disrupting properties | | |
|---|---|---|
| CAS: 61788-44-1 | 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid | List II |

* 

## SECTION 12: Ecological information

· **12.1 Toxicity**

| · Aquatic toxicity: | |
|---|---|
| **CAS: 931-36-2 2-Ethyl-4-methylimidazole** | |
| EC50/72h | 124.8 mg/l (Scenedesmus subspicatus) |
| LC50/96h | 68.1 mg/l (Leucidus idus) |
| EC50/48h | 297 mg/l (Daphnia magna) |
| **CAS: 38640-62-9 Diisopropylnaphthalin-Isomere** | |
| EC50/72h | 0.15 mg/l (algae) |
| LC50/48h | 1.7 mg/l (Daphnia magna) |
| EC50/48h | 0.16 mg/l (Daphnia magna) |

· **12.2 Persistence and degradability** No further relevant information available.
· **12.3 Bioaccumulative potential** No further relevant information available.
· **12.4 Mobility in soil** No further relevant information available.
· **12.5 Results of PBT and vPvB assessment**
· **PBT:** Not applicable.
· **vPvB:** Not applicable.
· **12.6 Endocrine disrupting properties** For information on endocrine disrupting properties see section 11.

(Contd. on page 9)

# Safety data sheet

**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 8)

· **12.7 Other adverse effects**
· **Additional ecological information:**
· **General notes:** Danger to drinking water if even extremely small quantities leak into soil.

* 

## SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**
· **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

| · **European waste catalogue** | |
|---|---|
| 17 00 00 | CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES) |
| 17 09 00 | other construction and demolition wastes |
| 17 09 03* | other construction and demolition wastes (including mixed wastes) containing hazardous substances |
| 15 00 00 | WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED |
| 15 01 00 | packaging (including separately collected municipal packaging waste) |
| 15 01 01 | paper and cardboard packaging |
| 15 00 00 | WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED |
| 15 01 00 | packaging (including separately collected municipal packaging waste) |
| 15 01 02 | plastic packaging |
| HP4 | Irritant - skin irritation and eye damage |
| HP6 | Acute Toxicity |
| HP7 | Carcinogenic |
| HP13 | Sensitising |
| HP14 | Ecotoxic |

· **Uncleaned packagings:**
· **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

* 

## SECTION 14: Transport information

· **14.1 UN number or ID number**
· **ADR, IMDG, IATA** UN3082

· **14.2 UN proper shipping name**

(Contd. on page 10)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 9)

| | |
|---|---|
| · **ADR, IATA** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropylnaphthalin-Isomere, 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid) |
| · **IMDG** | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Diisopropylnaphthalin-Isomere, 2,4,6-Tris-(1-Phenyl-Ethyl) carbolic acid), MARINE POLLUTANT |
| · **14.3 Transport hazard class(es)** | |
| · **ADR** | |
| · **Class** | 9 (M6) Miscellaneous dangerous substances and articles. |
| · **Label** | 9 |
| · **IMDG, IATA** | |
| · **Class** | 9 Miscellaneous dangerous substances and articles. |
| · **Label** | 9 |
| · **14.4 Packing group** | |
| · **ADR, IMDG, IATA** | III |
| · **14.5 Environmental hazards:** | |
| · **Marine pollutant:** | Yes<br>Symbol (fish and tree) |
| · **Special marking (ADR):** | Symbol (fish and tree) |
| · **Special marking (IATA):** | Symbol (fish and tree) |
| · **14.6 Special precautions for user** | Warning: Miscellaneous dangerous substances and articles. |
| · **Kemler Number:** | 90 |
| · **EMS Number:** | F-A,S-F |
| · **Stowage Category** | A |
| · **14.7 Maritime transport in bulk according to IMO instruments** | Not applicable. |
| · **Transport/Additional information:** | |
| · **ADR** | |
| · **Limited quantities (LQ)** | 5L |
| · **Excepted quantities (EQ)** | Code: E1<br>Maximum net quantity per inner packaging: 30 ml<br>Maximum net quantity per outer packaging: 1000 ml |
| · **Transport category** | 3 |
| · **Tunnel restriction code** | (-) |
| · **IMDG** | |
| · **Limited quantities (LQ)** | 5L |
| · **Excepted quantities (EQ)** | Code: E1<br>Maximum net quantity per inner packaging: 30 ml |

(Contd. on page 11)

(Contd. of page 10)

| | |
|---|---|
| · | Maximum net quantity per outer packaging: 1000 ml |
| · **UN "Model Regulation":** | UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (DIISOPROPYLNAPHTHALIN-ISOMERE, 2,4,6-TRIS-(1-PHENYL-ETHYL) CARBOLIC ACID), 9, III |

* 

## SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

| | |
|---|---|
| · **Qualifying quantity (tonnes) for the application of lower-tier requirements** | 100 t |
| · **Qualifying quantity (tonnes) for the application of upper-tier requirements** | 200 t |
| · **REGULATION (EC) No 1907/2006 ANNEX XVII** | Conditions of restriction: 3 |

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

## SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases** H302 Harmful if swallowed.

(Contd. on page 12)

# Safety data sheet

## according to Regulation (EC) No 1907/2006, Article 31

Printing date 08.03.2024 Version number 30 (replaces version 29) Revision: 08.03.2024

**Trade name Konudur 102 - Komponente B**

(Contd. of page 11)

H304 May be fatal if swallowed and enters airways.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.
H351 Suspected of causing cancer.
H410 Very toxic to aquatic life with long lasting effects.
H411 Toxic to aquatic life with long lasting effects.

· **Department issuing data specification sheet:** Environment protection department.
· **Date of previous version:** 15.10.2021
· **Version number of previous version:** 29
· **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
Acute Tox. 4: Acute toxicity – Category 4
Acute Tox. 3: Acute toxicity – Category 3
Skin Corr. 1B: Skin corrosion/irritation – Category 1B
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Dam. 1: Serious eye damage/eye irritation – Category 1
Skin Sens. 1: Skin sensitisation – Category 1
Skin Sens. 1B: Skin sensitisation – Category 1B
Carc. 2: Carcinogenicity – Category 2
Asp. Tox. 1: Aspiration hazard – Category 1
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2

· *** Data compared to the previous version altered.**