

Page 1/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

Konudur 102 - Komponente B · Trade name

904 · Article number:

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Epoxy sealing

Hardening agent/ Curing agent

· 1.3 Details of the supplier of the safety data sheet

MC-Bauchemie Müller GmbH & Co. KG Manufacturer/Supplier:

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

· 1.4 Emergency telephone

number: Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

msds@mc-bauchemie.de

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. Skin Sens. 1 H317 May cause an allergic skin reaction.

H351 Suspected of causing cancer.

Aquatic Chronic 3 H412 Harmful to aquatic life with long lasting effects.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP

regulation.

(Contd. on page 2)



according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

· Hazard pictograms

BE SURE. BUILD SURE

GHS05 GHS07 GHS0

· Signal word Danger

· Hazard-determining

components of labelling: 2-Ethyl-4-methylimidazole

4-Methylimidazole

Hydrocarbons, C9-unsaturated, polymerised

Phenol, mono- and distyrolised

· **Hazard statements** H302 Harmful if swallowed.

H315 Causes skin irritation. H318 Causes serious eye damage.

H317 May cause an allergic skin reaction. H351 Suspected of causing cancer.

H412 Harmful to aquatic life with long lasting effects.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

Page 2/12

(Contd. of page 1)

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P330 Rinse mouth.

P362+P364 Take off contaminated clothing and wash it

before reuse.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:		
CAS: 931-36-2	2-Ethyl-4-methylimidazole	30-60%
EINECS: 213-234-5	Eye Dam. 1, H318; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1B, H317	
	Hydrocarbons, C9-unsaturated, polymerised	≥25-≤30%
	Asp. Tox. 1, H304; Skin Sens. 1A, H317; Aquatic Chronic 3, H412	
EC number: 701-443-9	Phenol, mono- and distyrolised	≥10-<25%
	Aquatic Chronic 2, H411; Skin Irrit. 2, H315; Skin Sens. 1A, H317	
	(Co	ontd. on page 3)

-IE



Page 3/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 2) ≥3-<5%

CAS: 822-36-6 4-Methyl

4-Methylimidazole

Acute Tox. 3, H311; Carc. 2, H351; Skin Corr. 1B, H314; Eye

Dam. 1, H318; Acute Tox. 4, H302

· Additional information

EINECS: 212-497-3

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information Remove contaminated clothing immediately. Consult a doctor if

symptoms occur. Move affected person to fresh air.

· After inhalation Supply fresh air; seek medical advice if symptoms occur.

If unconscious, place in recovery position and seek medical advice.

• After skin contact In case of contact with skin, wash carefully with plenty of soap and

water. Consult a doctor in case of skin reactions.

· After eye contact Rinse opened eye for several minutes under running water.

Call a doctor immediately

· After swallowing Rinse mouth with water. Never give anything by mouth to an

unconscious person. DO NOT induce vomiting. If symptoms

persist, consult a doctor.

4.2 Most important symptoms

and effects, both acute and

delayed Advice for the doctor: Elementary aid, decontamination,

symptomatic treatment.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

 5.2 Special hazards arising from the substance or

mixture

Can be released in case of fire

Carbon monoxide (CO)

· 5.3 Advice for firefighters

· Protective equipment: Put on breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Wear protective equipment. Keep unprotected persons away.

· 6.2 Environmental precautions:

No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

(Contd. on page 4)



Page 4/12

(Contd. of page 3)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Open and handle containers with care.

Ventilation measures are required in rooms without sufficient air

exchange (e.g. closed rooms),

because the occupational exposure limit values (see chapter 8)

could be exceeded. This must be avoided.

Wear suitable personal protective equipment (see section 8). Avoid contact with eyes, skin and clothing. Change contaminated or damaged gloves and contaminated clothing immediately and wash skin immediately. Mix slowly, partially covering the mixing container. Pour carefully and slowly when repotting. Observe the BGBau technical data sheet and practical guide for handling epoxy

resins.

Information about protection

against explosions and fires: Ensure sufficient air exchange and/or extraction in the working

areas. Take precautionary measures to avoid electrostatic

discharges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: No special requirements.

· Further information about

storage conditions: None.
Storage class 10

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· DNELs

CAS: 931-36-2 2-Ethyl-4-methylimidazole

Dermal DNEL 4 mg/kg bw/day (ArL)

Inhalative DNEL 7 mg/m³ (ArL)

(Contd. on page 5)



Page 5/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 4)

· PNECs

CAS: 931-36-2 2-Ethyl-4-methylimidazole

PNEC 65 mg/l (Kla)

0.00681 mg/l (Mew)

0.0681 mg/l (Freshwater)

PNEC 6.91 mg/kg dwt (Bod)

3.49 mg/kg dwt (Sediment)

34.9 mg/kg dwt (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from food, drink and animal feed.

Remove soiled, soaked clothing immediately.
Wash hands before breaks and at the end of work.

Avoid contact with eyes and skin.

Breathing equipment: If workplace limit values cannot be complied with by ventilation

measures or if rooms cannot be technically ventilated, respiratory protection must be worn: Use combination filter A1-P2 (brown/white) in rooms that cannot be ventilated. If oxygen deficiency is expected, use self-contained breathing apparatus. Observe wearing time limits according to §9 (3) GefStoffV in conjunction

with BGR 190.

· Hand protection Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

• Material of gloves You can find help with choosing gloves on the website https://

www.bgbau.de/fileadmin/Gisbau/Projekte.pdf

For example, we recommend the Sol-vex 37-900 protective gloves from Ansell GmbH. The breakthrough time of the protective gloves can be found under point 8 "Penetration time of the glove material". The selection of a suitable glove depends not only on the material, but also on other quality features and varies from manufacturer to

manufacturer. As the product

is a preparation of several substances, the resistance of glove materials cannot be calculated in advance and must therefore be

checked before use.

Nitrile rubber

Recommended material thickness:≥ 0.4 mm

Penetration time of glove material

The breakthrough times of the Sol-vex 37-900 protective gloves

are around 8 hours.

The following applies to all other gloves:

The exact breakthrough time must be obtained from the protective

glove manufacturer and adhered to.

Nitrile rubber

(Contd. on page 6)



Page 6/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 5)

Material thickness: ≥ 0.40 mm Penetration time: ≥ 480 min

Butyl rubber:

Material thickness: ≥ 0.5 mm Penetration time: ≥ 480 min

Eye/face protection Tight-fitting safety goggles.

Safety goggles.

Protective clothing

Body protection: Protective clothing
Suitable protective clothing should be worn when working with

epoxy resins. In addition to normal work clothing (long trousers, long-sleeved shirt or T-shirt), disposable overalls, aprons, overshoes, sleeve protectors etc. may be necessary depending on the activity. Uncovered areas of skin should be avoided as far as possible, even in hot weather. If the work involves kneeling, the

lower leg area should be protected by protective trousers.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Light yellow
 Smell: Characteristic
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 255 °C · Flash point: 101 °C

PH Not determined.

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.200 mPas

· Solubility

· Water: Not miscible or difficult to mix

· Steam pressure: Not determined.

· Density and/or relative density

· Density at 20 °C 0.99 g/cm³

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void

(Contd. on page 7)



Page 7/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 6)

· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

10.4 Conditions to avoid
 10.5 Incompatible materials:
 No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Harmful if swallowed.

· LD/LC50 values that are relevant for classification:

CAS: 931-36-2 2-Ethyl-4-methylimidazole

Oral LD50 731 mg/kg (rat)

· Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Suspected of causing cancer.

*Reproductive toxicity
*STOT-single exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

(Contd. on page 8)



Page 8/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 7)

• STOT-repeated exposure
• Aspiration hazard

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 931-36-2 2-Ethyl-4-methylimidazole

EC50/72h | 124.8 mg/l (Scenedesmus subspicatus)

LC50/96h 68.1 mg/l (Leucidus idus) EC50/48h 297 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

Additional ecological information:

General notes: Do not allow product to reach ground water, water bodies or

sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· European waste catalogue

17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL

FROM CONTAMINATED SITES)

17 09 00 other construction and demolition wastes

17 09 03* other construction and demolition wastes (including mixed wastes) containing

hazardous substances

(Contd. on page 9)





Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

	(Contd. of page 8)	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 01	paper and cardboard packaging	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 02	plastic packaging	
HP4	Irritant - skin irritation and eye damage	
HP6	Acute Toxicity	
HP7	Carcinogenic	
HP13	Sensitising	
HP14	Ecotoxic	

· Uncleaned packagings:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning. · Recommendation:

14.1 UN number or ID number ADR, IMDG, IATA	UN3082
14.2 UN proper shipping name ADR, IATA	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S (DiisopropyInaphthalin-Isomere, 2,4,6-Tris-(1 Phenyl-Ethyl) carbolic acid)
IMDG	ENVIRONMENTALLY HAZARDOU SUBSTANCE, LIQUID, N.O.S (Diisopropylnaphthalin-Isomere, 2,4,6-Tris-(Phenyl-Ethyl) carbolic acid), MARINE POLLUTAN
14.3 Transport hazard class(es)	
ADR	
Class	9 (M6) Miscellaneous dangerous substances ar articles.
Label	9
IMDG, IATA	
Class	 Miscellaneous dangerous substances an articles.
Label	9
14.4 Packing group	
ADR, IMDG, IATA	III



Page 10/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

	(Contd. of page
· 14.5 Environmental hazards:	
· Marine pollutant:	Yes
penatana	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· Special marking (IATA):	Symbol (fish and tree)
, ,	,
· 14.6 Special precautions for user	Warning: Miscellaneous dangerous substances an
	articles.
Kemler Number:	90
· EMS Number:	F-A,S-F
· Stowage Category	A
· 14.7 Maritime transport in bulk accord	ina to
IMO instruments	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
,	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
Transport category	3
Tunnel restriction code	(-)
	()
· IMDG	
Limited quantities (LQ)	5L
Excepted quantities (EQ)	Code: E1
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 100
	ml
· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOU
on moder negatation .	SUBSTANCE, LIQUID, N.O.S
	(DIISOPROPYLNAPHTHALIN-ISOMERE, 2,4,
	TRIS-(1-PHENYL-ETHYL) CARBOLIC ACID), 9, 1
	TRIO-(T-I HEINTE-ETITL) OARDOLIO AOID), 9, 11

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Qualifying quantity (tonnes) for the application of lower-

tier requirements 100 t

Qualifying quantity (tonnes) for the application of upper-

tier requirements 200 t

(Contd. on page 11)



Page 11/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 10)

· REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H351 Suspected of causing cancer.

H411 Toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

· Department issuing data

specification sheet: Environment protection department.

Date of previous version: 15.10.2021

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 12)



Page 12/12

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 25.04.2025 Version number 48 (replaces version 47) Revision: 25.04.2025

Trade name Konudur 102 - Komponente B

(Contd. of page 11)

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Skin Sens. 1B: Skin sensitisation – Category 1B

Carc. 2: Carcinogenicity – Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 3

* Data compared to the previous version altered.

- IE