

Page 1/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name Konudur Robogrout 19

1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Ready-mixed mortar

1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Abteilung Produktsicherheit

Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



Danger



GHS05 GHS07

· Signal word

(Contd. on page 2)



Page 2/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 1)

Hazard-determining

components of labelling: Portland cement

Calcium sulfoaluminate clinker

Fly ash Portland cement

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H317 May cause an allergic skin reaction. H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

sprav.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P403+P233 Store in a well-ventilated place. Keep container

tightly closed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

30-60% 30-60%
30-60%
<2.5%
≥1-<2.5%
≥1-<1.5%

• Additional information For the wording of the listed hazard phrases refer to section 16.

(Contd. on page 3)



Page 3/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 2)

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· **After inhalation** Supply fresh air.

In case of unconsciousness bring patient into stable side position

for transport.

· After skin contact Instantly wash with water and soap and rinse thoroughly.

· After eye contact Seek medical treatment.

Rinse opened eye for several minutes under running water. Then

consult a doctor.

· After swallowing Rinse out mouth and then drink plenty of water.

Seek medical treatment.

SECTION 5: Firefighting measures

5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Ensure adequate ventilation.

6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Prevent formation of dust.

· Information about protection

against explosions and fires: No special measures required.

(Contd. on page 4)



Page 4/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 3)

· 7.2 Conditions for safe storage, including any incompatibilities

·Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: Keep container tightly sealed.

· Storage class 11

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical	I values that require monitoring at the workplace:
CAS: 14808-60-7 Quartz	(SiO2)

OEL (Ireland)

BOELV (European Union)

Long-term value: 0.1 mg/m³

Long-term value: 0.1* mg/m³

*respirable fraction

CAS: 65997-15-1 Portland cement

OEL (Ireland) Long-term value: 1 mg/m³

respirable fraction

CAS: 7778-18-9 calcium sulphate, natural

OEL (Ireland) Long-term value: 10 mg/m³

· DNELs

CAS: 65997-15-1 Portland cement

Inhalative DNEL 1 mg/m³ (ArL)

CAS: 7778-18-9 calcium sulphate, natural

Oral DNEL 1.52 mg/kg bw/Tag (ArL)

Inhalative DNEL 21.17 mg/m³ (ArL)

· PNECs

CAS: 7778-18-9 calcium sulphate, natural

PNEC 100 mg/l (Kla)

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Keep away from foodstuffs, beverages and food.

Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

(Contd. on page 5)



Page 5/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 08.12.2024 Printing date 10.12.2024 Version number 27 (replaces version 26)

Trade name Konudur Robogrout 19

Protective gloves.

(Contd. of page 4)

· Hand protection

Selection of the glove material on consideration of the penetration

times, rates of diffusion and the degradation

After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the

application.

· Penetration time of glove

material

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection

Not required.

· Body protection:

Impervious protective clothing Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Grey · Smell: Odourless · Odour threshold: Not determined. Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 2230 °C (CAS: 14808-60-7 Quartz (SiO2))

· Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined. · Upper: Not determined. · Flash point: Not applicable · Decomposition temperature: Not determined. Not applicable.

· pH

· Viscosity:

· Kinematic viscosity Not applicable. · dynamic: Not applicable.

·Solubility

· Water:

· Partition coefficient n-octanol/water (log

value) Not determined.

Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))

Soluble

· Density and/or relative density

· Density Not determined · Relative density Not determined. · Vapour density Not applicable.

(Contd. on page 6)



Page 6/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 08.12.2024 Printing date 10.12.2024 Version number 27 (replaces version 26)

Trade name Konudur Robogrout 19

(Contd. of page 5)

· Particle characteristics See section 3.

· 9.2 Other information

· Appearance:

· Form: Powder

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes · Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void

Self-heating substances and mixtures

Substances and mixtures, which emit

flammable gases in contact with water Void Oxidising liquids Void · Oxidising solids Void · Organic peroxides Void Corrosive to metals Void Void · Desensitised explosives

SECTION 10: Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

Void

· 10.3 Possibility of hazardous

No dangerous reactions known reactions

· 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

No dangerous decomposition products known decomposition products:



Page 7/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

CAS: 7778-18-9 calcium sulphate, natural

 Oral
 LD50
 >1581 mg/kg (rat)

 Dermal
 NOAEL
 790 mg/kg (rat)

 Inhalative
 LC50/4 h
 >2.61 mg/l (rat)

Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol List II

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 7778-18-9 calcium sulphate, natural

EC50/72h >79 mg/l (Selenastrum capricornutum)

LC50/96h >79 mg/l (fish) EC50 >790 mg/l (BEL)

EC50/48h >79 mg/l (Daphnia magna)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

• 12.5 Results of PBT and vPvB assessment • PBT: Not applicable.

(Contd. on page 8)



Page 8/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 7)

· **vPvB**: Not applicable.

· 12.6 Endocrine disrupting properties

For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

anow product to reach sewage system.		
· European	waste catalogue	
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	
17 09 00	other construction and demolition wastes	
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 01	paper and cardboard packaging	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 02	plastic packaging	
HP4	Irritant - skin irritation and eye damage	
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity	

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information

· 14.1 UN number or ID number

· ADR, IMDG, IATA Void

· 14.2 UN proper shipping name

· ADR, IMDG, IATA Void

(Contd. on page 9)



Page 9/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 8)

· 14.3 Transport hazard class(es)

· ADR, ADN, IMDG, IATA

· Class Void

· 14.4 Packing group

· ADR, IMDG, IATA Void

· 14.5 Environmental hazards:

· Marine pollutant: No

• 14.6 Special precautions for user Not applicable.

· 14.7 Maritime transport in bulk according to

IMO instruments Not applicable.

· UN "Model Regulation": Void

SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Directive 2012/18/EU
- Named dangerous

substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 10)



Page 10/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024 Version number 27 (replaces version 26) Revision: 08.12.2024

Trade name Konudur Robogrout 19

(Contd. of page 9)

• Relevant phrases H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. H335 May cause respiratory irritation.

· Department issuing data

specification sheet: Environment protection department.

Date of previous version: 05.11.2022

Version number of previous

version: 26

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.

- IE