

Page 1/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name MC-Color Proof vision - Komponente A

· Article number: 3917

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Coating material

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

· 1.4 Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard-determining

components of labelling: 2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

(3:1)

(Contd. on page 2)



Page 2/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 1)

formaldehyde

1,2-benzisothiazol-3(2H)-one

· **Hazard statements** H317 May cause an allergic skin reaction.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before

reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information: Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-

methyl-2H-isothiazol-3-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-

3-one [EC no. 220-239-6] (3:1)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable. · **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

	Polyacrylate	≥10-<25%
	Aquatic Chronic 3, H412	
CAS: 50-00-0	formaldehyde	<0.1%
EINECS: 200-001-8	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25\%$ Skin Irrit. 2; H315: $5\% \le C < 25\%$ Eye Irrit. 2; H319: $5\% \le C < 25\%$ Skin Sens. 1; H317: $C \ge 0.2\%$ STOT SE 3; H335: $C \ge 5\%$	

(Contd. on page 3)



Page 3/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

### Trade name MC-Color Proof vision - Komponente A

0.1.0.000.1.00.5		(Contd. of page 2
CAS: 2634-33-5 EINECS: 236-671-3	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317: C ≥0.05 %	<0.025%
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %	≥0.0015-<0.025%
CAS: 55965-84-9	reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)  Acute Tox. 3, H301; Acute Tox. 2, H310; Acute Tox. 2, H330; Skin Corr. 1C, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 Specific concentration limits:  Skin Corr. 1C; H314: C ≥0.6 % Skin Irrit. 2; H315: 0.06 % ≤ C < 0.6 % Eye Dam. 1; H318: C ≥ 0.6 % Sye Irrit. 2; H319: 0.06 % ≤ C < 0.6 % Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.00025-<0.0015%

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information Remove soiled, soaked clothing immediately.

\* After inhalation Remove person to fresh air, keep warm, allow to rest; if breathing

is difficult, seek medical attention.

· After skin contact In case of contact with skin, wash carefully with plenty of soap and

water. Consult a doctor in case of skin reactions.

· After eye contact Rinse the eyes with open eyelids for a sufficiently long time (at

least 10 minutes) with water that is as lukewarm as possible.

Consult an ophthalmologist.

After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

· 4.2 Most important symptoms and effects, both acute and

delayed Advice for the doctor: Elementary aid, decontamination,

symptomatic treatment.

(Contd. on page 4)



Page 4/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

Trade name MC-Color Proof vision - Komponente A

(Contd. of page 3)

• 4.3 Indication of any immediate medical attention and special treatment needed Therapeutic measures: No information available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

5.2 Special hazards arising from the substance or

mixture No further relevant information available.

5.3 Advice for firefighters

• Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

**emergency procedures** Not required.

· 6.2 Environmental

precautions: Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Ensure sufficient air exchange and/or extraction in the work areas. Air extraction is required for spray application.

For solid products: Avoid dust formation and dust deposits.

Air limit values mentioned in section 8 must be monitored.

At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people.

For products containing solvents: Explosion protection required.

The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes

and inhalation of vapours.

Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing immediately.

(Contd. on page 5)



Page 5/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 4)

· Information about protection

against explosions and fires: Keep ignition sources away - do not smoke.

Protect from heat.

Do not store near heat sources.

· 7.2 Conditions for safe storage, including any incompatibilities

Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance

reasons can be found in our technical data sheet.

Storage

· Requirements to be met by

storerooms and containers: Keep tightly closed in original packaging. Ventilate storage rooms

well. Carefully close opened containers and store upright to

prevent any leakage.

Storage temperature >5°C and <30°C

· Information about storage in

one common storage facility: May be stored together with hazardous substances of other

classes up to 200 kg.

· Further information about

storage conditions: None.
Storage class 12

· 7.3 Specific end use(s) No further relevant information available.

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 50-00-0 formaldehyde

OEL (Ireland) Short-term value: 0.738 mg/m³, 0.6 ppm

Long-term value: 0.37 0.62\* mg/m³, 0.3 0.5\* ppm Carc1B, Sens,\*healthcare,funeral,embalm.:11.07.24

BOELV (European Union) Short-term value: 0.74 mg/m³, 0.6 ppm

Long-term value: 0.37 (0.62)\* mg/m³, 0.3 (0.5)\* ppm Skin sens;\*health/funeral/embalming till 11/7/24

· Additional information: The li

The lists that were valid during the compilation were used as basis.

8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not smoke, eat or drink while working. Have eye wash

equipment ready.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and

skin.

Do not store food in the work area. Wash hands before breaks and

at the end of work.

(Contd. on page 6)



Page 6/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 5)

· Breathing equipment: Respiratory protection required at insufficiently ventilated

workplaces and when working with splashes. Fresh air masks or combination filters A2-P2 (EN529) are recommended for short-

term work.

If applicable, further recommendations for respiratory protection

can be found in the appendix.

In case of hypersensitivity of the respiratory tract (asthma, chronic

bronchitis), handling of the product is not recommended.

• Hand protection Suitable materials for protective gloves; EN 374:

Butyl rubber - IIR: thickness  $\ge$ 0.5mm; breakthrough time  $\ge$ 480min. Fluororubber - FKM: thickness  $\ge$ 0.4mm; breakthrough time

≥480min.

Multi-layer glove - PE/EVAL/PE; Breakthrough time ≥480 min.

Recommendation: Dispose of contaminated gloves.

• Material of gloves The selection of the suitable gloves does not only depend on the

material, but also on further marks of quality and varies from

manufacturer to manufacturer.

· Penetration time of glove

material Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min.

Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough time

>480min.

Multi-layer glove - PE/EVAL/PE; Breakthrough time ≥480 min.

· Eye/face protection

Wear safety goggles/face protection.

· **Body protection:** Wear suitable protective clothing when working.

In case of hypersensitivity of the skin, handling of the product is not

recommended.

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Physical state
Colour:
Smell:
Melting point/freezing point:

Liquid
Colourless
Characteristic
Not determined

Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

· Flash point: Not applicable

· pH at 20 °C 7-8

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.4000 mPas

Solubility

· Water: Fully miscible

· Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 water, distilled,

conductivity or of similar purity)

(Contd. on page 7)



Page 7/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 15.02.2025 Printing date 15.02.2025 Version number 35 (replaces version 34)

### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 6)

· Density and/or relative density

· Density at 20 °C 1.07 g/cm3

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes · Explosives

Void · Flammable gases Void · Aerosols Void

· Oxidising gases Void Gases under pressure Void

Flammable liquids Void Flammable solids Void

· Self-reactive substances and mixtures Void · Pyrophoric liquids Void Pyrophoric solids Void

Self-heating substances and mixtures

· Substances and mixtures, which emit flammable gases in contact with water Void · Oxidising liquids Void Oxidising solids Void Organic peroxides Void Corrosive to metals Void

Desensitised explosives Void

## SECTION 10: Stability and reactivity

No further relevant information available. · 10.1 Reactivity

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

Void

· 10.3 Possibility of hazardous

No dangerous reactions known reactions

· 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous

decomposition products: No dangerous decomposition products known

(Contd. on page 8)



Page 8/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

Trade name MC-Color Proof vision - Komponente A

(Contd. of page 7)

## **SECTION 11: Toxicological information**

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity Based on available data, the classification criteria are not met.

Acute toxicity		Based on available data, the stassification enteria are not met.	
· LD/LC50	values tha	t are relevant for classification:	
CAS: 50-0	00-0 forma	ldehyde	
Oral	LD50	>200 mg/kg (rat)	
Dermal	LD50	300 mg/kg (rat)	
CAS: 263	4-33-5 1,2·	benzisothiazol-3(2H)-one	
Oral	LD50	1020 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
CAS: 268	2-20-4 2-m	nethyl-2H-isothiazol-3-one	
Oral	LD50	50-300 mg/kg (rat)	
Inhalative	LC50/4 h	0.11 mg/l (rat)	
CAS: 559		action mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)	
Oral	LD50	49.6-75 mg/kg (rat)	
Dermal	LD50	87.12 mg/kg (rabbit)	
Inhalative	LC50/4 h	0.171 mg/l (rat)	
Primary in	ritant effe	oct:	

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

\*\*Germ cell mutagenicity Based on available data, the classification criteria are not met.

\*\*Carcinogenicity Based on available data, the classification criteria are not met.

\*\*Reproductive toxicity Based on available data, the classification criteria are not met.

\*\*STOT-single exposure Based on available data, the classification criteria are not met.

\*\*STOT-repeated exposure Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one

EC50/72h | 0.067 mg/l (Pseudokirchneriella subcapitata)

0.11 mg/l (Selenastrum capricornutum)

(Contd. on page 9)



Page 9/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 8)

LC50/96h | 1.6 mg/l (Oncorhynchus mykiss)

EC50/48h | 1.1 mg/l (Daphnia magna)

CAS: 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/72h 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h | 6 mg/l (Oncorhynchus mykiss)

EC50/48h | 1.68 mg/l (Daphnies)

CAS: 55965-84-9 reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1)

LC50/24h | 0.19 mg/l (fish)

EC50/72h | 0.027 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 0.19 mg/l (Oncorhynchus mykiss)

LC50/48h 0.28 mg/l (fish)

EC50/48h 0.16 mg/l (Daphnia magna)

NOEC 0.02 mg/l (Oncorhynchus mykiss)

0.00049 mg/l (Ske)

0.1 mg/l (Daphnia magna)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

• 12.5 Results of PBT and vPvB assessment
• PBT:
• vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· European waste catalogue

17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL

FROM CONTAMINATED SITES)

17 09 00 other construction and demolition wastes

(Contd. on page 10)



Page 10/12

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

## Trade name MC-Color Proof vision - Komponente A

	(Contd. of page 9)	)
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 01	paper and cardboard packaging	
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED	
15 01 00	packaging (including separately collected municipal packaging waste)	
15 01 02	plastic packaging	

· Uncleaned packagings:

Recommendation:

Disposal must be made according to official regulations.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

Transport/Additional information:	Not dangerous according to the above specifications.
14.7 Maritime transport in bulk according to IMO instruments	Not applicable.
14.6 Special precautions for user	Not applicable.
14.5 Environmental hazards: Marine pollutant:	No
14.4 Packing group ADR, IMDG, IATA	Void
ADR, ADN, IMDG, IATA Class	Void
14.3 Transport hazard class(es)	
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void

## **SECTION 15: Regulatory information**

(Contd. on page 11)



Page 11/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 15.02.2025 Printing date 15.02.2025 Version number 35 (replaces version 34)

#### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 10)

· 15.1 Safety, health and environmental regulations/ legislation specific for the

No further relevant information available. substance or mixture

REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3, 72

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases	H301	Toxic if swallowed.
•	H302	Harmful if swallowed.
	H310	Fatal in contact with skin.
	H311	Toxic in contact with skin.
	H314	Causes severe skin burns and eye damage.
	H315	Causes skin irritation.
	H317	May cause an allergic skin reaction.
	H218	Causes serious eve damage

Causes serious eye damage. H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H335 May cause respiratory irritation. H341 Suspected of causing genetic defects.

H350 May cause cancer. H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects. H412 Harmful to aquatic life with long lasting effects.

(Contd. on page 12)



Page 12/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.02.2025 Version number 35 (replaces version 34) Revision: 15.02.2025

### Trade name MC-Color Proof vision - Komponente A

(Contd. of page 11)

EUH071 Corrosive to the respiratory tract.

· Department issuing data

**specification sheet:** Environment protection department.

Date of previous version: 19.10.2021

· Version number of previous

/ersion:

34

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Corr. 1C: Skin corrosion/irritation – Category 1C Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation – Category 1 Skin Sens. 1A: Skin sensitisation – Category 1A Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 3

\* Data compared to the previous version altered.

·IE