



BE SURE. BUILD SURE.

Page 1/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### · 1.1 Product identifier

· Trade name **MC-DUR LF 680 - Komponente B**

· Article number: 4144

#### · 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)

· Product category PC9a Coatings and paints, thinners, paint removers

· Process category PROC10 Roller application or brushing

· Environmental release category

ERC8f Widespread use leading to inclusion into/onto article (outdoor)

ERC11a Widespread use of articles with low release (indoor)

· Article category AC13 Plastic articles

· Application of the substance / the mixture

Polyurethane lacquer

#### · 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· Informing department: msds@mc-bauchemie.de

· 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

#### · 2.1 Classification of the substance or mixture

· Classification according to Regulation (EC) No 1272/2008

Acute Tox. 4 H332 Harmful if inhaled.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

#### · 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

(Contd. on page 2)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

Trade name MC-DUR LF 680 - Komponente B

(Contd. of page 1)

· Hazard pictograms



GHS07

· Signal word

Warning

· Hazard-determining components of labelling:

Aliphatisches Polyisocyanat  
hexamethylene diisocyanate

· Hazard statements

H332 Harmful if inhaled.  
H317 May cause an allergic skin reaction.  
H335 May cause respiratory irritation.

· Precautionary statements

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.  
P280 Wear protective gloves.  
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P312 Call a POISON CENTER/doctor if you feel unwell.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P405 Store locked up.

· Additional information:

EUH204 Contains isocyanates. May produce an allergic reaction.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT:

Not applicable.

· vPvB:

Not applicable.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture consisting of the following components.

· Dangerous components:

CAS: 28182-81-2	Aliphatisches Polyisocyanat Acute Tox. 4, H332; Skin Sens. 1, H317; STOT SE 3, H335, EUH204	80-100%
CAS: 822-06-0 EINECS: 212-485-8 Reg.nr.: 01-2119457571-37-0000	hexamethylene diisocyanate Acute Tox. 2, H330; Resp. Sens. 1, H334; Acute Tox. 4, H302; Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335, EUH204 Specific concentration limits: Resp. Sens. 1; H334: C ≥ 0.5 % Skin Sens. 1; H317: C ≥ 0.5 %	<0.1%

· Additional information

For the wording of the listed hazard phrases refer to section 16.

### SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information

Remove soiled, soaked clothing immediately.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

Trade name MC-DUR LF 680 - Komponente B

(Contd. of page 2)

- **After inhalation** Remove person to fresh air, keep warm, allow to rest; if breathing is difficult, seek medical attention.
- **After skin contact** In case of contact with skin, wash carefully with plenty of soap and water. Consult a doctor in case of skin reactions.
- **After eye contact** Rinse the eyes with open eyelids for a sufficiently long time (at least 10 minutes) with water that is as lukewarm as possible. Consult an ophthalmologist.
- **After swallowing** Do NOT induce vomiting. Rinse mouth with water. Medical attention required.
- **4.2 Most important symptoms and effects, both acute and delayed** Advice for the doctor: Elementary aid, decontamination, symptomatic treatment.
- **4.3 Indication of any immediate medical attention and special treatment needed** Therapeutic measures: No information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Inform respective authorities in case product reaches water or sewage system.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
- **6.4 Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/11

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

**Trade name MC-DUR LF 680 - Komponente B**

(Contd. of page 3)

**SECTION 7: Handling and storage**

**7.1 Precautions for safe handling**

Ensure sufficient air exchange and/or extraction in the work areas. Air extraction is required for spray application. For solid products: Avoid dust formation and dust deposits. Air limit values mentioned in section 8 must be monitored. At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people. For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours. Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store work clothes separately. Remove soiled, soaked clothing immediately.

**Information about protection against explosions and fires:**

Keep ignition sources away - do not smoke. Protect from heat. Do not store near heat sources.

**7.2 Conditions for safe storage, including any incompatibilities**

Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance reasons can be found in our technical data sheet.

**Storage**

**Requirements to be met by storerooms and containers:**

Keep tightly closed in original packaging. Ventilate storage rooms well. Carefully close opened containers and store upright to prevent any leakage.

Storage temperature >5°C and <30°C

**Information about storage in one common storage facility:**

May be stored together with hazardous substances of other classes up to 200 kg.

**Further information about storage conditions:**

None.

**Storage class**

10

**7.3 Specific end use(s)**

No further relevant information available.

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

Trade name MC-DUR LF 680 - Komponente B

(Contd. of page 4)

#### SECTION 8: Exposure controls/personal protection

##### · 8.1 Control parameters

· **Components with critical values that require monitoring at the workplace:**

**CAS: 822-06-0 hexamethylene diisocyanate**

OEL (Ireland) Long-term value: 0.005 ppm  
as -NCO, Sens

##### · **DNELs**

**CAS: 28182-81-2 Aliphatisches Polyisocyanat**

Inhalative DNEL 0.5 mg/m<sup>3</sup> (Workers) (long term local)  
1 mg/m<sup>3</sup> (kei) (acute local eff)

**CAS: 822-06-0 hexamethylene diisocyanate**

Inhalative DNEL 0.5 mg/m<sup>3</sup> (ArL)

##### · **PNECs**

**CAS: 28182-81-2 Aliphatisches Polyisocyanat**

PNEC aqua 12.7 µg/l (Daphnia magna) (marine)  
PNEC 38.28 mg/l (kei) (STP)

**CAS: 822-06-0 hexamethylene diisocyanate**

PNEC 100 mg/l (Sewage Treatment Plant)  
0.0199 mg/l (Mew)  
0.199 mg/l (Freshwater)  
PNEC 8884 mg/kg dwt (Bod)  
4455 mg/kg dwt (Marine water sediment)  
44551 mg/kg dwt (Fresh water sediment)

· **Additional information:** The lists that were valid during the compilation were used as basis.

##### · 8.2 Exposure controls

· **Appropriate engineering controls**

No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Do not smoke, eat or drink while working. Have eye wash equipment ready.

Do not inhale gases/vapours/aerosols. Avoid contact with eyes and skin.

Do not store food in the work area. Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Respiratory protection required at insufficiently ventilated workplaces and when working with splashes. Fresh air masks or combination filters A2-P2 (EN529) are recommended for short-term work.

If applicable, further recommendations for respiratory protection can be found in the appendix.

In case of hypersensitivity of the respiratory tract (asthma, chronic bronchitis), handling of the product is not recommended.

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

**Trade name MC-DUR LF 680 - Komponente B**

(Contd. of page 5)

An nicht ausreichend entlüfteten Arbeitsplätzen und bei Spritzverarbeitung Atemschutz erforderlich. Empfohlen werden Frischluftmaske oder für kurzzeitige Arbeiten Kompinationsfilter A2-P2.

**· Hand protection**

Bei überempfindlichkeit der Atemwege (Asthma, chronische Bronchitis) wird vom Umgang mit dem Produkt abgeraten.

Suitable materials for protective gloves; EN 374:

Butyl rubber - IIR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluororubber - FKM: thickness  $\geq 0.4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Multi-layer glove - PE/EVAL/PE ; Breakthrough time  $\geq 480\text{ min}$ .

Recommendation: Dispose of contaminated gloves.

**· Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

**· Penetration time of glove material**

Butyl rubber - IIR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluoro rubber - FKM: thickness  $\geq 0.4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Multi-layer glove - PE/EVAL/PE ; Breakthrough time  $\geq 480\text{ min}$ .

**· Eye/face protection**

Wear safety goggles/face protection.

**· Body protection:**

Wear suitable protective clothing when working.

In case of hypersensitivity of the skin, handling of the product is not recommended.

## SECTION 9: Physical and chemical properties

**· 9.1 Information on basic physical and chemical properties**

**· General Information**

**· Colour:**

Colourless

**· Smell:**

Characteristic

**· Melting point/freezing point:**

Not determined

**· Boiling point or initial boiling point and boiling range**

Not determined

**· Flash point:**

180 °C

**· pH**

Not applicable.

Not determined.

**· Viscosity:**

**· Kinematic viscosity**

Not determined.

**· dynamic:**

Not determined.

**· Solubility**

**· Water:**

Not miscible or difficult to mix

Fully miscible

**· Steam pressure at 20 °C:**

0.00000003 hPa

**· Density and/or relative density**

**· Density at 20 °C**

1.13 g/cm<sup>3</sup>

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

Trade name MC-DUR LF 680 - Komponente B

(Contd. of page 6)

· **9.2 Other information**

· **Appearance:**

· **Form:** Fluid

· **Important information on protection of health and environment, and on safety.**

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Information with regard to physical hazard classes**

· **Explosives** Void

· **Flammable gases** Void

· **Aerosols** Void

· **Oxidising gases** Void

· **Gases under pressure** Void

· **Flammable liquids** Void

· **Flammable solids** Void

· **Self-reactive substances and mixtures** Void

· **Pyrophoric liquids** Void

· **Pyrophoric solids** Void

· **Self-heating substances and mixtures** Void

· **Substances and mixtures, which emit flammable gases in contact with water** Void

· **Oxidising liquids** Void

· **Oxidising solids** Void

· **Organic peroxides** Void

· **Corrosive to metals** Void

· **Desensitised explosives** Void

### SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** Reacts with amines

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

(Contd. on page 8)



BE SURE. BUILD SURE.

Page 8/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

Trade name MC-DUR LF 680 - Komponente B

(Contd. of page 7)

### SECTION 11: Toxicological information

#### · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Harmful if inhaled.

· **LD/LC50 values that are relevant for classification:**

**CAS: 28182-81-2 Aliphatisches Polyisocyanat**

Oral	LD50	>2500 mg/kg (rat) (OECD 423)
------	------	------------------------------

Dermal	LD50	>2000 mg/kg (rat) (OECD 402)
--------	------	------------------------------

**CAS: 822-06-0 hexamethylene diisocyanate**

Oral	LD50	738 mg/kg (rat)
------	------	-----------------

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation** May cause an allergic skin reaction.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** May cause respiratory irritation.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

#### · 11.2 Information on other hazards

· **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

#### · 12.1 Toxicity

· **Aquatic toxicity:**

**CAS: 28182-81-2 Aliphatisches Polyisocyanat**

ErC10/72h	370 mg/l (Desmodesmus subspicatus) (EU C.3)
-----------	---

ErC50/72h	>1000 mg/l (Desmodesmus subspicatus) (EU C.3)
-----------	---

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

· **12.5 Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

(Contd. on page 9)





BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

**Trade name MC-DUR LF 680 - Komponente B**

(Contd. of page 8)

- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** Harmful to aquatic organisms  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 09 00	other construction and demolition wastes
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising

- **Uncleaned packagings:**
- **Recommendation:** Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

#### SECTION 14: Transport information

- |                                       |      |
|---------------------------------------|------|
| · <b>14.1 UN number or ID number</b>  | Void |
| · <b>ADR, ADN, IMDG, IATA</b>         | Void |
| · <b>14.2 UN proper shipping name</b> | Void |
| · <b>ADR, ADN, IMDG, IATA</b>         | Void |

(Contd. on page 10)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

**Trade name MC-DUR LF 680 - Komponente B**

(Contd. of page 9)

- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void
- **14.5 Environmental hazards:**
- **Marine pollutant:** No
- **14.6 Special precautions for user** Not applicable.
- **14.7 Maritime transport in bulk according to IMO instruments** Not applicable.
- **UN "Model Regulation":** Void

#### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous**

**substances - ANNEX I**

None of the ingredients is listed.

· **REGULATION (EC) No**

**1907/2006 ANNEX XVII**

Conditions of restriction: 3, 74

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety**

**assessment:**

A Chemical Safety Assessment has not been carried out.

(Contd. on page 11)



BE SURE. BUILD SURE.

Page 11/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 01.02.2025

Version number 49 (replaces version 48)

Revision: 01.02.2025

Trade name MC-DUR LF 680 - Komponente B

(Contd. of page 10)

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases**
    - H302 Harmful if swallowed.
    - H315 Causes skin irritation.
    - H317 May cause an allergic skin reaction.
    - H319 Causes serious eye irritation.
    - H330 Fatal if inhaled.
    - H332 Harmful if inhaled.
    - H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
    - H335 May cause respiratory irritation.
    - EUH204 Contains isocyanates. May produce an allergic reaction.
  - **Date of previous version:** 19.10.2021
  - **Version number of previous version:** 48
  - **Abbreviations and acronyms:**
    - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
    - ICAO: International Civil Aviation Organisation
    - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
    - IMDG: International Maritime Code for Dangerous Goods
    - IATA: International Air Transport Association
    - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
    - EINECS: European Inventory of Existing Commercial Chemical Substances
    - ELINCS: European List of Notified Chemical Substances
    - CAS: Chemical Abstracts Service (division of the American Chemical Society)
    - DNEL: Derived No-Effect Level (REACH)
    - PNEC: Predicted No-Effect Concentration (REACH)
    - LC50: Lethal concentration, 50 percent
    - LD50: Lethal dose, 50 percent
    - PBT: Persistent, Bioaccumulative and Toxic
    - vPvB: very Persistent and very Bioaccumulative
    - Acute Tox. 2: Acute toxicity – Category 2
    - Acute Tox. 4: Acute toxicity – Category 4
    - Skin Irrit. 2: Skin corrosion/irritation – Category 2
    - Eye Irrit. 2: Serious eye damage/eye irritation – Category 2
    - Resp. Sens. 1: Respiratory sensitisation – Category 1
    - Skin Sens. 1: Skin sensitisation – Category 1
    - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
- \* Data compared to the previous version altered.

IE