

Page 1/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name MC-Estrifan Color Protect Pro - Komponente A

· Article number: 4386

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Coating material

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

· 1.4 Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +48612864565

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- · Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



Warning

· Hazard-determining

· Signal word

components of labelling: 2-methyl-2H-isothiazol-3-one

reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6]

(3:1)

(Contd. on page 2)



Page 2/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

#### Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 1)

1,2-benzisothiazol-3(2H)-one

· **Hazard statements** H317 May cause an allergic skin reaction.

Precautionary statements
 P261
 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before

reuse.

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information: Warning! Hazardous respirable droplets may be formed when

sprayed. Do not breathe spray or mist.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.2 Chemical characterisation: Mixtures

Description: Mixture consisting of the following components.

· Dangerous components:			
CAS: 13463-67-7	titanium dioxide	≥0.1-<25%	
EINECS: 236-675-5	Carc. 2, H351		
CAS: 5131-66-8	3-butoxypropan-2-ol	<0.5%	
EINECS: 225-878-4	Acute Tox. 3, H331; Skin Irrit. 2, H315; Eye Irrit. 2, H319		
CAS: 2682-20-4	2-methyl-2H-isothiazol-3-one	≥0.0015-<0.025%	
	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Aquatic Acute 1, H400; Aquatic Chronic 2, H411; Skin Sens. 1A, H317; STOT SE 3, H335		

• Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information No special measures required.

• After inhalation Supply fresh air; consult doctor in case of symptoms.

• After skin contact The product is not skin irritating.

• After eye contact Rinse opened eye for several minutes under running water.

• After swallowing In case of persistent symptoms consult doctor.

· 4.2 Most important symptoms and effects, both acute and

delayed No further relevant information available.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 2)

 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

# **SECTION 5: Firefighting measures**

5.1 Extinguishing media

· Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with

water jet or alcohol-resistant foam.

 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

# SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: Dilute with much water.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

### **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling No special measures required.

· Information about protection

against explosions and fires: No special measures required.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers: No special requirements.

· Information about storage in

one common storage facility: Not required.

· Further information about

storage conditions: None.

• 7.3 Specific end use(s) No further relevant information available.

IE.



Page 4/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 3)

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Additional information about

design of technical systems: No further data; see item 7.

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· DNELs

#### 5131-66-8 3-butoxypropan-2-ol

Oral DNEL 8.75 mg/kg bw/Tag (ArL)
Dermal DNEL 44 mg/kg bw/day (ArL)
Inhalative DNEL 270.5 mg/m³ (ArL)

### · PNECs

#### 5131-66-8 3-butoxypropan-2-ol

PNEC 10 mg/l (Sewage Treatment Plant)

0.0525 mg/l (Mew) 0.525 mg/l (Suw) PNEC 0.16 mg/kg dwt (Bod)

0.236 mg/kg dwt (Sediment)

2.36 mg/kg dwt (Fresh water sediment)

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Personal protective equipment

· General protective and

hygienic measures The usual precautionary measures should be adhered to in

handling the chemicals.

Breathing equipment: Not required.
 Protection of hands: Impervious gloves
 Material of gloves Butyl rubber, BR

· Penetration time of glove

material -

· Eye protection: Safety glasses

# **SECTION 9: Physical and chemical properties**

- · 9.1 Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Fluid

Colour: Various colours

(Contd. on page 5)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

#### Trade name MC-Estrifan Color Protect Pro - Komponente A

	(Contd. of page
· Smell:	Characteristic
· pH-value at 20 °C:	7
· Change in condition Melting point/freezing point: Initial boiling point and boiling range:	Not determined 100 °C
· Flash point:	Not applicable
· Self-inflammability:	Product is not selfigniting.
· Explosive properties:	Product is not explosive.
· Steam pressure at 20 °C:	23 hPa
· Density at 20 °C	1.30 g/cm³
· Solubility in / Miscibility with Water:	Fully miscible
· Viscosity: dynamic at 20 °C:	4000 mPas
· 9.2 Other information	No further relevant information available.

## SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

#### 13463-67-7 titanium dioxide

 Oral
 LD50
 >10000 mg/kg (rat)

 Dermal
 LD50
 >10000 mg/kg (rabbit)

 Inhalative
 LC50/4 h
 >6.8 mg/l (rat)

(Contd. on page 6)





# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

### Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 5)

5131-66-8	5131-66-8 3-butoxypropan-2-ol		
Oral	LD50	3300 mg/kg (rat)	
	NOAEL	350 mg/kg (rat)	
Dermal	LD50	>2000 mg/kg (rat)	
Inhalative	LC50/4 h	>3.4 mg/l (rat)	
2682-20-4	2682-20-4 2-methyl-2H-isothiazol-3-one		
Oral	LD50	50-300 mg/kg (rat)	

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

· Additional toxicological information:

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Germ cell mutagenicity
 Carcinogenicity
 Reproductive toxicity
 STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

## **SECTION 12: Ecological information**

#### · 12.1 Toxicity

· Aquatic	toxicity:
-----------	-----------

### 5131-66-8 3-butoxypropan-2-ol

LC50/96h | >560 mg/l (Gup) EC50 | >1000 mg/l (BEL)

EC50/48h >1000 mg/l (Daphnia magna)

NOEC 180 mg/l (Gup)

560 mg/l (Selenastrum capricornutum)

560 mg/l (Daphnia magna)

#### 2682-20-4 2-methyl-2H-isothiazol-3-one

EC50/72h | 0.157 mg/l (Pseudokirchneriella subcapitata)

LC50/96h 6 mg/l (Oncorhynchus mykiss)

EC50/48h 1.68 mg/l (Daphnies)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

(Contd. on page 7)



Page 7/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

#### Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 6)

· Additional ecological information:

General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

· 12.5 Results of PBT and vPvB assessment
 · PBT: Not applicable.
 · vPvB: Not applicable.

12.6 Other adverse effects No further relevant information available.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

· Recommended cleaning

agent: Water, if necessary with cleaning agent.

SECTION 14: Transport information	ation
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to A of Marpol and the IBC Code	nnex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

(Contd. on page 8)



Page 8/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 7)

### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

No further relevant information available.

· Directive 2012/18/EU · REGULATION (EC) No

substance or mixture

1907/2006 ANNEX XVII Conditions of restriction: 3

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H330 Fatal if inhaled. H331 Toxic if inhaled.

H335 May cause respiratory irritation. H351 Suspected of causing cancer. H400 Very toxic to aquatic life.

H411 Toxic to aquatic life with long lasting effects.

Department issuing data

specification sheet: Environment protection department.

(Contd. on page 9)



Page 9/9

# Safety data sheet according to 1907/2006/EC, Article 31

Printing date 30.11.2021 Version number 6 Revision: 30.11.2021

#### Trade name MC-Estrifan Color Protect Pro - Komponente A

(Contd. of page 8)

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 2: Acute toxicity – Category 2 Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation - Category 1B

Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Carc. 2: Carcinogenicity - Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic

hazard – Category 2

<sup>\* \*</sup> Data compared to the previous version altered.