

Page 1/11

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier Trade name 1.2 Relevant identified uses	MC-Estrifan SI
of the substance or mixture and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Estrich Nachbehandlungsmittel
1.3 Details of the supplier of the Manufacturer/Supplier:	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Skin Corr. 1A H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

[.] 2.2 Label elements

• Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word

Danger

· Hazard-determining components of labelling:

Hazard statements

Potassium methylsilantriolate H314 Causes severe skin burns and eye damage.

(Contd. on page 2)

IE ·



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

		(Contd. of page 1)
 Precautionary statements 	P260	Do not breathe dusts or mists.
-	P280	Wear protective gloves/protective clothing/eye protection/face protection/hearing protection.
	P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
	P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
· 2.3 Other hazards		· · · · · · · · · · · · · · · · · · ·
• Results of PBT and vPvB asse	ssment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description:

Mixture consisting of the following components.

[.] Dangerous compor	nents:	
CAS: 31795-24-1	Potassium methylsilantriolate	10-30%
EINECS: 250-807-9	Skin Corr. 1A, H314; Eye Dam. 1, H318	
CAS: 1344-09-8	Silicic acid, sodium salt, molar ratio SiO2/Na2O >3.2	<i>≥</i> 10-<20%
	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
 Additional informat 	ion For the wording of the listed hazard phrases refer to se	ction 16.

SECTION 4: First aid	measures
• 4.1 Description of first aid	d measures
· General information	For all first aid measures: observe self-protection and consult doctor!
· After inhalation	Take the person out into the fresh air.
· After skin contact	Remove contaminated clothing immediately.
	Hold affected areas under cold running water for at least 1 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open o use eye rinsing solution. Always consult an ophthalmologist!
· After swallowing	Drink plenty of water in small sips. Do not induce vomiting.

(Contd. on page 3)



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

(Contd. of page 2)

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or
- mixture
- 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures 6.2 Environmental	Wear protective equipment. Keep unprotected persons away.
precautions:	Dilute with much water.
 6.3 Methods and material for 	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralising agent.
	Dispose of contaminated material as waste according to item 13. Ensure adequate ventilation.
[.] 6.4 Reference to other	
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe handling Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area.

IE



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

	(Contd. of page 3)
· Information about storage in	Provide an eye shower or eyewash bottle.
	Combined storage bans apply from a total storage quantity of 200 kg.
	Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
• Further information about storage conditions:	None.
· Storage class	8B

SECTION 8: Exposure controls/personal protection

 8.1 Control parameters Components with critical values that require 	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs	6	
CAS: 3	31795-24-1	Potassium methylsilantriolate
Oral	DNEL	0.42 mg/kg bw/Tag (ArL)
Derma	I DNEL	6.6 mg/kg bw/day (ArL)
Inhalat	ive DNEL	47 mg/m³ (ArL)
CAS: 1	1344-09-8	Silicic acid, sodium salt, molar ratio SiO2/Na2O >3.2
Oral	DNEL	0.8 mg/kg bw/Tag (ArL)
Derma	I DNEL	1.59 mg/kg bw/day (ArL)
Inhalat	ive DNEL	5.61 mg/m³ (ArL)
· PNECs	S	
CAS: 3	3 1795-24- 1	Potassium methylsilantriolate
PNEC	0.42 mg/l	(Mew)
	4.2 mg/l (l	Freshwater)
PNEC	0.54 mg/k	rg dwt (Bod)
	0.33 mg/k	g dwt (Sediment)
CAS: 1	1344-09-8	Silicic acid, sodium salt, molar ratio SiO2/Na2O >3.2
PNEC	348 mg/l ('Kla)
	1 mg/l (Me	ew)
	7.5 mg/l (l	Freshwater)
· Additio	onal infori	<i>mation:</i> The lists that were valid during the compilation were used as basis.
· 8.2 Exp	posure co	ntrols
Appro	priate eng	
contro	ls	No further data; see section 7.
		(Contd. on page 5)



Page 5/11

IE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

	(Contd. of page
Individual protection measured	ures, such as personal protective equipment
General protective and	
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in th work area!
	Avoid contact with eyes, skin and clothing!
	Clean hands thoroughly after work and before cleaning!
	Use skin care products after work (moisturising cream).
	Change wet/uncleaned clothing immediately, place in water an only use again after cleaning!
Breathing equipment:	If the limit value is exceeded:
• • •	Combination filter A-P2 (brown/white).
Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the C mark with four-digit test number).
	When wearing protective gloves, cotton undergloves an recommended.
Material of gloves	see "Hand protection"
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protectiv
material	glove manufacturer and must be observed.
Eye/face protection	Gauze goggles
Body protection:	Alkali-resistant protective clothing
Skin protection	Use greasy skin protection ointment for all uncovered parts of th body!

SECTION 9: Physical and chemical properties

Colour:	Transparent	
	Transparent	
Smell:	Characteristic	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	100 °C (CAS: 7732-18-5 Water)	
Flash point:	Not applicable	
pH at 20 °C	10	
, Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)	
Density and/or relative density	· · · · · · · · · · · · · · · · · · ·	
Density at 20 °C	1.17 g/cm³	



Page 6/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

	(C	ontd. of page
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of hea	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

10.1 Reactivity	No further relevant information available.
10.2 Chemical stability	
Thermal decomposition /	
conditions to be avoided:	No decomposition if used according to specifications.
10.3 Possibility of hazardous	
reactions	No dangerous reactions known
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials:	No further relevant information available.
10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

(Contd. on page 7)



Page 7/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

(Contd. of page 6)

SECTION 11: Toxicologi	cal information	
	asses as defined in Regulation (EC) No 1272/2008	
· Acute toxicity	Based on available data, the classification criteria are not met.	
· LD/LC50 values that are relev	ant for classification:	
CAS: 31795-24-1 Potassium n	nethylsilantriolate	
Oral LD50 365 mg/kg (rat)	(rat)	
	odium salt, molar ratio SiO2/Na2O >3.2	
Oral LD50 3400 mg/kg (rat)		
Dermal LD50 >5000 mg/kg (ra	<i>t</i>)	
Primary irritant effect:		
Skin corrosion/irritation	Causes severe skin burns and eye damage.	
· Serious eye damage/irritation	Causes serious eye damage.	
[.] Respiratory or skin		
sensitisation	Based on available data, the classification criteria are not met.	
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.	
Carcinogenicity	Based on available data, the classification criteria are not met.	
· Reproductive toxicity	Based on available data, the classification criteria are not met.	
[·] STOT-single exposure	Based on available data, the classification criteria are not met.	
STOT-repeated exposure	Based on available data, the classification criteria are not met.	
· Aspiration hazard	Based on available data, the classification criteria are not met.	
· 11.2 Information on other haz	ards	
· Endocrine disrupting propert	ies	
None of the ingredients is listed		

SECTION 12: Ecological information

· 12.1 Toxicity

Aquatic to CAS: 3179	5-24-1 Potassium methylsilantriolate	
LC50/96h	548 mg/l (Brachydanio rerio)	
EC50	75 mg/l (Daphnia magna)	
CAS: 1344	-09-8 Silicic acid, sodium salt, molar ratio SiO2/Na2O >3.2	
EC50/72h	>345.4 mg/l (Desmodesmus subspicatus)	
LC50/96h	1108 mg/l (Danio rerio)	
	260 mg/l (Oncorhynchus mykiss)	
	>100 mg/l (fish)	
EC50	>100 mg/l (Bak)	
	>100 mg/l (algae)	
	>100 mg/l (Daphnien)	
	>100 mg/l (Daphnia magna)	
		(Contd. on page



Page 8/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

	(Contd. of page 7)
EC50/48h 1700 mg/l (Daphnia	magna)
12.2 Persistence and	
degradability	No further relevant information available.
12.3 Bioaccumulative	
potential	No further relevant information available.
12.4 Mobility in soil	No further relevant information available.
12.5 Results of PBT and vPvE	3 assessment
PBT:	Not applicable.
vPvB:	Not applicable.
12.6 Endocrine disrupting	
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects	
Additional ecological informa	ation:
General notes:	Must not reach sewage water or drainage ditch undiluted or unneutralised.
	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods Must not be disposed of together with household garbage. Do not · Recommendation allow product to reach sewage system. · European waste catalogue 17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES) 17 09 00 other construction and demolition wastes 17 09 03^{*} other construction and demolition wastes (including mixed wastes) containing hazardous substances 15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED 15 01 00 packaging (including separately collected municipal packaging waste) 15 01 01 paper and cardboard packaging 15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED packaging (including separately collected municipal packaging waste) 15 01 00 15 01 02 plastic packaging HP8 Corrosive · Uncleaned packagings: · Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

(Contd. on page 9)

IF



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

(Contd. of page 8)

Trade name MC-Estrifan SI

 Recommended cleaning agent:

Water, if necessary with cleaning agent.

SECTION 14: Transport information	
<i>14.1 UN number or ID number ADR, IMDG, IATA</i>	UN1760
<i>14.2 UN proper shipping name ADR, IMDG, IATA</i>	CORROSIVE LIQUID, N.O.S. (Potassiu) methylsilantriolate)
14.3 Transport hazard class(es)	
ADR Class Label	8 (C9) Corrosive substances. 8
IMDG, IATA Class Label	8 Corrosive substances. 8
14.4 Packing group ADR, IMDG, IATA	11
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user Kemler Number: EMS Number: Stowage Category Stowage Code	Warning: Corrosive substances. 80 F-A,S-B B SW2 Clear of living quarters.
14.7 Maritime transport in bulk accordi IMO instruments	ng to Not applicable.
Transport/Additional information:	
<i>ADR Limited quantities (LQ) Excepted quantities (EQ)</i>	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
Transport category Tunnel restriction code	2 E
IMDG Limited quantities (LQ)	1L
	(Contd. on page 1

IE



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

	(Contd. of page 9)
• Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
• UN "Model Regulation":	UN 1760 CORROSIVE LIQUID, N.O.S. (POTASSIUM METHYLSILANTRIOLATE), 8, 11

SECTION 15: Regulatory information

None of the ingredients is liste • Regulation (EC) No 273/2004	
· Annex II - REPORTABLE EX	PLOSIVES PRECURSORS
Annex I - RESTRICTED EXP licensing under Article 5(3)) None of the ingredients is liste	
None of the ingredients is liste	
DIRECTIVE 2011/65/EU on the electrical and electronic equ	he restriction of the use of certain hazardous substances in uipment – Annex II
 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture REGULATION (EC) No 1907/2006 ANNEX XVII 	No further relevant information available. Conditions of restriction: 3

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant	phrases
------------	---------

H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.

 Department issuing data specification sheet:

Environment protection department.

(Contd. on page 11)

IE -



Page 11/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 35 (replaces version 34)

Revision: 13.04.2025

Trade name MC-Estrifan SI

[.] Date of previous version:	(Contd. of page 17.10.2021
· Version number of previous	
version:	34
Abbreviations and acronyms.	
• * Data compared to the previous version altered.	or or on on openine larger organ toxicity (single exposure) - Calegory 5