

Page 1/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-Fastpack 2300 top - Komponente A
Article number: 1.2 Relevant identified uses of the substance or mixture	3005
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Polyurethane resin Injektion
1.3 Details of the supplier of the Supplier of the Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400
	E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
Informing department: 1.4 Emergency telephone number:	msds@mc-bauchemie.de Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
Classification according to Re	ance or mixture egulation (EC) No 1272/2008
2.1 Classification of the subst Classification according to Re Eye Irrit. 2 H319 Causes seriou	ance or mixture egulation (EC) No 1272/2008
2.1 Classification of the subst Classification according to Re Eye Irrit. 2 H319 Causes seriou 2.2 Label elements Labelling according to	ance or mixture gulation (EC) No 1272/2008 s eye irritation. The product is classified and labelled according to the CL
2.1 Classification of the subst Classification according to Re Eye Irrit. 2 H319 Causes seriou 2.2 Label elements Labelling according to	ance or mixture egulation (EC) No 1272/2008 s eye irritation.
2.1 Classification of the subst Classification according to Re Eye Irrit. 2 H319 Causes seriou 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008	ance or mixture gulation (EC) No 1272/2008 s eye irritation. The product is classified and labelled according to the CL



Page 2/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

	P280 P305+P351+P33 P337+P313	(Contd. of page 1) Wear eye protection / face protection. 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/ attention.
· 2.3 Other hazards		
· Results of PBT and v	PvB assessment	
· PBT: · vPvB:	Not applicable. Not applicable.	

SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Resin mixture. Mixture consisting of the following components.

 Dangerous components: 		
CAS: 25322-69-4	Polypropylene glycol	10-30%
	Acute Tox. 4, H302	
CAS: 770-35-4	1-Phenoxypropan-2-ol	10-30%
EINECS: 212-222-7 Reg.nr.: 01-2119486566-23- 0000	Eye Irrit. 2, H319	
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	Ethanediol STOT RE 2, H373; Acute Tox. 4, H302	<5%

SECTION 4: First aid measures

· 4.1	Description	of	first aid measures	
-			-	

· General information	Remove, decontaminate and dispose of soiled, soaked clothing and shoes immediately.
· After inhalation	Remove person to fresh air, keep warm, allow to rest; if breathing is difficult, seek medical attention.
· After skin contact	In case of contact with skin, preferably wash with polyethylene glycol-based cleaner or clean with plenty of warm water and soap. Consult a doctor in case of skin reactions.
· After eye contact	Rinse the eyes with open eyelids for a sufficiently long time (at least 10 minutes) with water that is as lukewarm as possible. Consult an ophthalmologist.
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.
 4.2 Most important symptom and effects, both acute and 	IS
delayed	Information for the doctor: The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

(Contd. of page 2) symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.

 4.3 Indication of any immediate medical attention and special treatment needed No information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

- [•] 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

SECTION 6: Accidental release measures • 6.1 Personal precautions, protective equipment and emergency procedures • 0.2 Environmental precautions: Not required. • 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). • 6.4 Reference to other sections No dangerous materials are released.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Ensure sufficient air exchange and/or extraction in the work areas. Air extraction is required for spray application. For solid products: Avoid dust formation and dust deposits. Air limit values mentioned in section 8 must be monitored. At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people. For products containing solvents: Explosion protection required. The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours. Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store (Contd. on page 4) IF



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

	(Contd. of page 3) work clothes separately. Remove soiled, soaked clothing immediately.
7.2 Conditions for safe	
storage, including any	
incompatibilities	Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance reasons can be found in our technical data sheet.
Storage	
Requirements to be met by	
storerooms and containers:	Store only in the original container.
Further information about	
storage conditions:	None.
Storage class	12
7.3 Specific end use(s)	No further relevant information available.

SECTION 8: Exposure controls/personal protection

		al values that require monitoring at the workplace:	
CAS: 1	107-21-1 Ethanedi		
OEL (II	reland)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin, IOELV	
IOELV	' (European Union)	Short-term value: 104 mg/m³, 40 ppm Long-term value: 52 mg/m³, 20 ppm Skin	
DNEL	S		
CAS: 7	770-35-4 1-Phenox	(ypropan-2-ol	
Derma	I DNEL 42 mg/l	kg bw/day (ArL)	
Inhalat	tive DNEL 25.7 mg	g/m³ (ArL)	
CAS: 1	107-21-1 Ethanedi	ol	
Derma	al DNEL 106 mg/kg bw/day (ArL)		
Inhalat	tive DNEL 35 mg/m ³ (ArL)		
PNEC	S		
CAS: 7	770-35-4 1-Phenox	kypropan-2-ol	
PNEC	0.01 mg/l (Mew)		
	0.1 mg/l (Freshwater)		
PNEC	0.02 mg/kg dwt (Bod)		
	0.038 mg/kg dwt (Marine water sediment)		
	0.38 mg/kg dwt (F	resh water sediment)	
Additi	onal information:	The lists that were valid during the compilation were used as bas	



Page 5/11

IE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

	(Contd. of page 4)
• 8.2 Exposure controls	
Appropriate engineering	
controls	No further data; see section 7.
 Individual protection measure 	ures, such as personal protective equipment
· General protective and	
hygienic measures	Keep away from food, drink and animal feed.
	Remove soiled, soaked clothing immediately.
	Wash hands before breaks and at the end of work.
	Avoid contact with eyes and skin.
Breathing equipment:	Respiratory protection required at insufficiently ventilated
	workplaces and when working with splashes. Fresh air masks or
	combination filters A2-P2 (EN529) are recommended for short-
	term work.
	If applicable, further recommendations for respiratory protection
	can be found in the appendix.
	In case of hypersensitivity of the respiratory tract (asthma, chronic
	bronchitis), handling of the product is not recommended.
Hand protection	Suitable materials for protective gloves; EN 374:
	Butyl rubber, nitrile rubber, chloroprene rubber (neoprene).
	Note: suitable materials that provide sufficient protection for
	industrial cleaning with aprotic polar solvents (according to IUPAC definition): butyl rubber.
	In case of prolonged or frequently repeated contact, a glove with a
	protection class of 5 or higher is recommended (breakthrough time
	greater than 240 minutes according to EN374). For short-term
	contact, a glove with a protection class of 3 or higher is
	recommended (breakthrough time greater than 60 minutes
	according to EN374).
	The thickness of the material is not the only criterion for the level of
	protection of a glove against a chemical substance. The protective
	effect also depends to a large extent on the type of glove material.
	Depending on the type and material, the thickness must be more
	than 0.35 mm to ensure adequate protection in the event of
	prolonged and frequent contact. Exceptions to this rule are multi-
	layer gloves, which guarantee sufficient protection even with a
	thickness of less than 0.35 mm during prolonged wear. Other glove
	materials with a thickness of less than 0.35 mm only provide
	sufficient protection for short periods of wear.
	For solvent-free products:
	Example:
	Polychloroprene - CR: thickness ≥0.5mm; breakthrough time
	≥480min.
	Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time
	≥480min.
	Butyl rubber - IIR: thickness ≥0.5mm; breakthrough time ≥480min.
	Fluoro rubber - FKM: thickness ≥0.4mm; breakthrough time
	≥480min.
	Recommendation: Dispose of contaminated gloves.
Material of gloves	Polychloroprene - CR
	Nitrile rubber - NBR
	(Contd. on page 6)



Page 6/11

IE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

	(Contd. of page 5) Butyl rubber - IIR
	Fluoro rubber - FKM
 Penetration time of glove 	
material	Polychloroprene - CR: thickness ≥0.5mm; breakthrough time ≥480min.
	Nitrile rubber - NBR: thickness ≥0.35mm; breakthrough time ≥480min.
	Fluoro rubber - FKM: Thickness ≥0.4mm; Breakthrough time ≥480min.
• Eye/face protection	Safety goggles with side protection in accordance with EN 166.
· Body protection:	Use chemical-resistant protective clothing.
	In case of hypersensitivity of the skin, handling the product is not recommended.

SECTION 9: Physical and chemical properties

General Information	
Colour:	Yellow
Smell:	Characteristic
Melting point/freezing point:	Not determined
Boiling point or initial boiling point and	1
boiling range	243 °C (CAS: 770-35-4 1-Phenoxypropan-2-ol)
Flash point:	Not applicable
Auto-ignition temperature:	135 °C (CAS: 770-35-4 1-Phenoxypropan-2-ol)
oH	Not determined.
Viscosity:	
Kinematic viscosity at 20 °C	80 s (DIN 53211/4)
dynamic:	Not determined.
Solubility	
Water:	Not miscible or difficult to mix
Steam pressure:	Not determined.
Density and/or relative density	
Density at 20 °C	0.99 g/cm³
9.2 Other information	
Appearance:	
Form:	Fluid
mportant information on protection of	health
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
· · ·	•
Information with regard to physical <i>I</i> classes	18281 U
	Void
Explosives Flammable gases	Void Void



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

		(Contd. of page 6
Aerosols	Void	
• Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity		
 10.1 Reactivity 10.2 Chemical stability 	No further relevant information available.	
 Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous 	No decomposition if used according to specifications.	
reactions	No dangerous reactions known	
· 10.4 Conditions to avoid	No further relevant information available.	
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.	
decomposition products:	No dangerous decomposition products known	

SECTION 11: Toxicological information

• 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute t	oxicity	Based on available data, the classification criteria are not met.
· LD/LC5	i0 valu	es that are relevant for classification:
CAS: 2	5322-6	9-4 Polypropylene glycol
Oral	LD50	1000-<2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)
CAS: 7	70-35-4	4 1-Phenoxypropan-2-ol
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
CAS: 1	07-21-1	1 Ethanediol
Oral	LD50	4000 mg/kg (rat)
		(Contd. on page 8)

Page 7/11



Page 8/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

			(Contd. of page 7
	LDL0	1600 mg/kg (Wo	rkers)
Dermal	LD50	>3500 mg/kg (m	ouse)
		10600 mg/kg (rai	bbit)
· Primary	/ irritar	nt effect:	
· Skin co	rrosio	n/irritation	Based on available data, the classification criteria are not met.
· Serious	· Serious eye damage/irritation		Causes serious eye irritation.
[.] Respira	tory o	r skin	
sensitis	sation		Based on available data, the classification criteria are not met.
· Germ c	· Germ cell mutagenicity		Based on available data, the classification criteria are not met.
· Carcino	ogenici	ity	Based on available data, the classification criteria are not met.
· Reprod	uctive	toxicity	Based on available data, the classification criteria are not met.
STOT-s	ingle e	exposure	Based on available data, the classification criteria are not met.
· STOT-r	STOT-repeated exposure		Based on available data, the classification criteria are not met.
· Aspirat	· Aspiration hazard		Based on available data, the classification criteria are not met.
· 11.2 Inf	ormati	on on other haz	ards
· Endocr	ine dis	rupting properti	es
None of	the ing	gredients is listed.	

SECTION 12: Ecological information

Aquatic to	oxicity:		
CAS: 2532	2-69-4 Polyprop	oylene glycol	
LC50/48h	>100 mg/l (Leuc	idus idus)	
EC50/48h	>100 mg/l (Daph	nnia magna)	
EC0	>100 mg/l (Desn	nodesmus subspicatus)	
CAS: 770-	35-4 1-Phenoxy	propan-2-ol	
EC50/72h	>100 mg/l (Desn	nodesmus subspicatus)	
LC50/96h	280 mg/l (Pimep	hales promelas)	
LC50/48h	370 mg/l (Daphnia magna)		
CAS: 107-	21-1 Ethanediol		
LC50/96h	72860 mg/l (Pim	ephales promelas)	
EC50/48h	>100 mg/l (Daph	nnia magna)	
EC50/96h 6500-13000 mg/l		'l (Selenastrum capricornutum)	
NOEC	8590 mg/l (Cerio	odaphnia dubia)	
	15380 mg/l (Pim	ephales promelas)	
	stence and		
degradabi		No further relevant information available.	
	cumulative	No further relevant information available.	
potential 12.4 Mobility in soil		No further relevant information available.	
		PvB assessment	
PBT:		Not applicable.	
			(Contd. on page 9



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

(Contd. of page 8)

Trade name MC-Fastpack 2300 top - Komponente A

· vPvB:

Not applicable.

 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- 12.7 Other adverse effects
- Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

	n waste catalogue
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
HP6	Acute Toxicity
	ed packagings: Dispose of packaging according to regulations on the disposal of

• **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings. Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

· 14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
· 14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
· 14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

	(Contd. of page 9
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk according IMO instruments 	ng to Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

15.1 Safety, health and enviro	
REGULATION (EC) No 1907/2006 ANNEX XVII	Conditions of restriction: 3
electrical and electronic equi	e restriction of the use of certain hazardous substances in pment – Annex II
None of the ingredients is listed	l.
REGULATION (EU) 2019/1148	1
Annex I - RESTRICTED EXPL licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is listed	l.
Annex II - REPORTABLE EXP	PLOSIVES PRECURSORS
None of the ingredients is listed	l.
Regulation (EC) No 273/2004	on drug precursors
None of the ingredients is listed	l.
Regulation (EC) No 111/2005 Community and third countri	laying down rules for the monitoring of trade between the es in drug precursors
None of the ingredients is listed	l.
National regulations	
Other regulations, limitations	
and prohibitive regulations	MAL-Code: 0-1 (1993)
15.2 Chemical safety	
assessment:	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

[.] Relevant phrases

H302 Harmful if swallowed. H319 Causes serious eye irritation.

(Contd. on page 11)

IF



Page 11/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.04.2025

Version number 29 (replaces version 28)

Revision: 15.04.2025

Trade name MC-Fastpack 2300 top - Komponente A

	(Contd. of page H373 May cause damage to organs through prolonged or repeat exposure.
Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	18.10.2021
Version number of previous	
version:	28