

Page 1/10

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	MC-Floor Easyplan classic
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture</li> </ul>	833
and uses advised against • Application of the substance	No further relevant information available.
/ the mixture	Floor screed - fast cement
• 1.3 Details of the supplier of t • Manufacturer/Supplier:	the safety data sheet         MC-Bauchemie Müller GmbH & Co. KG         Am Kruppwald 1-8         D-46238 Bottrop         Tel.: +49(0)2041-101-0         Fax.: +49(0)2041-101-400         E-Mail: info@mc-bauchemie.de         MC-Bauchemie AG         Hagackerstr. 10         CH-8953 Dietikon         Tel.: +44-7400510         Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:
 Hazard statements

Portland cement (low chromate) H318 Causes serious eye damage.

(Contd. on page 2)

IE



Page 2/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

#### Trade name MC-Floor Easyplan classic

· Precautionary statements		(Contd. of page 1) Wear eye protection / face protection. 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
<ul> <li>2.3 Other hazards</li> </ul>		
<ul> <li>Results of PBT and vPvB as</li> </ul>	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

### **SECTION 3: Composition/information on ingredients**

· 3.2 Mixtures

· Description:	Mixture consisting of the following components.	
<ul> <li>Dangerous components:</li> </ul>		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz sand substance with a Community workplace exposure limit	30-60%
CAS: 1317-65-3 EINECS: 207-439-9	Calcium carbonate substance with a Community workplace exposure limit	30-60%
CAS: 7778-18-9 EINECS: 231-900-3 Reg.nr.: 1-2119444918-26	Calcium sulphate substance with a Community workplace exposure limit	<10%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	- ≥3-<5%

## SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information	For all first aid measures: observe self-protection and consult a doctor!
<ul> <li>After inhalation</li> </ul>	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising from the substance or mixture

No further relevant information available.

(Contd. on page 3)

IE



Page 3/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

(Contd. of page 2)

#### Trade name MC-Floor Easyplan classic

5.3 Advice for firefighters
 Protective equipment:

No special measures required.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures
6.2 Environmental precautions:
6.3 Methods and material for

Not required.

No special measures required.

 6.3 Methods and material for containment and cleaning up: Collect mechanically.
 6.4 Reference to other sections
 No dangerous materials are released.

### **SECTION 7: Handling and storage**

• 7.1 Precautions for safe handling	Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!
	e, including any incompatibilities
<ul> <li>Storage</li> <li>Requirements to be met by</li> </ul>	
storerooms and containers:	Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
Information about storage in	
one common storage facility:	Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2;
	7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
· Further information about	
storage conditions: Storage class	Store in a dry and frost-free place. 13

(Contd. on page 4)



Page 4/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

#### Trade name MC-Floor Easyplan classic

(Contd. of page 3)

8.1 Control parameters		
<sup>•</sup> Components with critical values that require monitoring at the workplace:		
CAS: 14808-60-7 Quartz s		
OEL (Ireland)	Long-term value: 0.1 mg/m³	
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction	
CAS: 1317-65-3 Calcium		
OEL (Ireland)	Long-term value: 10* 4** mg/m³ *inhalable dust, **respirable dust	
CAS: 7778-18-9 Calcium	•	
· ,	Long-term value: 10 mg/m³	
CAS: 65997-15-1 Portland	· · · · · · · · · · · · · · · · · · ·	
OEL (Ireland)	Long-term value: 1 mg/m³ respirable fraction	
DNELs		
CAS: 1317-65-3 Calcium		
Oral DNEL 6.1 mg/k		
Inhalative DNEL 10 mg/m	. ,	
CAS: 7778-18-9 Calcium		
Oral DNEL 1.52 mg/		
Inhalative DNEL 21.17 mg		
CAS: 65997-15-1 Portland	· · · · ·	
Inhalative DNEL 1 mg/m <sup>3</sup>	(ArL)	
PNECs		
CAS: 1317-65-3 Calcium		
PNEC 100 mg/l (Sewage		
CAS: 7778-18-9 Calcium	sulphate	
PNEC 100 mg/l (Kla)		
Additional information:	The lists that were valid during the compilation were used as ba	
	No further data; see section 7. asures, such as personal protective equipment	
General protective and	Do not store food, out divide suiff or smaller in the world and	
hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin!	
	Clean hands thoroughly at the end of work and before breaks!	
	Use skin care products after work (moisturising cream).	
	Change and clean heavily soiled clothing!	
	Change clothes at the end of work! Apply greasy skin protection ointment before starting work and (Contd. on pa	



Page 5/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

#### Trade name MC-Floor Easyplan classic

	(Contd. of page 4)
	after every break.
Breathing equipment:	For work with higher dust loads particle filter class P2
Hand protection	Check protective gloves prior to each use for their proper condition.
Material of gloves	Nitrile impregnated cotton gloves.
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
Eye/face protection	Safety glasses
Body protection:	Protective work clothing.
Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

9.1 Information on basic physical and	d chemical properties	
General Information		
Colour:	Grey	
Smell:	Odourless	
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point a	nd	
boiling range	Not applicable	
• •	Not determined	
Flash point:	Not applicable	
pH at 20 °C	11	
Viscosity:		
Kinematic viscosity	Not applicable.	
dynamic:	Not applicable.	
Solubility		
Water:	Unsoluble	
Steam pressure:	Not applicable.	
Density and/or relative density		
Density	Not determined	
Particle characteristics	See section 3.	
9.2 Other information		
Appearance:		
Form:	Powder	
Important information on protection	of health	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physica	l hazard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	



Page 6/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

#### Trade name MC-Floor Easyplan classic

		(Contd. of page s
<sup>.</sup> Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

## SECTION 10: Stability and reactivity

· 10.1 Reactivity · 10.2 Chemical stability	No further relevant information available.
<ul> <li>Thermal decomposition / conditions to be avoided:</li> </ul>	No decomposition if used according to specifications.
<ul> <li>10.3 Possibility of hazardous reactions</li> <li>10.4 Conditions to avoid</li> </ul>	No dangerous reactions known No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

## SECTION 11: Toxicological information

• <b>11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008</b> • <b>Acute toxicity</b> Based on available data, the classification criteria are not met.				
· LD/LC50 values that are relevant for classification:				
CAS: 1317-65-3 Calcium carbonate				
Oral	LD50	>2000 mg/kg (rat)		
Dermal	LD50	>2000 mg/kg (rat)		
CAS: 7778-18-9 Calcium sulphate				
Oral	LD50	>1581 mg/kg (rat)		
Dermal	NOAEL	790 mg/kg (rat)		

Inhalative LC50/4 h >2.61 mg/l (rat)

CAS: 65997-15-1 Portland cement (low chromate)

Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat)

(Contd. on page 7)

ÍE



Page 7/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

#### Trade name MC-Floor Easyplan classic

	(Contd. of page 6
Primary irritant effect:	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation	
Respiratory or skin	
sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other haz	ards
Endocrine disrupting properties	

CAS: 554-13-2 Lithium carbonate

List III

12.1 Toxic	ity		
Aquatic to	xicity:		
CAS: 1317	-65-3 Calcium ca	irbonate	
EC50/72h	>14 mg/l (Desmodesmus subspicatus)		
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)		
LC50/48h	>1000 mg/l (Daphnia magna)		
EC50/48h	>1000 mg/l (Daphnia magna)		
CAS: 7778	-18-9 Calcium su	Ilphate	
		strum capricornutum)	
	>79 mg/l (fish)		
	>790 mg/l (BEL)		
	>79 mg/l (Daphnia magna)		
	stence and		
degradability		No further relevant information available.	
	cumulative		
potential		No further relevant information available.	
12.4 Mobility in soil		No further relevant information available.	
	ts of PBT and vF		
PBT:		Not applicable.	
vPvB:		Not applicable.	
12.6 Endo	crine disrupting	For information on endocrine disrupting properties see section 11	



Page 8/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

(Contd. of page 7)

#### Trade name MC-Floor Easyplan classic

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European waste catalogue

17 00 00 CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)

17 01 00 concrete, bricks, tiles and ceramics

17 01 01 concrete

· Recommendation

· Uncleaned packagings:

· Recommendation:

*Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.* 

#### SECTION 14: Transport information · 14.1 UN number or ID number · ADR, ADN, IMDG, IATA Void · 14.2 UN proper shipping name ADR, ADN, IMDG, IATA Void · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA Void · Class · 14.4 Packing group · ADR, IMDG, IATA Void · 14.5 Environmental hazards: · Marine pollutant: No · 14.6 Special precautions for user Not applicable. · 14.7 Maritime transport in bulk according to IMO instruments Not applicable. · UN "Model Regulation": Void

(Contd. on page 9)



Page 9/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

Trade name MC-Floor Easyplan classic

(Contd. of page 8)

<b>SECTION 15: Regulatory</b>	information
15.1 Safety, health and	
environmental regulations/	
legislation specific for the	No. 6. db a contract in factor of the contract in the black
substance or mixture	No further relevant information available.
electrical and electronic equip	e restriction of the use of certain hazardous substances in oment – Annex II
None of the ingredients is listed.	
REGULATION (EU) 2019/1148	
Annex I - RESTRICTED EXPLO licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is listed.	
Annex II - REPORTABLE EXP	LOSIVES PRECURSORS
None of the ingredients is listed.	
Regulation (EC) No 273/2004 of	
None of the ingredients is listed.	
Regulation (EC) No 111/2005 I Community and third countrie	laying down rules for the monitoring of trade between the es in drug precursors
None of the ingredients is listed.	
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
SECTION 16: Other infor	mation
These data are based on our pr any specific product features an	esent knowledge. However, they shall not constitute a guarantee In shall not establish a legally valid contractual relationship.
Relevant phrases	H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	15.10.2021
Version number of previous	
version:	33 BID: Dèclement international concernant la transmert des merchandi
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internatio Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Dangere Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

(Contd. on page 10)

IE



Page 10/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 34 (replaces version 33)

Revision: 12.04.2025

### Trade name MC-Floor Easyplan classic

	(Contd. of page
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
·* Data compared to the	
previous version altered.	