



BE SURE. BUILD SURE.

Page 1/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** MC-Injekt 2300 top - Komponente A

· **Article number:** 2854

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Polyurethane resin  
Injektion

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Eye Irrit. 2 H319 Causes serious eye irritation.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard statements**

H319 Causes serious eye irritation.

· **Precautionary statements**

P264

Wash thoroughly after handling.

(Contd. on page 2)



BE SURE. BUILD SURE.

Page 2/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

Trade name MC-Injekt 2300 top - Komponente A

(Contd. of page 1)

P280 Wear eye protection / face protection.  
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P337+P313 If eye irritation persists: Get medical advice/attention.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.  
· **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Resin mixture.  
Mixture consisting of the following components.

· **Dangerous components:**

CAS: 25322-69-4	Polypropylene glycol Acute Tox. 4, H302	10-30%
CAS: 770-35-4 EINECS: 212-222-7 Reg.nr.: 01-2119486566-23-0000	1-Phenoxypropan-2-ol Eye Irrit. 2, H319	10-30%
CAS: 107-21-1 EINECS: 203-473-3 Reg.nr.: 01-2119456816-28	Ethanediol STOT RE 2, H373; Acute Tox. 4, H302	<5%

### SECTION 4: First aid measures

· **4.1 Description of first aid measures**

· **General information** Remove, decontaminate and dispose of soiled, soaked clothing and shoes immediately.

· **After inhalation** Remove person to fresh air, keep warm, allow to rest; if breathing is difficult, seek medical attention.

· **After skin contact** In case of contact with skin, preferably wash with polyethylene glycol-based cleaner or clean with plenty of warm water and soap. Consult a doctor in case of skin reactions.

· **After eye contact** Rinse the eyes with open eyelids for a sufficiently long time (at least 10 minutes) with water that is as lukewarm as possible. Consult an ophthalmologist.

· **After swallowing** Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

· **4.2 Most important symptoms and effects, both acute and delayed**

Information for the doctor: The product irritates the respiratory tract and is a potential trigger for skin and respiratory sensitisation. Treatment of acute irritation or bronchial constriction is primarily

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

Trade name MC-Injekt 2300 top - Komponente A

(Contd. of page 2)

symptomatic. Depending on the extent of exposure and the symptoms, prolonged medical treatment may be necessary.

- **4.3 Indication of any immediate medical attention and special treatment needed** No information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous materials are released.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**

Ensure sufficient air exchange and/or extraction in the work areas. Air extraction is required for spray application.  
For solid products: Avoid dust formation and dust deposits.  
Air limit values mentioned in section 8 must be monitored.  
At workplaces where isocyanate aerosols and/or vapours can occur in higher concentrations, targeted air extraction must be used to prevent the occupational hygiene limit value from being exceeded. The air must be moved away from people.  
For products containing solvents: Explosion protection required.  
The personal protective measures described in section 8 must be observed. The protective measures required when handling isocyanates must be observed. Avoid contact with skin and eyes and inhalation of vapours.  
Keep away from food and beverages. Wash hands before breaks and at the end of work and apply skin protection ointment. Store

(Contd. on page 4)

IE



BE SURE. BUILD SURE.

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

**Trade name MC-Injekt 2300 top - Komponente A**

(Contd. of page 3)

work clothes separately. Remove soiled, soaked clothing immediately.

**· 7.2 Conditions for safe storage, including any incompatibilities**

Keep container dry and tightly closed. Further information on the storage conditions that must be observed for quality assurance reasons can be found in our technical data sheet.

**· Storage**

**· Requirements to be met by storerooms and containers:**

Store only in the original container.

**· Further information about storage conditions:**

None.

**· Storage class**

10

**· 7.3 Specific end use(s)**

No further relevant information available.

**SECTION 8: Exposure controls/personal protection**

**· 8.1 Control parameters**

**· Components with critical values that require monitoring at the workplace:**

**CAS: 107-21-1 Ethanediol**

OEL (Ireland)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin, IOELV
---------------	---

IOELV (European Union)	Short-term value: 104 mg/m <sup>3</sup> , 40 ppm Long-term value: 52 mg/m <sup>3</sup> , 20 ppm Skin
------------------------	--

**· DNELs**

**CAS: 770-35-4 1-Phenoxypropan-2-ol**

Dermal	DNEL	42 mg/kg bw/day (ArL)
--------	------	-----------------------

Inhalative	DNEL	25.7 mg/m <sup>3</sup> (ArL)
------------	------	------------------------------

**CAS: 107-21-1 Ethanediol**

Dermal	DNEL	106 mg/kg bw/day (ArL)
--------	------	------------------------

Inhalative	DNEL	35 mg/m <sup>3</sup> (ArL)
------------	------	----------------------------

**· PNECs**

**CAS: 770-35-4 1-Phenoxypropan-2-ol**

PNEC	0.01 mg/l (Mew)
------	-----------------

	0.1 mg/l (Freshwater)
--	-----------------------

PNEC	0.02 mg/kg dwt (Bod)
------	----------------------

	0.038 mg/kg dwt (Marine water sediment)
--	---

	0.38 mg/kg dwt (Fresh water sediment)
--	---------------------------------------

**· Additional information:**

The lists that were valid during the compilation were used as basis.

(Contd. on page 5)



BE SURE. BUILD SURE.

Page 5/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

Trade name MC-Injekt 2300 top - Komponente A

(Contd. of page 4)

- **8.2 Exposure controls**
- **Appropriate engineering controls**
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures**

No further data; see section 7.

- **Breathing equipment:**

Keep away from food, drink and animal feed.  
Remove soiled, soaked clothing immediately.  
Wash hands before breaks and at the end of work.  
Avoid contact with eyes and skin.

Respiratory protection required at insufficiently ventilated workplaces and when working with splashes. Fresh air masks or combination filters A2-P2 (EN529) are recommended for short-term work.

If applicable, further recommendations for respiratory protection can be found in the appendix.

In case of hypersensitivity of the respiratory tract (asthma, chronic bronchitis), handling of the product is not recommended.

- **Hand protection**

Suitable materials for protective gloves; EN 374:

Butyl rubber, nitrile rubber, chloroprene rubber (neoprene).

Note: suitable materials that provide sufficient protection for industrial cleaning with aprotic polar solvents (according to IUPAC definition): butyl rubber.

In case of prolonged or frequently repeated contact, a glove with a protection class of 5 or higher is recommended (breakthrough time greater than 240 minutes according to EN374). For short-term contact, a glove with a protection class of 3 or higher is recommended (breakthrough time greater than 60 minutes according to EN374).

The thickness of the material is not the only criterion for the level of protection of a glove against a chemical substance. The protective effect also depends to a large extent on the type of glove material.

Depending on the type and material, the thickness must be more than 0.35 mm to ensure adequate protection in the event of prolonged and frequent contact. Exceptions to this rule are multi-layer gloves, which guarantee sufficient protection even with a thickness of less than 0.35 mm during prolonged wear. Other glove materials with a thickness of less than 0.35 mm only provide sufficient protection for short periods of wear.

For solvent-free products:

Example:

Polychloroprene - CR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Nitrile rubber - NBR: thickness  $\geq 0.35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Butyl rubber - IIR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Fluoro rubber - FKM: thickness  $\geq 0.4\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .

Recommendation: Dispose of contaminated gloves.

- **Material of gloves**

Polychloroprene - CR

Nitrile rubber - NBR

(Contd. on page 6)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

**Trade name MC-Injekt 2300 top - Komponente A**

(Contd. of page 5)

- **Penetration time of glove material**  
Butyl rubber - IIR  
Fluoro rubber - FKM  
Polychloroprene - CR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Nitrile rubber - NBR: thickness  $\geq 0.35\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Butyl rubber - IIR: thickness  $\geq 0.5\text{mm}$ ; breakthrough time  $\geq 480\text{min}$ .  
Fluoro rubber - FKM: Thickness  $\geq 0.4\text{mm}$ ; Breakthrough time  $\geq 480\text{min}$ .
- **Eye/face protection**  
Safety goggles with side protection in accordance with EN 166.
- **Body protection:**  
Use chemical-resistant protective clothing.  
In case of hypersensitivity of the skin, handling the product is not recommended.

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** Yellowish
- **Smell:** Characteristic
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range**  $>200\text{ }^\circ\text{C}$  (CAS: 25322-69-4 Polypropylene glycol)
- **Flash point:**  $127\text{ }^\circ\text{C}$
- **Auto-ignition temperature:**  $135\text{ }^\circ\text{C}$  (CAS: 770-35-4 1-Phenoxypropan-2-ol)
- **pH** Not applicable.  
Not determined.
- **Viscosity:**
- **Kinematic viscosity at  $20\text{ }^\circ\text{C}$**   $80\text{ s}$  (DIN 53211/4)
- **dynamic:** Not determined.
- **Solubility**
- **Water:** Not miscible or difficult to mix
- **Steam pressure at  $20\text{ }^\circ\text{C}$ :**  $0\text{ hPa}$  (CAS: 770-35-4 1-Phenoxypropan-2-ol)
- **Density and/or relative density**
- **Density at  $20\text{ }^\circ\text{C}$**   $0.98\text{ g/cm}^3$
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Information with regard to physical hazard classes**
- **Explosives** Void

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

Trade name MC-Injekt 2300 top - Komponente A

(Contd. of page 6)

· Flammable gases	Void
· Aerosols	Void
· Oxidising gases	Void
· Gases under pressure	Void
· Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
· Pyrophoric solids	Void
· Self-heating substances and mixtures	Void
· Substances and mixtures, which emit flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
· Corrosive to metals	Void
· Desensitised explosives	Void

#### SECTION 10: Stability and reactivity

- 10.1 Reactivity *No further relevant information available.*
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided: *No decomposition if used according to specifications.*
- 10.3 Possibility of hazardous reactions *No dangerous reactions known*
- 10.4 Conditions to avoid *No further relevant information available.*
- 10.5 Incompatible materials: *No further relevant information available.*
- 10.6 Hazardous decomposition products: *No dangerous decomposition products known*

#### SECTION 11: Toxicological information

- 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
- Acute toxicity *Based on available data, the classification criteria are not met.*

· LD/LC50 values that are relevant for classification:

**CAS: 25322-69-4 Polypropylene glycol**

Oral LD50 1000-<2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rabbit)

**CAS: 770-35-4 1-Phenoxypropan-2-ol**

Oral LD50 >2000 mg/kg (rat)

Dermal LD50 >2000 mg/kg (rat)

(Contd. on page 8)





BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

**Trade name MC-Injekt 2300 top - Komponente A**

(Contd. of page 7)

**CAS: 107-21-1 Ethanediol**

Oral	LD50	4000 mg/kg (rat)
	LDL0	1600 mg/kg (Workers)
Dermal	LD50	>3500 mg/kg (mouse)
		10600 mg/kg (rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 25322-69-4 Polypropylene glycol**

LC50/48h	>100 mg/l (Leucidus idus)
EC50/48h	>100 mg/l (Daphnia magna)
EC0	>100 mg/l (Desmodesmus subspicatus)

**CAS: 770-35-4 1-Phenoxypropan-2-ol**

EC50/72h	>100 mg/l (Desmodesmus subspicatus)
LC50/96h	280 mg/l (Pimephales promelas)
LC50/48h	370 mg/l (Daphnia magna)

**CAS: 107-21-1 Ethanediol**

LC50/96h	72860 mg/l (Pimephales promelas)
EC50/48h	>100 mg/l (Daphnia magna)
EC50/96h	6500-13000 mg/l (Selenastrum capricornutum)
NOEC	8590 mg/l (Ceriodaphnia dubia)
	15380 mg/l (Pimephales promelas)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 9)





BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

Trade name MC-Injekt 2300 top - Komponente A

(Contd. of page 8)

- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 01 00	wastes from MFSU and removal of paint and varnish
08 01 12	waste paint and varnish other than those mentioned in 08 01 11
HP6	Acute Toxicity

- **Uncleaned packagings:**
- **Recommendation:** Dispose of packaging according to regulations on the disposal of packagings. Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

### SECTION 14: Transport information

- **14.1 UN number or ID number**
- **ADR, ADN, IMDG, IATA** Void
- **14.2 UN proper shipping name**
- **ADR, ADN, IMDG, IATA** Void
- **14.3 Transport hazard class(es)**
- **ADR, ADN, IMDG, IATA**
- **Class** Void
- **14.4 Packing group**
- **ADR, IMDG, IATA** Void

(Contd. on page 10)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

Trade name MC-Injekt 2300 top - Komponente A

(Contd. of page 9)

· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	No
· <b>14.6 Special precautions for user</b>	Not applicable.
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>UN "Model Regulation":</b>	Void

#### SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture** No further relevant information available.
- **REGULATION (EC) No 1907/2006 ANNEX XVII** Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

- **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Relevant phrases** H302 Harmful if swallowed.  
H319 Causes serious eye irritation.

(Contd. on page 11)



BE SURE. BUILD SURE.

Page 11/11

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 40 (replaces version 39)

Revision: 14.04.2025

**Trade name MC-Injekt 2300 top - Komponente A**

(Contd. of page 10)

H373 May cause damage to organs through prolonged or repeated exposure.

· **Department issuing data specification sheet:**

Environment protection department.

· **Date of previous version:**

18.10.2021

· **Version number of previous version:**

39

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 4: Acute toxicity – Category 4

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2

· \* Data compared to the previous version altered.

IE