

Page 1/10

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

<ul> <li>Trade name</li> <li>1.2 Relevant identified uses</li> <li>Sector of Use</li> </ul>	<u>MC-KL 1</u> of the substance or mixture and uses advised against SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
<ul> <li>Application of the substance / the mixture</li> </ul>	Concrete/Mortar admixtures
• 1.3 Details of the supplier of • Manufacturer/Supplier:	<i>the safety data sheet</i> MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008
- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Dam. 1 H318 Causes serious eye damage.
- STOT SE 3 H335 May cause respiratory irritation.

#### <sup>•</sup> 2.2 Label elements

- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.
- · Hazard pictograms



· Signal word

Danger

 Hazard-determining components of labelling:

Portland cement Fly ash Portland cement

(Contd. on page 2)

IE



Page 2/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024Version number 25 (replaces version 24)Revision: 06.12.2024

Trade name MC-KL 1

		(Contd. of page 1)
• Hazard statements	H315 Causes skii	n irritation.
	H318 Causes ser	ious eye damage.
	H335 May cause	respiratory irritation.
· Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/ spray.
	P305+P351+P33	8 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P403+P233	Store in a well-ventilated place. Keep container tightly closed.
· 2.3 Other hazards		<b>5</b> <i>y</i>
• Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	

3.2 Mixtures Description:	Mixture consisting of the following components.	
· Dangerous components:		
CAS: 14808-60-7 EINECS: 238-878-4	Quartz (SiO2) substance with a Community workplace exposure limit	50-70%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥20-≤30%
CAS: 68475-76-3	Fly ash Portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%

### **SECTION 4: First aid measures**

General information	For all first aid measures: observe self-protection and consult a doctor!
After inhalation	Remove people from the dusty area.
After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
	(Contd. on page 3)



Page 3/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

Trade name MC-KL 1

· After swallowing

(Contd. of page 2) Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

#### SECTION 5: Firefighting measures

• 5.1 Extinguishing media

- · Suitable extinguishing agents Use fire fighting measures that suit the environment.
- · 5.2 Special hazards arising from the substance or mixture 5.3 Advice for firefighters

No further relevant information available.

· Protective equipment: No special measures required.

#### SECTION 6: Accidental release measures

6.1 Personal precautions,	
protective equipment and	
emergency procedures	Not required.
· 6.2 Environmental	
precautions:	No special measures required.
<ul> <li>6.3 Methods and material for</li> </ul>	
containment and cleaning up	: Ensure adequate ventilation.
<ul> <li>6.4 Reference to other</li> </ul>	
sections	No dangerous materials are released.
	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by storerooms and containers: Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.

(Contd. on page 4)



Page 4/10

IE

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024Version number 25 (replaces version 24)Revision: 06.12.2024

Trade name MC-KL 1

(Contd. of page 3)
Combined storage bans apply from a total storage quantity of 200 kg.
Do not store together with substances of the following LGK: 1; 6.2;
Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C
Store in a dry and frost-free place. 13

### **SECTION 8: Exposure controls/personal protection**

Components with critical	I values that require monitoring at the workplace:	
CAS: 14808-60-7 Quartz	(SiO2)	
OEL (Ireland)	Long-term value: 0.1 mg/m³	
BOELV (European Union)	Long-term value: 0.1* mg/m³	
	*respirable fraction	
CAS: 65997-15-1 Portlan	d cement	
OEL (Ireland)	Long-term value: 1 mg/m³	
	respirable fraction	
DNELs		
CAS: 65997-15-1 Portlan	d cement	
Inhalative DNEL 1 mg/m <sup>3</sup>	(ArL)	
Additional information:	The lists that were valid during the compilation were used as basis	
General protective and	asures, such as personal protective equipment	
Appropriate engineering controls	No further data; see section 7.	
General protective and hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area!	
nygienic measures	Avoid contact with eyes and skin!	
	Clean hands thoroughly at the end of work and before breaks!	
	Use skin care products after work (moisturising cream).	
	Change and clean heavily soiled clothing! Change clothes at the end of work!	
	Apply greasy skin protection ointment before starting work an	
	after every break.	
Breathing equipment: For work with higher dust loads particle filter class P2		
Hand protection	Check protective gloves prior to each use for their proper condition	
Material of gloves	Nitrile impregnated cotton gloves.	
Penetration time of glove		
material	The exact breakthrough time must be obtained from the protectiv glove manufacturer and must be observed.	
Free Kanan www.tantiaw	Safety glasses	
Eye/face protection	Salely Ulasses	



Page 5/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

 Printing date 10.12.2024
 Version number 25 (replaces version 24)
 Revision: 06.12.2024

 Trade name MC-KL 1
 (Contd. of page 4)

 · Body protection:
 Protective work clothing.

· Skin protection

Protective work clothing. Use greasy skin protection ointment for all uncovered parts of the body!

9.1 Information on basic physical and chem	nical properties
General Information	
Physical state	Solid.
Colour:	Grey
Smell:	Characteristic
Odour threshold:	Not determined.
Melting point/freezing point:	2230 °C
Boiling point or initial boiling point and	2200 0
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))
Flammability	Not determined.
Lower and upper explosion limit	Not dotommod.
Lower:	Not determined.
Upper:	Not determined.
Flash point:	Not applicable
Decomposition temperature:	Not determined.
pH	Mixture reacts violently with water.
	Not applicable.
Viscosity:	
Kinematic viscosity	Not applicable.
dynamic:	Not applicable.
Solubility	
Water:	Unsoluble
Partition coefficient n-octanol/water (log	Unsoluble
value)	Not determined.
Steam pressure at 1732 °C: Density and/or relative density	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))
	Not determined
Density Relative density	
Relative density	Not determined.
Vapour density Particle characteristics	Not applicable. See section 3.
	See Section 3.
9.2 Other information	
Appearance:	<b>•</b> <i>w i</i>
Form:	Solid.
Important information on protection of heal	lth
and environment, and on safety.	
Self-inflammability:	Product is not selfigniting.
Explosive properties:	Product is not explosive.
Change in condition	
Evaporation rate	Not applicable.



Page 6/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

Trade name MC-KL 1

		(Contd. of pag
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	
Aerosols	Void	
Oxidising gases	Void	
Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
Desensitised explosives	Void	

#### SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> <li>Thermal decomposition /</li> </ul>	No further relevant information available. stable
conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> </ul>	No further relevant information available.
· 10.6 Hazardous	
decomposition products:	No dangerous decomposition products known

### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.

· Acute toxicity

CAS: 65997-15-1 Portland cement

Dermal LD50 2000 mg/kg (rabbit)

Inhalative LC50/4 h 5 mg/l (rat)

· Primary irritant effect:

· Skin corrosion/irritation

Causes skin irritation.

(Contd. on page 7)

IE



Page 7/10

## **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

#### Trade name MC-KL 1

	(Contd. of page 6)
<ul> <li>Serious eye damage/irritation</li> </ul>	Causes serious eye damage.
· Respiratory or skin	
sensitisation	Based on available data, the classification criteria are not met.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other haza	ards
· Endocrine disrupting properti	es
None of the ingredients is listed.	

# SECTION 12: Ecological information

•	12.1	Toxicity
---	------	----------

No further relevant information available.
No further relevant information available.
No further relevant information available.
No further relevant information available.
assessment
Not applicable.
Not applicable.
The product does not contain substances with endocrine disrupting properties.
tion:
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

# SECTION 13: Disposal considerations

<sup>.</sup> Recomm	endation	Can be reused without processing. Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
· Europear	n waste catalogi	<i>I</i> e
17 00 00		ON AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL MINATED SITES)
17 09 00	other constructi	on and demolition wastes



Page 8/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

Trade name MC-KL 1

	(Contd. of page 7)
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 02	plastic packaging
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

Uncleaned packagings:
 Recommendation:

Disposal must be made according to official regulations.

14.1 UN number or ID number ADR, IMDG, IATA	Void	
14.2 UN proper shipping name ADR, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
<i>14.7 Maritime transport in bulk accordi IMO instruments</i>	ing to Not applicable.	
UN "Model Regulation":	Void	

(Contd. on page 9)



Page 9/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

Trade name MC-KL 1

(Contd. of page 8)

AF A Defete here the second of	
15.1 Safety, health and environmixture	nmental regulations/legislation specific for the substance or
Directive 2012/18/EU	
Named dangerous	
substances - ANNEX I	None of the ingredients is listed.
DIRECTIVE 2011/65/EU on the electrical and electronic equip	restriction of the use of certain hazardous substances in oment – Annex II
None of the ingredients is listed.	
REGULATION (EU) 2019/1148	
Annex I - RESTRICTED EXPLO licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is listed.	
Annex II - REPORTABLE EXPL	
None of the ingredients is listed.	
•	
Regulation (EC) No 273/2004 c	
None of the ingredients is listed.	
Regulation (EC) No 111/2005 I Community and third countrie	aying down rules for the monitoring of trade between the es in drug precursors
None of the ingredients is listed.	
none of the ingredients is listed.	
-	
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
15.2 Chemical safety	
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out.
15.2 Chemical safety	A Chemical Safety Assessment has not been carried out.
15.2 Chemical safety assessment: SECTION 16: Other infor	A Chemical Safety Assessment has not been carried out.
15.2 Chemical safety assessment:	A Chemical Safety Assessment has not been carried out. mation
15.2 Chemical safety assessment: SECTION 16: Other infor	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage.
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation.
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 23.12.2022 24
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version: Version number of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 23.12.2022 24
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version: Version number of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 23.12.2022 24 RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses proute (European Agreement Concerning the International Carriage of Dangeror Goods by Road)
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version: Version number of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 23.12.2022 24 RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses ( route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods
15.2 Chemical safety assessment: SECTION 16: Other inform Relevant phrases Date of previous version: Version number of previous	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 23.12.2022 24 RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses p route (European Agreement Concerning the International Carriage of Dangero Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
15.2 Chemical safety assessment: SECTION 16: Other infor Relevant phrases Date of previous version: Version number of previous version:	A Chemical Safety Assessment has not been carried out. <b>mation</b> H315 Causes skin irritation. H318 Causes serious eye damage. H335 May cause respiratory irritation. 23.12.2022 24 RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses p route (European Agreement Concerning the International Carriage of Dangero Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals



Page 10/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 10.12.2024

Version number 25 (replaces version 24)

Revision: 06.12.2024

Trade name MC-KL 1

(Contd. of page 9)

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

 \* Data compared to the previous version altered.