

Page 1/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name MC-Proof 600 Xtra

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Thickener pulps

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400

Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

· Signal word Danger

Hazard-determining

components of labelling: Portland cement (low chromate)
Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

Trade name MC-Proof 600 Xtra

Precautionary statements

(Contd. of page 1)

P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).
P362+P364 Take off contaminated clothing ar

Take off contaminated clothing and wash it before reuse.

P332+P313 If skin irritation occurs: Get medical advice/

attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

Dangerous components:				
CAS: 14808-60-7	Quartz sand	30-60%		
EINECS: 238-878-4	substance with a Community workplace exposure limit			
		≥10-<20%		
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335			

Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Remove people from the dusty area.

· After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water.

· After eye contact Rinse for 10 minutes under running water with the eyelids open.

Always consult an ophthalmologist!

· After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

(Contd. on page 3)



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

Trade name MC-Proof 600 Xtra

(Contd. of page 2)

 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

5.3 Advice for firefighters

• **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures

Not required.

· 6.2 Environmental

precautions:

No special measures required.

6.3 Methods and material for

containment and cleaning up: Collect mechanically.

· 6.4 Reference to other

sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· Information about protection

against explosions and fires: Keep ignition sources away - Do not smoke.

Protect from heat.

Protect against electrostatic charges.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

Requirements to be met by

storerooms and containers: Store bags tightly closed; protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2;

7

Storage with substances of the following LGK is only possible

(Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 05.09.2025 Printing date 05.09.2025 Version number 42 (replaces version 41)

Trade name MC-Proof 600 Xtra

(Contd. of page 3)

under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about

storage conditions: Store in a dry and frost-free place.

· Storage class

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quartz sand

OEL (Ireland) Long-term value: 0.1 mg/m3 BOELV (European Union) Long-term value: 0.1* mg/m3

*respirable fraction

CAS: 65997-15-1 Portland cement (low chromate)

OEL (Ireland) Long-term value: 1 mg/m3

respirable fraction

· DNELs

CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL 1 mg/m³ (ArL)

Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

No further data; see section 7. controls

· Individual protection measures, such as personal protective equipment

General protective and

Do not store food, eat, drink, sniff or smoke in the work area! hygienic measures

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks!

Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing! Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

after every break.

· Breathing equipment: For work with higher dust loads particle filter class P2

· Hand protection Check protective gloves prior to each use for their proper condition.

· Material of gloves Nitrile impregnated cotton gloves.

· Penetration time of glove

The exact breakthrough time must be obtained from the protective material

glove manufacturer and must be observed.

· Eye/face protection

Safety glasses

· Body protection: Protective work clothing.

(Contd. on page 5)



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

Trade name MC-Proof 600 Xtra

(Contd. of page 4)

• **Skin protection** Use greasy skin protection ointment for all uncovered parts of the

body!

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Grey

· Smell: Characteristic
· Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 2230 °C (CAS: 14808-60-7 Quartz sand)

Flash point: Not applicablepH Not applicable.

· Viscosity:

Kinematic viscositydynamic:Not applicable.Not applicable.

Solubility

· Water: Partly soluble

· Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz sand)

Void

· Density and/or relative density

Density
 Settled apparent density
 Particle characteristics
 Not determined
 1020 kg/m³
 See section 3.

· 9.2 Other information

· Appearance:

Form: Powder

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids · Self-heating substances and mixtures Void · Substances and mixtures, which emit

flammable gases in contact with water

(Contd. on page 6)



Page 6/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

Trade name MC-Proof 600 Xtra

(Contd. of page 5)

· Oxidising liquids	Void
Oxidising solids	Void
Organic peroxides	Void
Corrosive to metals	Void
· Desensitised explosives	Void

SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• **10.4 Conditions to avoid** No further relevant information available. **10.5 Incompatible materials:** No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement (low chromate)

Dermal LD50 2000 mg/kg (rabbit)
Inhalative LC50/4 h 5 mg/l (rat)

· Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.
 Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation
Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

Trade name MC-Proof 600 Xtra

(Contd. of page 6)

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Europea	· European waste catalogue		
	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)		
17 01 00	concrete, bricks, tiles and ceramics		
17 01 01	concrete		
HP4	Irritant - skin irritation and eye damage		

· Uncleaned packagings:

• Recommendation: Non contaminated packagings can be used for recycling.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	

(Contd. on page 8)



Page 8/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 05.09.2025 Version number 42 (replaces version 41) Revision: 05.09.2025

Trade name MC-Proof 600 Xtra

(Contd. of page 7)

		(- 1 3
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

· Department issuing data

specification sheet: Environment protection department.

(Contd. on page 9)



Page 9/9

(Contd. of page 8)

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 05.09.2025 Printing date 05.09.2025 Version number 42 (replaces version 41)

Trade name MC-Proof 600 Xtra

· Date of previous version: 14.10.2021

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

* * Data compared to the previous version altered.