

Page 1/10

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	MC-TechniFlow 10
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance</li> </ul>	3776 No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
• 1.3 Details of the supplier of t • Manufacturer/Supplier:	he safety data sheet         MC-Bauchemie Müller GmbH & Co. KG         Am Kruppwald 1-8         D-46238 Bottrop         Tel.: +49(0)2041-101-0         Fax.: +49(0)2041-101-400         E-Mail: info@mc-bauchemie.de         MC-Bauchemie AG         Hagackerstr. 10         CH-8953 Dietikon         Tel.: +44-7400510         Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	ntification
• 2.1 Classification of the subst • Classification according to Re Skin Sens. 1 H317 May cause	tance or mixture egulation (EC) No 1272/2008
• 2.2 Label elements • Labelling according to	The product is classified and labelled according to the CLP regulation. GHS07

· Signal word

 Hazard-determining components of labelling:

· Hazard statements

2-Octyl-2H-isothiazol-3-on triisobutyl phosphate H317 May cause an allergic skin reaction.

Warning

(Contd. on page 2)

IF



Page 2/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

Trade name MC-TechniFlow 10

· Precautionary statements	P261	(Contd. of page 1) Avoid breathing dust/fume/gas/mist/vapours/spray.
,,	P280	Wear protective gloves.
	P362+P364	Take off contaminated clothing and wash it before reuse.
	P333+P313	If skin irritation or rash occurs: Get medical advice/ attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
<ul> <li>Additional information:</li> <li>2.3 Other hazards</li> </ul>	Contains bio	ocidal products: 2-Octyl-2H-isothiazol-3-on
· Results of PBT and vPvB ass	essment	
· PBT:	Not applicat	ble.
· vPvB:	Not applicat	ole.

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Ē

Mixture consisting of the following components.

•	
· Dangerous	components:

· Dangerous compor	nents:	
CAS: 126-71-6	triisobutyl phosphate	<i>≥</i> 0.1-<0.5%
EINECS: 204-798-3	Skin Sens. 1, H317	
CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic	
	Acute 1, H400 (M=100); Aquatic Chronic 1, H410	
	(M=100); Skin Sens. 1A, H317, EUH071	
	ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg	
	LC50/4 h inhalative: 0.27 mg/l	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	
· Additional informat	tion For the wording of the listed hazard phrases re	efer to section 16.

SECTION 4: First aid	measures	
· 4.1 Description of first aid measures		
General information	For all first aid measures: observe self-protection and consult a doctor!	
· After inhalation	Take the person out into the fresh air.	
· After skin contact	Remove contaminated clothing immediately.	
	Hold affected areas under cold running water for at least 15 minutes.	
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!	
	(Contd. on page 3)	



Page 3/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

Trade name MC-TechniFlow 10

· After swallowing

Drink plenty of water in small sips. Do not induce vomiting. (Contd. of page 2)

#### **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
   5.3 Advice for firefighters
- · Protective equipment:
- No further relevant information available.
- No special measures required.

#### SECTION 6: Accidental release measures

<ul> <li>6.1 Personal precautions, protective equipment and</li> </ul>	
emergency procedures	Not required.
6.2 Environmental	
precautions:	Dilute with much water.
• 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

#### SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by
- storerooms and containers: Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

IF



Page 4/10

### **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

Trade name MC-TechniFlow 10

. Information about atorona in	(Contd. of page 3)
<ul> <li>Information about storage in one common storage facility:</li> </ul>	Combined storage bans apply from a total storage quantity of 200 kg.
	Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
• Further information about	
storage conditions:	None.
· Storage class	12 10

### **SECTION 8: Exposure controls/personal protection**

<ul> <li>8.1 Control parameters</li> <li>Components with critical values that require</li> </ul>	
monitoring at the workplace:	The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNEL	S		
CAS:	126-71-6 ti	riisobutyl phosphate	
Oral	DNEL	2.13 mg/kg bw/Tag (ArL)	
Derma	DNEL	4.25 mg/kg bw/day (ArL)	
Inhalat	ive DNEL	50 mg/m³ (ArL)	
PNEC	s		
CAS:	126-71-6 ti	riisobutyl phosphate	
PNEC	3.72 mg/l	(Kla)	
	0.0011 m	g/l (Mew)	
	0.011 mg	/l (Freshwater)	
PNEC	0.308 mg	ı/kg dwt (Bod)	
	0.158 mg/kg dwt (Sediment)		
1.58 mg/kg dwt (Fresh water sediment)		<pre><g (fresh="" dwt="" pre="" sediment)<="" water=""></g></pre>	
· Additi	Additional information: The lists that were valid during the compilation were used as basis.		
· 8.2 Ex	posure co	ontrols	
Appro	priate eng		
contro		No further data; see section 7.	
		ction measures, such as personal protective equipment	
	al protect nic measu		
		Avoid contact with eyes, skin and clothing!	
		Clean hands thoroughly after work and before cleaning!	
		Use skin care products after work (moisturising cream). Change wet/uncleaned clothing immediately, place in water and	
		only use again after cleaning!	
		(Contd. on page 5)	

(Contd. on page 5)

IE



Page 5/10

IF

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025 Version number 29 (replaces version 28) Revision: 30.03.2025

Trade name MC-TechniFlow 10

	(Contd. of page 4)
<ul> <li>Breathing equipment:</li> </ul>	If the limit value is exceeded:
	Combination filter A-P2 (brown/white).
· Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber. (Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number). When wearing protective gloves, cotton undergloves are recommended.
<ul> <li>Material of gloves</li> </ul>	see "Hand protection"
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
<ul> <li>Eye/face protection</li> </ul>	Gauze goggles
Body protection:	Alkali-resistant protective clothing
Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical properties
---------------------------------------------

General Information Colour:	Dark brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point and		
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	7	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic:	Not determined.	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa	
Density and/or relative density	20111 4	
Density at 20 °C	1.18 g/cm³	
Density at 20°C	1.10 9/011	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection of heat	alth	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
Information with regard to physical haz	ard	
classes		
Explosives	Void	
Flammable gases	Void	



**Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

Page 6/10

Trade name MC-TechniFlow 10

		(Contd. of page 5
Aerosols	Void	
· Oxidising gases	Void	
· Gases under pressure	Void	
Flammable liquids	Void	
· Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
• Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability an	nd reactivity
10.1 Reactivity 10.2 Chemical stability	No further relevant information available.
Thermal decomposition / conditions to be avoided: 10.3 Possibility of hazardous	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> <li>10.6 Hazardous</li> </ul>	No further relevant information available.
decomposition products:	No dangerous decomposition products known

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 Acute toxicity
 Based on available data, the classification criteria are not met.

Acute to	xicity	Dased on available data, the classification chiena are not met.
· LD/LC50	values t	hat are relevant for classification:
CAS: 12	6-71-6 trii	isobutyl phosphate
Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)
CAS: 26	530-20-1	2-Octyl-2H-isothiazol-3-on
Oral	LD50	125 mg/kg (ATE)
		500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)
		>2000 mg/kg (rat)
		(Contd. on page 1



Page 7/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

#### Trade name MC-TechniFlow 10

	(Contd. of page 6
Inhalative LC50/4 h 0.27 mg/l	(ATE)
0.6 mg/l (	irat)
Primary irritant effect:	
· Skin corrosion/irritation	Based on available data, the classification criteria are not met.
· Serious eye damage/irritatio	n Based on available data, the classification criteria are not met.
Respiratory or skin	
sensitisation	May cause an allergic skin reaction.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
· STOT-single exposure	Based on available data, the classification criteria are not met.
· STOT-repeated exposure	Based on available data, the classification criteria are not met.
· Aspiration hazard	Based on available data, the classification criteria are not met.
· 11.2 Information on other ha	zards
· Endocrine disrupting proper	ties
None of the ingredients is listed	d.

# SECTION 12: Ecological information

· 12.1	Toxicity
--------	----------

· Aquatic toxicity:         CAS: 126-71-6 triisobutyl phosphate         EC50/24h       10-100 mg/l (Daphnia magna)         EC50/72h       10-100 mg/l (Scenedesmus subspicatus)         LC50/96h       >100 mg/l (Oncorhynchus mykiss)         10-100 mg/l (Leucidus idus)         EC50       >100 mg/l (Pseudomonas putida)         NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         * 12.2 Persistence and         degradability       No further relevant information available.         * 12.3 Bioaccumulative         potential       No further relevant information available.         * 12.4 Mobility in soil       No further relevant information available.         * 12.5 Results of PBT and vPvB assessment       PBT:         PBT:       Not applicable.         vPvB:       Not applicable.	12.1 10010	,	
EC50/24h       10-100 mg/l (Daphnia magna)         EC50/72h       10-100 mg/l (Scenedesmus subspicatus)         LC50/96h       >100 mg/l (Oncorhynchus mykiss)         10-100 mg/l (Leucidus idus)         EC50       >100 mg/l (Pseudomonas putida)         NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         12.2 Persistence and         degradability       No further relevant information available.         12.3 Bioaccumulative         potential       No further relevant information available.         12.4 Mobility in soil       No further relevant information available.         12.5 Results of PBT and vPvB assessment       Not applicable.	· Aquatic to	oxicity:	
EC50/72h       10-100 mg/l (Scenedesmus subspicatus)         LC50/96h       >100 mg/l (Oncorhynchus mykiss)         10-100 mg/l (Leucidus idus)         EC50       >100 mg/l (Pseudomonas putida)         NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         12.2 Persistence and degradability       No further relevant information available.         12.3 Bioaccumulative potential       No further relevant information available.         12.4 Mobility in soil       No further relevant information available.         12.5 Results of PBT and vPvB assessment       Not applicable.	CAS: 126-	71-6 triisobutyl pho	sphate
LC50/96h       >100 mg/l (Oncorhynchus mykiss)         10-100 mg/l (Leucidus idus)         EC50       >100 mg/l (Pseudomonas putida)         NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         * 12.2 Persistence and         degradability       No further relevant information available.         * 12.3 Bioaccumulative         potential       No further relevant information available.         * 12.4 Mobility in soil       No further relevant information available.         * 12.5 Results of PBT and vPvB assessment       Not applicable.	EC50/24h	10-100 mg/l (Daphni	a magna)
10-100 mg/l (Leucidus idus)         EC50       >100 mg/l (Pseudomonas putida)         NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         • 12.2 Persistence and degradability       No further relevant information available.         • 12.3 Bioaccumulative potential       No further relevant information available.         • 12.4 Mobility in soil       No further relevant information available.         • 12.5 Results of PBT and vPvB assessment       Not applicable.	EC50/72h	10-100 mg/l (Scened	lesmus subspicatus)
EC50       >100 mg/l (Pseudomonas putida)         NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         * 12.2 Persistence and degradability       No further relevant information available.         * 12.3 Bioaccumulative potential       No further relevant information available.         * 12.4 Mobility in soil       No further relevant information available.         * 12.5 Results of PBT and vPvB assessment       Not applicable.	LC50/96h	>100 mg/l (Oncorhyı	nchus mykiss)
NOEC       37 mg/l (BEL)         CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         12.2 Persistence and degradability       No further relevant information available.         12.3 Bioaccumulative potential       No further relevant information available.         12.4 Mobility in soil       No further relevant information available.         12.5 Results of PBT and vPvB assessment       Not applicable.		10-100 mg/l (Leucidu	us idus)
CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on         EC50/48h       0.42 mg/l (Daphnien)         • 12.2 Persistence and degradability       No further relevant information available.         • 12.3 Bioaccumulative potential       No further relevant information available.         • 12.4 Mobility in soil       No further relevant information available.         • 12.5 Results of PBT and vPvB assessment       Not applicable.	EC50	>100 mg/l (Pseudom	nonas putida)
EC50/48h       0.42 mg/l (Daphnien)         • 12.2 Persistence and degradability       No further relevant information available.         • 12.3 Bioaccumulative potential       No further relevant information available.         • 12.4 Mobility in soil       No further relevant information available.         • 12.5 Results of PBT and vPvB assessment       Not applicable.	NOEC	37 mg/l (BEL)	
• 12.2 Persistence and degradability       No further relevant information available.         • 12.3 Bioaccumulative potential       No further relevant information available.         • 12.4 Mobility in soil       No further relevant information available.         • 12.5 Results of PBT and vPvB assessment       Not applicable.	CAS: 2653	30-20-1 2-Octyl-2H-is	sothiazol-3-on
degradabilityNo further relevant information available.12.3 Bioaccumulative potentialNo further relevant information available.12.4 Mobility in soilNo further relevant information available.12.5 Results of PBT and vPvB assessmentNot applicable.PBT:Not applicable.	EC50/48h	0.42 mg/l (Daphnien	)
• 12.3 Bioaccumulative potential       No further relevant information available.         • 12.4 Mobility in soil       No further relevant information available.         • 12.5 Results of PBT and vPvB assessment       Not applicable.	· 12.2 Persi	stence and	
potentialNo further relevant information available.12.4 Mobility in soilNo further relevant information available.12.5 Results of PBT and vPvB assessmentPBT:Not applicable.	-	-	No further relevant information available.
· 12.4 Mobility in soil       No further relevant information available.         · 12.5 Results of PBT and vPvB assessment         · PBT:       Not applicable.		cumulative	
• 12.5 Results of PBT and vPvB assessment • PBT: Not applicable.			
• <b>PBT:</b> Not applicable.	· 12.4 Mobi	lity in soil	No further relevant information available.
	<sup>.</sup> 12.5 Resu	Its of PBT and vPvB	assessment
	· PBT:		Not applicable.
	· vPvB:		
12.6 Endocrine disrupting	· 12.6 Endo	crine disrupting	
<i>properties</i> The product does not contain substances with endocrine disrupting properties.	properties	5	· · ·
(Contd. on page 8)			



Page 8/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

(Contd. of page 7)

Trade name MC-TechniFlow 10

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

•	waste catalogue
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 09 00	other construction and demolition wastes
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED
15 01 00	packaging (including separately collected municipal packaging waste)
15 01 01	paper and cardboard packaging

15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

- 15 01 00 packaging (including separately collected municipal packaging waste)
- 15 01 02 plastic packaging

· Uncleaned packagings:

 • Recommendation:
 Disposal must be made according to official regulations.

 • Recommended cleaning agent:
 Water, if necessary with cleaning agent.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	



Page 9/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

Trade name MC-TechniFlow 10

	(Contd. of page
· 14.5 Environmental hazards: · Marine pollutant:	No
<sup>.</sup> 14.6 Special precautions for user	Not applicable.
<sup>•</sup> 14.7 Maritime transport in bulk accordin IMO instruments	<b>g to</b> Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

SECTION 15: Regulator	ry information
• 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture	No further relevant information available.
· REGULATION (EC) No 1907/2006 ANNEX XVII	Conditions of restriction: 3
<ul> <li>DIRECTIVE 2011/65/EU on the electrical and electronic equilibrium</li> </ul>	he restriction of the use of certain hazardous substances in upment – Annex II
None of the ingredients is liste	ed.
REGULATION (EU) 2019/114	18
• Annex I - RESTRICTED EXP licensing under Article 5(3))	LOSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is liste	ed.
· Annex II - REPORTABLE EX	PLOSIVES PRECURSORS
None of the ingredients is liste	ed.
· Regulation (EC) No 273/2004	4 on drug precursors
None of the ingredients is liste	ed.
· Regulation (EC) No 111/200 Community and third count	5 laying down rules for the monitoring of trade between the ries in drug precursors
None of the ingredients is liste	ed.
<ul> <li>15.2 Chemical safety assessment:</li> </ul>	A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H301 Toxic if swallowed. H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

(Contd. on page 10)

IE



Page 10/10

IF

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 30.03.2025

Version number 29 (replaces version 28)

Revision: 30.03.2025

Trade name MC-TechniFlow 10

	(Contd. of page
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H330 Fatal if inhaled.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	19.10.2021
Version number of previous	10.10.2021
	80
version:	28 BID: Bèslement international concernant la transport des marshandie
Appreviations and acronyms:	RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation
	Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses
	route (European Agreement Concerning the International Carriage of Danger
	Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqua hazard – Category 1
* Data compared to the	