

Page 1/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Trade name	MC-TechniFlow 11
Article number: 1.2 Relevant identified uses of the substance or mixture	2717
and uses advised against Application of the substance	No further relevant information available.
/ the mixture	Concrete/Mortar admixtures
1.3 Details of the supplier of the	he safety data sheet
Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

2.1 Classification of the substance or mixture
 Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP

· Hazard pictograms



· Signal word

 Hazard-determining components of labelling:

· Hazard statements

2-Octyl-2H-isothiazol-3-on triisobutyl phosphate H317 May cause an allergic skin reaction.

(Contd. on page 2)

IF



Page 2/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 V

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

	D064	(Contd. of page 1)
• Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
	P280	Wear protective gloves.
	P362+P364	Take off contaminated clothing and wash it before
	1 302 11 304	0
		reuse.
	P333+P313	If skin irritation or rash occurs: Get medical advice/
		attention.
	P321	Specific treatment (see on this label).
	P501	Dispose of contents/container in accordance with
		local/regional/national/international regulations.
 Additional information: 	Contains bio	ocidal products: 2-Octyl-2H-isothiazol-3-on
· 2.3 Other hazards		
Results of PBT and vPvB ass	essment	
· PBT:	Not applicat	ole.
· vPvB:	Not applicat	NC.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures · Description:

Ē

Mixture consisting of the following components.

	•		
· Dange	erous c	ompor	ents:

· Dangerous compor	nents:	
CAS: 126-71-6	triisobutyl phosphate	<i>≥</i> 0.1-<0.5%
EINECS: 204-798-3	Skin Sens. 1, H317	
CAS: 26530-20-1	2-Octyl-2H-isothiazol-3-on	<i>≥</i> 0.0015-<0.0025%
EINECS: 247-761-7	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic	
	Acute 1, H400 (M=100); Aquatic Chronic 1, H410	
	(M=100); Skin Sens. 1A, H317, EUH071	
	ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg	
	LC50/4 h inhalative: 0.27 mg/l	
	Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	
· Additional informat	tion For the wording of the listed hazard phrases re	efer to section 16.

SECTION 4: First aid	
· General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Take the person out into the fresh air.
· After skin contact	Remove contaminated clothing immediately. Hold affected areas under cold running water for at least 15 minutes.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open of use eye rinsing solution. Always consult an ophthalmologist! (Contd. on page 3)



Page 3/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

· After swallowing

Drink plenty of water in small sips. Do not induce vomiting. (Contd. of page 2)

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

- Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- 5.2 Special hazards arising from the substance or mixture
 5.3 Advice for firefighters
- · Protective equipment:
- No further relevant information available.
- No special measures required.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	Dilute with much water.
• 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
• 6.4 Reference to other	
sections	No dangerous materials are released.

SECTION 7: Handling and storage

 7.1 Precautions for safe handling

Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by
- storerooms and containers: Avoid splashing. Avoid dust development with powder products. Limit the storage quantity at the workplace to one shift requirement. Do not leave containers open. Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.



Page 4/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 V

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

	(Contd. of page 3)
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200
	kg. Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7
	Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
 Further information about storage conditions: 	None.
· Storage class	12

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs

CAS: 126-71-6 triisobutyl phosphateOralDNEL2.13 mg/kg bw/Tag (ArL)DermalDNEL4.25 mg/kg bw/day (ArL)

Inhalative DNEL 50 mg/m³ (ArL)

· PNECs

CAS: 126-71-6 triisobutyl phosphate

PNEC 3.72 mg/l (Kla)

0.0011 mg/l (Mew)

- 0.011 mg/l (Freshwater)
- PNEC 0.308 mg/kg dwt (Bod)

0.158 mg/kg dwt (Sediment)

1.58 mg/kg dwt (Fresh water sediment)

· Additional information:

- · 8.2 Exposure controls
- Appropriate engineering controls

No further data; see section 7.

only use again after cleaning!

- · Individual protection measures, such as personal protective equipment
- General protective and hygienic measures

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area! Avoid contact with eyes, skin and clothing! Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream). Change wet/uncleaned clothing immediately, place in water and

The lists that were valid during the compilation were used as basis.

(Contd. on page 5)

IF

aye .



Page 5/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 34 (replaces version 33) Revision: 14.04.2025

Trade name MC-TechniFlow 11

	(Contd. of page 4)
 Breathing equipment: 	If the limit value is exceeded:
	Combination filter A-P2 (brown/white).
 Hand protection 	Gloves made of: Natural latex, polychloroprene, nitrile rubber.
	(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).
	When wearing protective gloves, cotton undergloves are recommended.
 Material of gloves 	see "Hand protection"
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Eye/face protection 	Gauze goggles
Body protection:	Alkali-resistant protective clothing
Skin protection	Use greasy skin protection ointment for all uncovered parts of the body!

9.1 Information on basic physical an	d chemical properties	
General Information	Distance	
Colour:	Brown	
Smell:	Characteristic	
Melting point/freezing point:	<0 °C	
Boiling point or initial boiling point a		
boiling range	100 °C	
Flash point:	Not applicable	
pH at 20 °C	4.64	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 hPa	
Density and/or relative density		
Density at 20 °C	1.15 g/cm³	
9.2 Other information		
Appearance:		
Form:	Fluid	
Important information on protection	of health	
and environment, and on safety.		
Self-inflammability:	Product is not selfigniting.	
Explosive properties:	Product is not explosive.	
	•	
Information with regard to physica	ai nazara	
classes	14-54	
Explosives	Void	
Flammable gases	Void	



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Page 6/10

Trade name MC-TechniFlow 11

		(Contd. of page
· Aerosols	Void	
[.] Oxidising gases	Void	
[.] Gases under pressure	Void	
Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

SECTION 10: Stability and reactivity		
 10.1 Reactivity 10.2 Chemical stability 	No further relevant information available.	
Thermal decomposition / conditions to be avoided:	No decomposition if used according to specifications.	
 10.3 Possibility of hazardous reactions 	No dangerous reactions known	
 10.4 Conditions to avoid 	No further relevant information available.	
 10.5 Incompatible materials: 10.6 Hazardous 	No further relevant information available.	
decomposition products:	No dangerous decomposition products known	

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
 Acute toxicity
 Based on available data, the classification criteria are not met.

Acute to	хісну	based on available data, the classification chiefla are not met.	
· LD/LC50 values that are relevant for classification:			
CAS: 12	6-71-6 trii	isobutyl phosphate	
Oral	LD50	>5000 mg/kg (rat)	
Dermal	LD50	>5000 mg/kg (rabbit)	
CAS: 26	530-20-1	2-Octyl-2H-isothiazol-3-on	
Oral	LD50	125 mg/kg (ATE)	
		500 mg/kg (rat)	
Dermal	LD50	311 mg/kg (ATE)	
		>2000 mg/kg (rat)	
		(Contd. on page	



Page 7/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

	(Contd. of page 6)
Inhalative LC50/4 h 0.27 mg/l ((ATE)
0.6 mg/l (r	at)
Primary irritant effect:	
 Skin corrosion/irritation 	Based on available data, the classification criteria are not met.
· Serious eye damage/irritation	Based on available data, the classification criteria are not met.
· Respiratory or skin	
sensitisation	May cause an allergic skin reaction.
· Germ cell mutagenicity	Based on available data, the classification criteria are not met.
· Carcinogenicity	Based on available data, the classification criteria are not met.
· Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
· Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other haz	ards
· Endocrine disrupting propert	ies
None of the ingredients is listed	

SECTION 12: Ecological information

· 12.1 Toxicity	
-----------------	--

· Aquatic to		
CAS: 126-	71-6 triisobutyl pho	sphate
EC50/24h	10-100 mg/l (Daphni	a magna)
EC50/72h	10-100 mg/l (Scened	lesmus subspicatus)
LC50/96h	>100 mg/l (Oncorhyr	nchus mykiss)
	10-100 mg/l (Leucidı	us idus)
EC50	>100 mg/l (Pseudom	nonas putida)
NOEC	37 mg/l (BEL)	
CAS: 2653	30-20-1 2-Octyl-2H-is	sothiazol-3-on
EC50/48h	0.42 mg/l (Daphnien)	
degradabi	stence and lity ccumulative	No further relevant information available.
potential		No further relevant information available.
· 12.4 Mobi		No further relevant information available.
	Its of PBT and vPvB	
· PBT:		Not applicable.
· vPvB:	orino diarunting	Not applicable.
properties	crine disrupting	The product does not contain substances with endocrine disrupting properties.
		(Contd. on page 8)



Page 8/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

(Contd. of page 7)

Trade name MC-TechniFlow 11

- 12.7 Other adverse effects
- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
- Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

anow product to reach sewage system.		
waste catalogue		
CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)		
other construction and demolition wastes		
other construction and demolition wastes (including mixed wastes) containing hazardous substances		
WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED		
packaging (including separately collected municipal packaging waste)		
paper and cardboard packaging		
WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED		
packaging (including separately collected municipal packaging waste)		
plastic packaging		
d packagings: endation: Disposal must be made according to official regulations. ended cleaning Water, if necessary with cleaning agent.		

SECTION 14: Transport information

 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
 14.3 Transport hazard class(es) 		
· ADR, ADN, IMDG, IATA · Class	Void	
		(Contd. on page 9)



Page 9/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

(Contd. of page 8)
Void
No
Not applicable.
y to Not applicable.
Not dangerous according to the above specifications.
Void

SECTION 15: Regulato	ry information
15.1 Safety, health and environmental regulations/ legislation specific for the	
substance or mixture REGULATION (EC) No 1907/2006 ANNEX XVII	No further relevant information available. Conditions of restriction: 3
DIRECTIVE 2011/65/EU on t electrical and electronic equ	he restriction of the use of certain hazardous substances in uipment – Annex II
None of the ingredients is liste	ed.
· REGULATION (EU) 2019/114	48
• Annex I - RESTRICTED EXP licensing under Article 5(3))	LOSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is liste	ed.
· Annex II - REPORTABLE EX	(PLOSIVES PRECURSORS
None of the ingredients is liste	ed.
· Regulation (EC) No 273/200	4 on drug precursors
None of the ingredients is liste	ed.
· Regulation (EC) No 111/200 Community and third count	5 laying down rules for the monitoring of trade between the ries in drug precursors
None of the ingredients is liste	ed.
 15.2 Chemical safety assessment: 	A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

IE



Page 10/10

IE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 34 (replaces version 33)

Revision: 14.04.2025

Trade name MC-TechniFlow 11

	(Contd. of page
Relevant phrases	H301 Toxic if swallowed.
	H311 Toxic in contact with skin.
	H314 Causes severe skin burns and eye damage.
	H317 May cause an allergic skin reaction.
	H318 Causes serious eye damage.
	H330 Fatal if inhaled.
	H400 Very toxic to aquatic life.
	H410 Very toxic to aquatic life with long lasting effects.
	EUH071 Corrosive to the respiratory tract.
Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	18.10.2021
Version number of previous	
version:	33
Abbreviations and acronyms:	RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation
	Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses
	route (European Agreement Concerning the International Carriage of Dangero Goods by Road)
	IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	PNEC: Predicted No-Effect Concentration (REACH)
	LC50: Lethal concentration, 50 percent
	LD50: Lethal dose, 50 percent
	PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative
	ATE: Acute toxicity estimate values
	Acute Tox. 3: Acute toxicity – Category 3
	Acute Tox. 2: Acute toxicity – Category 2
	Skin Corr. 1: Skin corrosion/irritation – Category 1
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Skin Sens. 1: Skin sensitisation – Category 1
	Skin Sens. 1A: Skin sensitisation – Category 1A
	Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard
	Category 1
	Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aqua hazard – Category 1
* Data compared to the	