

Page 1/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025 Version number 32 (replaces version 31) Revision: 12.04.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

Trade name Muraplast FK 20

· Article number: 267

1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Concrete/Mortar admixtures

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

· 1.4 Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

### **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Sens. 1 H317 May cause an allergic skin reaction.

- · 2.2 Label elements
- Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



· Signal word Warning

· Hazard-determining

components of labelling: 2-Octyl-2H-isothiazol-3-on

· **Hazard statements** H317 May cause an allergic skin reaction.

• **Precautionary statements** P261 Avoid breathing dust/fume/gas/mist/vapours/spray. (Contd. on page 2)

- İE



Page 2/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 12.04.2025 Printing date 12.04.2025 Version number 32 (replaces version 31)

#### Trade name Muraplast FK 20

(Contd. of page 1)

P280 Wear protective gloves.

P362+P364 Take off contaminated clothing and wash it before

P333+P313 If skin irritation or rash occurs: Get medical advice/

attention.

P321 Specific treatment (see on this label).

P501 Dispose of contents/container in accordance with

local/regional/national/international regulations.

· Additional information:

Contains biocidal products: 2-Octyl-2H-isothiazol-3-on

· 2.3 Other hazards

· Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

### **SECTION 3: Composition/information on ingredients**

· 3.1 Substances

· CAS No. Designation: Void · Identification number(s): Void

· 3.2 Mixtures

· Description: Mixture consisting of the following components.

#### · Dangerous components:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

EINECS: 247-761-7 Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2,

H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410

(M=100); Skin Sens. 1A, H317, EUH071

ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l

Specific concentration limit: Skin Sens. 1A; H317: C ≥

0.0015 %

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

· General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Take the person out into the fresh air. · After skin contact Remove contaminated clothing immediately.

Hold affected areas under cold running water for at least 15

· After eye contact Rinse for 10 minutes under running water with the eyelids open or

use eye rinsing solution. Always consult an ophthalmologist!

(Contd. on page 3)

*≥*0.0015-<0.0025%



Page 3/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025 Version number 32 (replaces version 31) Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 2)

· After swallowing Drink plenty of water in small sips.

Do not induce vomiting.

#### SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Void

• 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

· 5.3 Advice for firefighters

• Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: Dilute with much water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

**sections** No dangerous materials are released.

#### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Avoid splashing.

Avoid dust development with powder products.

Limit the storage quantity at the workplace to one shift

requirement.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Avoid splashing.

Avoid dust development with powder products.

Limit the storage quantity at the workplace to one shift

requirement.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

(Contd. on page 4)



Page 4/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 12.04.2025 Printing date 12.04.2025 Version number 32 (replaces version 31)

Trade name Muraplast FK 20

(Contd. of page 3)

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1;

5.1A; 5.2; 6.2; 7

Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C

· Further information about

storage conditions: None. · Storage class 12

#### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters · Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

work area!

Avoid contact with eyes, skin and clothing!

Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream).

Change wet/uncleaned clothing immediately, place in water and

only use again after cleaning! If the limit value is exceeded:

Breathing equipment: Combination filter A-P2 (brown/white).

Gloves made of: Natural latex, polychloroprene, nitrile rubber. · Hand protection

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

Material of gloves

material

Penetration time of glove

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

Eye/face protection

Gauze goggles

see "Hand protection"

· Body protection: Alkali-resistant protective clothing

(Contd. on page 5)



Page 5/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 12.04.2025 Printing date 12.04.2025 Version number 32 (replaces version 31)

Trade name Muraplast FK 20

(Contd. of page 4)

Use greasy skin protection ointment for all uncovered parts of the · Skin protection

body!

#### SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: Brown

· Smell: Characteristic · Melting point/freezing point: Not determined

Not applicable

· Boiling point or initial boiling point and

boiling range 100 °C (CAS: 9084-06-4 Napththalene sulfonic

acid, polymer with formaldehyde, sodium salt)

· Flash point: Not applicable

· pH at 20 °C

· Viscosity:

· Kinematic viscosity Not determined. · dynamic at 20 °C: <100 mPas

· Solubility

· Water: Fully miscible

· Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 Water)

· Density and/or relative density

· Density at 20 °C 1.1 g/cm<sup>3</sup>

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Product is not explosive. · Explosive properties:

· Information with regard to physical hazard

classes

Void Explosives · Flammable gases Void · Aerosols Void · Oxidising gases Void · Gases under pressure Void Flammable liquids Void Flammable solids Void · Self-reactive substances and mixtures Void Void · Pyrophoric liquids Void · Pyrophoric solids Self-heating substances and mixtures Void · Substances and mixtures, which emit

Void flammable gases in contact with water

(Contd. on page 6)



Page 6/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025 Version number 32 (replaces version 31) Revision: 12.04.2025

#### Trade name Muraplast FK 20

(Contd. of page 5)

· Oxidising liquids	Void	
Oxidising solids	Void	
Organic peroxides	Void	
Corrosive to metals	Void	
· Desensitised explosives	Void	

#### SECTION 10: Stability and reactivity

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

#### **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

LD/LC30	LD/LC30 values that are relevant for classification.				
CAS: 265	CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on				
Oral	LD50	125 mg/kg (ATE)			
		500 mg/kg (rat)			
Dermal	LD50	311 mg/kg (ATE)			
		>2000 mg/kg (rat)			
Inhalative	LC50/4 h	0.27 mg/l (ATE)			
		0.6 mg/l (rat)			

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin

**sensitisation** May cause an allergic skin reaction.

\*\*Germ cell mutagenicity Based on available data, the classification criteria are not met.

\*\*Carcinogenicity Based on available data, the classification criteria are not met.

\*\*Reproductive toxicity Based on available data, the classification criteria are not met.

\*\*STOT-single exposure Based on available data, the classification criteria are not met.

\*\*STOT-repeated exposure Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

\*\*Based on available data, the classification criteria are not met.

(Contd. on page 7)



Page 7/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025 Version number 32 (replaces version 31) Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 6)

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

### **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

EC50/48h | 0.42 mg/l (Daphnien)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· European waste catalogue

16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 10 00 aqueous liquid wastes destined for off-site treatment
16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

Recommended cleaning

agent: Water, if necessary with cleaning agent.

IE -



Page 8/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025 Version number 32 (replaces version 31) Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 7)

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
Transport/Additional information:	Not dangerous according to the above specifications.
UN "Model Regulation":	Void

#### **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

**substance or mixture** No further relevant information available.

· REGULATION (EC) No

1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

(Contd. on page 9)



Page 9/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 12.04.2025 Printing date 12.04.2025 Version number 32 (replaces version 31)

Trade name Muraplast FK 20

(Contd. of page 8)

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

A Chemical Safety Assessment has not been carried out. assessment:

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Toxic if swallowed. H301 · Relevant phrases

Toxic in contact with skin. H311

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Fatal if inhaled. H330

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Department issuing data

specification sheet: Environment protection department.

13.10.2021

 Date of previous version: · Version number of previous

31 version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity - Category 3

Acute Tox. 2: Acute toxicity - Category 2 Skin Corr. 1: Skin corrosion/irritation - Category 1

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

Skin Sens. 1: Skin sensitisation - Category 1

Skin Sens. 1A: Skin sensitisation - Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

(Contd. on page 10)



Page 10/10

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025 Version number 32 (replaces version 31) Revision: 12.04.2025

Trade name Muraplast FK 20

(Contd. of page 9)

\* \* Data compared to the previous version altered.

ΙE