



BE SURE. BUILD SURE.

Page 1/9

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Muraplast FK 22

· **Article number:** 257

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Concrete/Mortar admixtures

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG
Am Kruppwald 1-8
D-46238 Bottrop
Tel.: +49(0)2041-101-0
Fax.: +49(0)2041-101-400
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG
Hagackerstr. 10
CH-8953 Dietikon
Tel.: +44-7400510
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)
Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008** The product is not classified, according to the CLP regulation.

· **2.2 Label elements**

· **Labelling according to**

Regulation (EC) No 1272/2008 Void

· **Hazard pictograms** Void

· **Signal word** Void

· **Hazard statements** Void

· **Additional information:** EUH208 Contains Formaldehyde. May produce an allergic reaction.

EUH210 Safety data sheet available on request.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable.

(Contd. on page 2)

IE



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

· vPvB:

Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 50-00-0 EINECS: 200-001-8	Formaldehyde Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Irrit. 2; H319: 5 % ≤ C < 25 % Skin Sens. 1; H317: C ≥ 0.2 % STOT SE 3; H335: C ≥ 5 %	<0.1%
-----------------------------------	--	-------

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- **General information** For every first aid measure: Pay attention to self-protection.
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Clean with plenty of soap and water.
Remove heavily soiled clothing.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
- **After swallowing** Drink plenty of water in small sips.
Do not induce vomiting.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Void
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.

(Contd. on page 3)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 2)

- **6.2 Environmental precautions:** Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** No dangerous materials are released.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling**
 - Avoid splashing.
 - Do not leave containers open.
 - Provide washing facilities in the work area.
 - Provide an eye shower or eyewash bottle.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage Requirements to be met by storerooms and containers:**
 - Store containers tightly closed in a well-ventilated and well-lit room.
 - Access only for authorised personnel.
 - Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passageways, thoroughfares and confined spaces.
- **Information about storage in one common storage facility:**
 - Combined storage bans apply from a total storage quantity of 200 kg.
 - Do not store together with substances of the following LGK: 1; 6.2; 7
 - Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.3; 5.1C
- **Further information about storage conditions:** None.
- **Storage class** 12

SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:**

CAS: 50-00-0 Formaldehyde

OEI (Ireland)	Short-term value: 0.738 mg/m ³ , 0.6 ppm Long-term value: 0.37 0.62* mg/m ³ , 0.3 0.5* ppm Carc1B, Sens, *healthcare, funeral, embalm.:11.07.24
BOELV (European Union)	Short-term value: 0.74 mg/m ³ , 0.6 ppm Long-term value: 0.37 (0.62)* mg/m ³ , 0.3 (0.5)* ppm Skin sens; *health/funeral/embalming till 11/7/24

(Contd. on page 4)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 3)

- **Additional information:** *The lists that were valid during the compilation were used as basis.*
- **8.2 Exposure controls**
- **Appropriate engineering controls** *No further data; see section 7.*
- **Individual protection measures, such as personal protective equipment**
- **General protective and hygienic measures** *Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!
Avoid contact with eyes and skin!
Clean hands thoroughly after work and before cleaning!
Use skin care products after work (moisturising cream).
Change and clean heavily soiled clothing!*
- **Breathing equipment:** *If the limit value is exceeded:
Combination filter A-P2 (brown/white).*
- **Hand protection** *Gloves made of: Natural latex, polychloroprene, nitrile rubber.
(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).
When wearing protective gloves, cotton undergloves are recommended.*
- **Material of gloves** *see "Hand protection"*
- **Penetration time of glove material** *The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.*
- **Eye/face protection** *Safety glasses*
- **Body protection:** *Protective work clothing.*
- **Skin protection** *Use greasy skin protection ointment for all uncovered parts of the body!*

SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** *Brown*
- **Smell:** *Characteristic*
- **Melting point/freezing point:** *Not determined
Not applicable*
- **Boiling point or initial boiling point and boiling range** *100 °C (CAS: 7732-18-5 Water)*
- **Flash point:** *Not applicable*
- **pH at 20 °C** *9*
- **Viscosity:**
- **Kinematic viscosity** *Not determined.*
- **dynamic at 20 °C:** *<100 mPas*
- **Solubility**
- **Water:** *Fully miscible*
- **Steam pressure at 20 °C:** *23 hPa (CAS: 7732-18-5 Water)*

(Contd. on page 5)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 4)

· **Density and/or relative density**

· **Density at 20 °C** 1.13 g/cm³

· **9.2 Other information**

· **Appearance:**

· **Form:** Fluid

· **Important information on protection of health and environment, and on safety.**

· **Self-inflammability:** Product is not selfigniting.

· **Explosive properties:** Product is not explosive.

· **Information with regard to physical hazard classes**

· **Explosives** Void

· **Flammable gases** Void

· **Aerosols** Void

· **Oxidising gases** Void

· **Gases under pressure** Void

· **Flammable liquids** Void

· **Flammable solids** Void

· **Self-reactive substances and mixtures** Void

· **Pyrophoric liquids** Void

· **Pyrophoric solids** Void

· **Self-heating substances and mixtures** Void

· **Substances and mixtures, which emit flammable gases in contact with water** Void

· **Oxidising liquids** Void

· **Oxidising solids** Void

· **Organic peroxides** Void

· **Corrosive to metals** Void

· **Desensitised explosives** Void

SECTION 10: Stability and reactivity

· **10.1 Reactivity** No further relevant information available.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known

· **10.4 Conditions to avoid** No further relevant information available.

· **10.5 Incompatible materials:** No further relevant information available.

· **10.6 Hazardous decomposition products:** No dangerous decomposition products known

(Contd. on page 6)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 5)

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

CAS: 50-00-0 Formaldehyde

Oral LD50 >200 mg/kg (rat)

Dermal LD50 300 mg/kg (rat)

· **Primary irritant effect:**

· **Skin corrosion/irritation** Based on available data, the classification criteria are not met.

· **Serious eye damage/irritation** Based on available data, the classification criteria are not met.

· **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

· **Carcinogenicity** Based on available data, the classification criteria are not met.

· **Reproductive toxicity** Based on available data, the classification criteria are not met.

· **STOT-single exposure** Based on available data, the classification criteria are not met.

· **STOT-repeated exposure** Based on available data, the classification criteria are not met.

· **Aspiration hazard** Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· **Endocrine disrupting properties**

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity

· **Aquatic toxicity:** No further relevant information available.

· **12.2 Persistence and degradability** No further relevant information available.

· **12.3 Bioaccumulative potential** No further relevant information available.

· **12.4 Mobility in soil** No further relevant information available.

12.5 Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· **vPvB:** Not applicable.

· **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects

· **Additional ecological information:**

· **General notes:** Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

(Contd. on page 7)



BE SURE. BUILD SURE.

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 6)

SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation** *Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· **European waste catalogue**

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
16 10 00	aqueous liquid wastes destined for off-site treatment
16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01

· **Uncleaned packagings:**

· **Recommendation:** *Disposal must be made according to official regulations.*

· **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, ADN, IMDG, IATA** *Void*

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA** *Void*

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class** *Void*

· **14.4 Packing group**

· **ADR, IMDG, IATA** *Void*

· **14.5 Environmental hazards:**

· **Marine pollutant:** *No*

· **14.6 Special precautions for user** *Not applicable.*

· **14.7 Maritime transport in bulk according to IMO instruments** *Not applicable.*

· **Transport/Additional information:** *Not dangerous according to the above specifications.*

· **UN "Model Regulation":** *Void*

SECTION 15: Regulatory information

(Contd. on page 8)



BE SURE. BUILD SURE.

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 7)

· **15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture**

No further relevant information available.

· **REGULATION (EC) No 1907/2006 ANNEX XVII**

Conditions of restriction: 72

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

*H301 Toxic if swallowed.
H311 Toxic in contact with skin.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H331 Toxic if inhaled.
H335 May cause respiratory irritation.
H341 Suspected of causing genetic defects.
H350 May cause cancer.*

· **Department issuing data specification sheet:**

Environment protection department.

· **Date of previous version:**

13.10.2021

· **Version number of previous version:**

7

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

(Contd. on page 9)



BE SURE. BUILD SURE.

Page 9/9

Safety data sheet
according to Regulation (EC) No 1907/2006, Article 31

Printing date 28.03.2025

Version number 8 (replaces version 7)

Revision: 28.03.2025

Trade name Muraplast FK 22

(Contd. of page 8)

ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

Acute Tox. 3: Acute toxicity – Category 3

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Sens. 1: Skin sensitisation – Category 1

Muta. 2: Germ cell mutagenicity – Category 2

Carc. 1B: Carcinogenicity – Category 1B

*** Data compared to the
previous version altered.**

IE