

Page 1/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 31 (replaces version 30) Printing date 11.04.2025 Revision: 11.04.2025

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

· Trade name Muraplast FK 43

118 · Article number:

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Concrete/Mortar admixtures

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

1.4 Emergency telephone

Tel.: +49 / (0)700 24112112 (MCR) number:

Tel.: +1 872 5888271 (MCR)

msds@mc-bauchemie.de

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- · Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

- · 2.2 Label elements
- · Labelling according to

Regulation (EC) No 1272/2008 Void Hazard pictograms Void · Signal word Void · Hazard statements Void

· 2.3 Other hazards

· Results of PBT and vPvB assessment

· PBT: Not applicable. · vPvB: Not applicable.



Page 2/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 11.04.2025 Printing date 11.04.2025 Version number 31 (replaces version 30)

Trade name Muraplast FK 43

(Contd. of page 1)

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture of the substances listed below with harmless additions.

Dangerous components: Void

## SECTION 4: First aid measures

· 4.1 Description of first aid measures

General information For every first aid measure: Pay attention to self-protection.

· After inhalation Take the person out into the fresh air. Clean with plenty of soap and water. · After skin contact

Remove heavily soiled clothing.

Rinse for 10 minutes under running water with the eyelids open or · After eye contact

use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Drink plenty of water in small sips.

Do not induce vomiting.

# SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Void

· 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

· 5.3 Advice for firefighters

No special measures required. · Protective equipment:

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

6.2 Environmental

precautions: Dilute with much water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.



Page 3/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 11.04.2025 Printing date 11.04.2025 Version number 31 (replaces version 30)

Trade name Muraplast FK 43

(Contd. of page 2)

### SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Avoid splashing.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Store containers tightly closed in a well-ventilated and well-lit room.

Access only for authorised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes,

passageways, thoroughfares and confined spaces.

Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

Do not store together with substances of the following LGK: 1; 6.2;

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 4.3; 5.1C

· Further information about

storage conditions: None. · Storage class 12

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

Components with critical values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

Do not store any foodstuffs or eat, drink, snuff or smoke in the hygienic measures

work area!

Avoid contact with eyes and skin!

Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing!

If the limit value is exceeded: · Breathing equipment:

Combination filter A-P2 (brown/white).

(Contd. on page 4)



Page 4/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.04.2025 Version number 31 (replaces version 30) Revision: 11.04.2025

#### Trade name Muraplast FK 43

(Contd. of page 3)

· Hand protection Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

· Material of gloves see "Hand protection"

· Penetration time of glove

material The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

• Eye/face protection Safety glasses

· **Body protection:** Protective work clothing.

• Skin protection Use greasy skin protection ointment for all uncovered parts of the

body!

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Light brown
 Smell: Characteristic
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 100 °C

· Flash point: Not applicable

· pH at 20 °C 7

· Viscosity:

Kinematic viscositydynamic at 20 °C:Not determined.<100 mPas</li>

·Solubility

• Water: Fully miscible • Steam pressure at 20 °C: 23 hPa

Density and/or relative density

Density at 20 °C 1.14 g/cm<sup>3</sup>

· 9.2 Other information

· Appearance:

· Form: Fluid

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

Explosives Void
Flammable gases Void
Aerosols Void
Oxidising gases Void

(Contd. on page 5)



Page 5/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.04.2025 Version number 31 (replaces version 30) Revision: 11.04.2025

#### Trade name Muraplast FK 43

(Contd. of page 4)

Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

**conditions to be avoided:** No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 9084-06-4 Napththalene sulfonic acid, polymer with formaldehyde, sodium salt

Oral LD50 >2000 mg/kg (rat)

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin

sensitisation
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

(Contd. on page 6)



Page 6/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.04.2025 Version number 31 (replaces version 30) Revision: 11.04.2025

#### Trade name Muraplast FK 43

(Contd. of page 5)

· Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

### · Aquatic toxicity:

CAS: 9084-06-4 Napththalene sulfonic acid, polymer with formaldehyde, sodium salt

LC50/96h >1000 mg/l (Brachydanio rerio) EC50/48h >10000 mg/l (Pseudomonas putida)

>200 mg/l (Daphnien)

· 12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.

12.5 Results of PBT and vPvB assessment
 PBT: Not applicable.
 vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

· 12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

European waste catalogue
 16 00 00 WASTES NOT OTHERWISE SPECIFIED IN THE LIST
 16 10 00 aqueous liquid wastes destined for off-site treatment
 16 10 02 aqueous liquid wastes other than those mentioned in 16 10 01

· Uncleaned packagings:

• Recommendation: Empty contaminated packagings thoroughly. They can be recycled

after thorough and proper cleaning.

(Contd. on page 7)



Page 7/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.04.2025 Version number 31 (replaces version 30) Revision: 11.04.2025

Trade name Muraplast FK 43

(Contd. of page 6)

Recommended cleaning

agent: Water, if necessary with cleaning agent.

14.1 UN number or ID number	
ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name	Void
ADR, ADN, IMDG, IATA	VOIG
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA	
Class	Void
14.4 Packing group	
ADR, IMDG, IATA	Void
14.5 Environmental hazards:	
Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according	to
IMO instruments	Not applicable.
Transport/Additional information:	Not dangerous according to the abov specifications.
UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 8)



Page 8/8

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 11.04.2025 Version number 31 (replaces version 30) Revision: 11.04.2025

#### Trade name Muraplast FK 43

(Contd. of page 7)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing data

specification sheet: Environment protection department.

· Date of previous version: 13.10.2021

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent. Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

· \* Data compared to the previous version altered.