

## Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Muraplast FK 48

· **Article number:** 266

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Concrete/Mortar admixtures

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard-determining**

**components of labelling:**

2-Octyl-2H-isothiazol-3-on  
triisobutyl phosphate

· **Hazard statements**

H317 May cause an allergic skin reaction.

(Contd. on page 2)

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

- (Contd. of page 1)
- **Precautionary statements**
    - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
    - P280 Wear protective gloves.
    - P362+P364 Take off contaminated clothing and wash it before reuse.
    - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
    - P321 Specific treatment (see on this label).
    - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
  - **Additional information:** Contains biocidal products: 2-Octyl-2H-isothiazol-3-on
  - **2.3 Other hazards**
  - **Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.

### SECTION 3: Composition/information on ingredients

- **3.1 Substances**
- **Identification number(s):** Void
- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 126-71-6 EINECS: 204-798-3	triisobutyl phosphate Skin Sens. 1, H317	≥0.1-<0.5%
CAS: 26530-20-1 EINECS: 247-761-7	2-Octyl-2H-isothiazol-3-on Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C ≥ 0.0015 %	≥0.0015-<0.0025%

### SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information** For all first aid measures: observe self-protection and consult a doctor!
- **After inhalation** Take the person out into the fresh air.
- **After skin contact** Remove contaminated clothing immediately.  
Hold affected areas under cold running water for at least 15 minutes.
- **After eye contact** Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/10

## **Safety data sheet** **according to Regulation (EC) No 1907/2006, Article 31**

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

· **After swallowing**

*Drink plenty of water in small sips.  
Do not induce vomiting.*

(Contd. of page 2)

### **SECTION 5: Firefighting measures**

· **5.1 Extinguishing media**

· **Suitable extinguishing agents** Void

· **5.2 Special hazards arising  
from the substance or  
mixture**

*No further relevant information available.*

· **5.3 Advice for firefighters**

· **Protective equipment:**

*No special measures required.*

### **SECTION 6: Accidental release measures**

· **6.1 Personal precautions,  
protective equipment and  
emergency procedures**

*Not required.*

· **6.2 Environmental  
precautions:**

*Dilute with much water.*

· **6.3 Methods and material for  
containment and cleaning up:**

*Absorb with liquid-binding material (sand, diatomite, acid binders,  
universal binders, sawdust).*

· **6.4 Reference to other  
sections**

*No dangerous materials are released.*

### **SECTION 7: Handling and storage**

· **7.1 Precautions for safe  
handling**

*Avoid splashing.  
Avoid dust development with powder products.  
Limit the storage quantity at the workplace to one shift  
requirement.  
Do not leave containers open.  
Provide washing facilities in the work area.  
Provide an eye shower or eyewash bottle.*

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by  
storerooms and containers:**

*Avoid splashing.  
Avoid dust development with powder products.  
Limit the storage quantity at the workplace to one shift  
requirement.  
Do not leave containers open.  
Provide washing facilities in the work area.  
Provide an eye shower or eyewash bottle.*

(Contd. on page 4)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 3)

- **Information about storage in one common storage facility:** Combined storage bans apply from a total storage quantity of 200 kg.  
Do not store together with substances of the following LGK: 1; 5.1A; 5.2; 6.2; 7  
Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 4.2; 4.3; 5.1C
- **Further information about storage conditions:** None.
- **Storage class** 12

## SECTION 8: Exposure controls/personal protection

- **8.1 Control parameters**
- **Components with critical values that require monitoring at the workplace:** The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

### · **DNELs**

**CAS: 126-71-6 triisobutyl phosphate**

Oral	DNEL	2.13 mg/kg bw/Tag (ArL)
Dermal	DNEL	4.25 mg/kg bw/day (ArL)
Inhalative	DNEL	50 mg/m <sup>3</sup> (ArL)

### · **PNECs**

**CAS: 126-71-6 triisobutyl phosphate**

PNEC	3.72 mg/l (Kla)
	0.0011 mg/l (Mew)
	0.011 mg/l (Freshwater)
PNEC	0.308 mg/kg dwt (Bod)
	0.158 mg/kg dwt (Sediment)
	1.58 mg/kg dwt (Fresh water sediment)

- **Additional information:** The lists that were valid during the compilation were used as basis.

### · **8.2 Exposure controls**

#### · **Appropriate engineering controls**

No further data; see section 7.

#### · **Individual protection measures, such as personal protective equipment**

#### · **General protective and hygienic measures**

Do not store any foodstuffs or eat, drink, snuff or smoke in the work area!  
Avoid contact with eyes, skin and clothing!  
Clean hands thoroughly after work and before cleaning!  
Use skin care products after work (moisturising cream).  
Change wet/uncleaned clothing immediately, place in water and only use again after cleaning!

(Contd. on page 5)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 4)

- **Breathing equipment:** If the limit value is exceeded:  
Combination filter A-P2 (brown/white).
- **Hand protection** Gloves made of: Natural latex, polychloroprene, nitrile rubber.  
(Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).  
When wearing protective gloves, cotton undergloves are recommended.
- **Material of gloves** see "Hand protection"
- **Penetration time of glove material** The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
- **Eye/face protection** Gauze goggles
- **Body protection:** Alkali-resistant protective clothing
- **Skin protection** Use greasy skin protection ointment for all uncovered parts of the body!

## SECTION 9: Physical and chemical properties

- **9.1 Information on basic physical and chemical properties**
- **General Information**
- **Colour:** Light brown
- **Smell:** Characteristic
- **Melting point/freezing point:** Not determined
- **Boiling point or initial boiling point and boiling range** 100 °C (CAS: 9084-06-4 Naphthalene sulfonic acid, polymer with formaldehyde, sodium salt)
- **Flash point:** Not applicable
- **pH at 20 °C** 8
- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **dynamic at 20 °C:** 70 mPas
- **Solubility**
- **Water:** Fully miscible
- **Steam pressure:** Not determined.
- **Density and/or relative density**
- **Density at 20 °C** 1.2 g/cm<sup>3</sup>
- **9.2 Other information**
- **Appearance:**
- **Form:** Fluid
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.
- **Information with regard to physical hazard classes**
- **Explosives** Void

(Contd. on page 6)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 5)

· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

## SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

## SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**CAS: 126-71-6 triisobutyl phosphate**

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>5000 mg/kg (rabbit)

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

Oral	LD50	125 mg/kg (ATE) 500 mg/kg (rat)
Dermal	LD50	311 mg/kg (ATE)

(Contd. on page 7)

## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 6)

Inhalative	LC50/4 h	>2000 mg/kg (rat) 0.27 mg/l (ATE) 0.6 mg/l (rat)
------------	----------	--

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

#### · 11.2 Information on other hazards

#### · **Endocrine disrupting properties**

None of the ingredients is listed.

## SECTION 12: Ecological information

### · 12.1 Toxicity

#### · **Aquatic toxicity:**

##### **CAS: 126-71-6 triisobutyl phosphate**

EC50/24h	10-100 mg/l (Daphnia magna)
EC50/72h	10-100 mg/l (Scenedesmus subspicatus)
LC50/96h	>100 mg/l (Oncorhynchus mykiss)
	10-100 mg/l (Leucidus idus)
EC50	>100 mg/l (Pseudomonas putida)
NOEC	37 mg/l (BEL)

##### **CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

EC50/48h	0.42 mg/l (Daphnien)
----------	----------------------

### · 12.2 Persistence and degradability

No further relevant information available.

### · 12.3 Bioaccumulative potential

No further relevant information available.

### · 12.4 Mobility in soil

No further relevant information available.

### · 12.5 Results of PBT and vPvB assessment

#### · **PBT:**

Not applicable.

#### · **vPvB:**

Not applicable.

### · 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

(Contd. on page 8)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 7)

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

*Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.*

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

*Must not be disposed of together with household garbage. Do not allow product to reach sewage system.*

· **European waste catalogue**

16 00 00	WASTES NOT OTHERWISE SPECIFIED IN THE LIST
----------	--

16 10 00	aqueous liquid wastes destined for off-site treatment
----------	---

16 10 02	aqueous liquid wastes other than those mentioned in 16 10 01
----------	--

· **Uncleaned packagings:**

· **Recommendation:**

*Disposal must be made according to official regulations.*

· **Recommended cleaning agent:**

*Water, if necessary with cleaning agent.*

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, ADN, IMDG, IATA**

Void

· **14.2 UN proper shipping name**

· **ADR, ADN, IMDG, IATA**

Void

· **14.3 Transport hazard class(es)**

· **ADR, ADN, IMDG, IATA**

· **Class**

Void

· **14.4 Packing group**

· **ADR, IMDG, IATA**

Void

· **14.5 Environmental hazards:**

· **Marine pollutant:**

No

· **14.6 Special precautions for user**

Not applicable.

· **14.7 Maritime transport in bulk according to IMO instruments**

Not applicable.

· **Transport/Additional information:**

*Not dangerous according to the above specifications.*

(Contd. on page 9)



## Safety data sheet

### according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 8)

· **UN "Model Regulation":** Void

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture**

No further relevant information available.

· **REGULATION (EC) No 1907/2006 ANNEX XVII**

Conditions of restriction: 3

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

H301 Toxic if swallowed.  
H311 Toxic in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H317 May cause an allergic skin reaction.  
H318 Causes serious eye damage.  
H330 Fatal if inhaled.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**

Environment protection department.

(Contd. on page 10)



BE SURE. BUILD SURE.

Page 10/10

**Safety data sheet**  
**according to Regulation (EC) No 1907/2006, Article 31**

Printing date 12.04.2025

Version number 37 (replaces version 36)

Revision: 12.04.2025

**Trade name Muraplast FK 48**

(Contd. of page 9)

· **Date of previous version:** 13.10.2021

· **Version number of previous version:**

36

· **Abbreviations and acronyms:** RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
ICAO: International Civil Aviation Organisation  
ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
ATE: Acute toxicity estimate values  
Acute Tox. 3: Acute toxicity – Category 3  
Acute Tox. 2: Acute toxicity – Category 2  
Skin Corr. 1: Skin corrosion/irritation – Category 1  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1: Skin sensitisation – Category 1  
Skin Sens. 1A: Skin sensitisation – Category 1A  
Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1  
Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

· **\* Data compared to the previous version altered.**

IE