

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier					
· Trade name	Muraplast FK 98				
• Article number: • 1.2 Relevant identified uses of the substance or mixture	255				
and uses advised against • Application of the substance / the mixture	No further relevant information available. Concrete/Mortar admixtures				
1.3 Details of the supplier of t	the safety data sheet				
· Manufacturer/Supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de				
	MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533				
 Informing department: 1.4 Emergency telephone 	msds@mc-bauchemie.de				
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)				
SECTION 2: Hazards ide	ntification				
· 2.1 Classification of the subs					
 Classification according to 					
 2.2 Label elements Labelling according to Regulation (EC) No 1272/2008 Hazard pictograms Signal word Hazard statements 	Void Void Void				
• Additional information:	EUH208 Contains Formaldehyde. May produce an allergic				

reaction.

EUH210 Safety data sheet available on request.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

• **PBT:** Not applicable.

(Contd. on page 2)

IF



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

· vPvB:

Not applicable.

(Contd. of page 1)

SECTION 3: Composition/information on ingredients

 3.1 Substances CAS No. Designatio Identification numb 3.2 Mixtures Description: 	er(s): Void Mixture consisting of the following components.	
 Dangerous comport 	ients:	
	Formaldehyde	<0.1%
EINECS: 200-001-8	Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 3, H331; Muta. 2, H341; Carc. 1B, H350; Skin Corr. 1B, H314; Skin Sens. 1, H317 Specific concentration limits: Skin Corr. 1B; H314: $C \ge 25 \%$ Skin Irrit. 2; H315: $5 \% \le C < 25 \%$ Eye Irrit. 2; H319: $5 \% \le C < 25 \%$ Skin Sens. 1; H317: $C \ge 0.2 \%$ STOT SE 3; H335: $C \ge 5 \%$	

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information	For every first aid measure: Pay attention to self-protection.
 After inhalation 	Take the person out into the fresh air.
 After skin contact 	Clean with plenty of soap and water.
	Remove heavily soiled clothing.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!
 After swallowing 	Drink plenty of water in small sips.
	Do not induce vomiting.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents Void
- · 5.2 Special hazards arising
- from the substance or mixture
- · 5.3 Advice for firefighters
- · Protective equipment:

No special measures required.

No further relevant information available.

(Contd. on page 3)

IF



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

(Contd. of page 2)

Page 3/9

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
· 6.2 Environmental	
precautions:	Dilute with much water.
6.3 Methods and material for	
containment and cleaning up	: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
[•] 6.4 Reference to other	
sections	No dangerous materials are released.

SECTION 7: Handling and storage

7.1 Precautions for safe	
handling	Avoid splashing.
	Do not leave containers open.
	Provide washing facilities in the work area.
	Provide an eye shower or eyewash bottle.
7.2 Conditions for safe storag Storage	e, including any incompatibilities
Requirements to be met by	
storerooms and containers:	Store containers tightly closed in a well-ventilated and well-lit roon Access only for authorised personnel.
	Do not store in break rooms, recreation rooms or sanitary facilitie
	or in stairwells, corridors, escape and rescue routes
	passageways, thoroughfares and confined spaces.
Information about storage in	
one common storage facility:	Combined storage bans apply from a total storage quantity of 20
one common storage facility.	kg.
	Do not store together with substances of the following LGK: 1; 6.2
	Storage with substances of the following LGK is only possibl
	under the conditions specified in TRGS 510: 4.1A; 4.3; 5.1C
Further information about	
storage conditions:	None.

(Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

(Contd. of page 3)

· 8.1 Control parameters		
Components with critica	I values that require monitoring at the workplace:	
CAS: 50-00-0 Formaldeh	S: 50-00-0 Formaldehyde	
OEL (Ireland)	Short-term value: 0.738 mg/m³, 0.6 ppm	
, ,	Long-term value: 0.37 0.62* mg/m³, 0.3 0.5* ppm	
Carc1B, Sens,*healthcare,funeral,embalm.:11.07.24		
BOELV (European Union)	Short-term value: 0.74 mg/m³, 0.6 ppm	
	Long-term value: 0.37 (0.62)* mg/m³, 0.3 (0.5)* ppm	
	Skin sens;*health/funeral/embalming till 11/7/24	
· Additional information:	The lists that were valid during the compilation were used as ba	
· 8.2 Exposure controls		
Appropriate engineering		
controls	No further data; see section 7.	
	asures, such as personal protective equipment	
General protective and		
hygienic measures	Do not store any foodstuffs or eat, drink, snuff or smoke in	
	work area!	
	Avoid contact with eyes and skin!	
	Clean hands thoroughly after work and before cleaning!	
	Use skin care products after work (moisturising cream).	
· Breathing equipment:	Change and clean heavily soiled clothing! If the limit value is exceeded:	
Breathing equipment.	Combination filter A-P2 (brown/white).	
· Hand protection	Gloves made of: Natural latex, polychloroprene, nitrile rubber.	
	(Category 3 chemical protective gloves, recognisable by the	
	mark with four-digit test number).	
	When wearing protective gloves, cotton undergloves	
	recommended.	
 Material of gloves 	see "Hand protection"	
· Penetration time of glove	9	
material	The exact breakthrough time must be obtained from the protec	
	glove manufacturer and must be observed.	
Eye/face protection	Safety glasses	
Body protection:	Protective work clothing.	
· Skin protection	Use greasy skin protection ointment for all uncovered parts of	

SECTION 9: Physical and chemical properties

- \cdot 9.1 Information on basic physical and chemical properties
- General Information
- · Colour:
- · Smell:

Light brown Characteristic

(Contd. on page 5)

⁻ ÍE



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

	(Contd. of p	page
Melting point/freezing point:	Not determined	
Boiling point or initial boiling point and		
boiling range	100 °C (CAS: 7732-18-5 Water)	
Flash point:	Not applicable	
pH at 20 °C	10	
Viscosity:		
Kinematic viscosity	Not determined.	
dynamic at 20 °C:	<100 mPas	
Solubility		
Water:	Fully miscible	
Steam pressure at 20 °C:	23 ĥPa (CAS: 7732-18-5 Water)	
Density and/or relative density		
Density at 20 °C	1.25 g/cm³	
9.2 Other information	-	
Appearance: Form:	Fluid	
Important information on protection of hea		
and environment, and on safety. Explosive properties:	Product is not explosive.	
	rioduci is not explosive.	
Information with regard to physical haza	•	
<u> </u>	•	
Information with regard to physical haza	•	
Information with regard to physical haza classes	ard	
Information with regard to physical haza classes Explosives	ard Void	
Information with regard to physical haza classes Explosives Flammable gases	ard Void Void	
Information with regard to physical haza classes Explosives Flammable gases Aerosols	ard Void Void Void	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases	ard Void Void Void Void	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure	ard Void Void Void Void Void Void	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids	ard Void Void Void Void Void Void Void	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids Oxidising solids	ard Void Void Void Void Void Void Void Voi	
Information with regard to physical haza classes Explosives Flammable gases Aerosols Oxidising gases Gases under pressure Flammable liquids Flammable solids Self-reactive substances and mixtures Pyrophoric liquids Pyrophoric solids Self-heating substances and mixtures Substances and mixtures, which emit flammable gases in contact with water Oxidising liquids	ard Void Void Void Void Void Void Void Voi	

SECTION 10: Stability and reactivity

· 10.1 Reactivity

10.2 Chemical stability

• Thermal decomposition / conditions to be avoided:

No further relevant information available.

No decomposition if used according to specifications.

(Contd. on page 6)

IE



Page 6/9

IE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

10.0 Dessibility of homendary	(Contd. of page
10.3 Possibility of hazardous	No demonstra de estima lucaria
reactions	No dangerous reactions known No further relevant information available.
10.4 Conditions to avoid	No further relevant information available.
10.5 Incompatible materials: 10.6 Hazardous	
decomposition products:	No dangerous decomposition products known
SECTION 11: Toxicologi	cal information
11.1 Information on hazard cl Acute toxicity	asses as defined in Regulation (EC) No 1272/2008 Based on available data, the classification criteria are not met.
LD/LC50 values that are relev	,
Oral LD50 >5000 mg/kg (ra	
	()
CAS: 50-00-0 Formaldehyde	
Oral LD50 >200 mg/kg (rat)	
Dermal LD50 300 mg/kg (rat)	
Primary irritant effect:	
Skin corrosion/irritation	Based on available data, the classification criteria are not met.
Serious eye damage/irritation Respiratory or skin	Based on available data, the classification criteria are not met.
sensitisation	Based on available data, the classification criteria are not met.
Germ cell mutagenicity	Based on available data, the classification criteria are not met.
Carcinogenicity	Based on available data, the classification criteria are not met.
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	Based on available data, the classification criteria are not met.
STOT-repeated exposure	Based on available data, the classification criteria are not met.
Aspiration hazard	Based on available data, the classification criteria are not met.
11.2 Information on other haz	
Endocrine disrupting propert	
None of the ingredients is listed	•

· 12.1 Toxicity		
· Aquatic toxicity:	No further relevant information available.	
12.2 Persistence and		
degradability	No further relevant information available.	
 12.3 Bioaccumulative 		
potential	No further relevant information available.	
 12.4 Mobility in soil 	No further relevant information available.	
 12.5 Results of PBT and vPvE 	3 assessment	
· PBT:	Not applicable.	
· vPvB:	Not applicable.	
		(Contd. on page 7)



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

· 12.6 Endocrine disrupting	(Contd. of page 6)
properties	The product does not contain substances with endocrine disrupting properties.
12.7 Other adverse effects Additional ecological info	rmation:
· General notes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
SECTION 42: Dispass	Leonoideratione
SECTION 13: Disposa	I considerations
SECTION 13: Disposa	
13.1 Waste treatment meth	hods Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
• 13.1 Waste treatment meth • Recommendation • European waste catalogue	hods Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 • 13.1 Waste treatment meth • Recommendation • European waste catalogue • 16 00 00 WASTES NOT OF 	hods Must not be disposed of together with household garbage. Do not allow product to reach sewage system.
 • 13.1 Waste treatment methods • Recommendation • European waste catalogue • 16 00 00 WASTES NOT OF • 16 10 00 aqueous liquid waste 	hods Must not be disposed of together with household garbage. Do not allow product to reach sewage system. THERWISE SPECIFIED IN THE LIST

Water, if necessary with cleaning agent.

SECTION 14: Transport information

· Recommended cleaning

agent:

SECTION 14: Transport Informati	1011
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
[.] 14.5 Environmental hazards: [.] Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
 14.7 Maritime transport in bulk accordin IMO instruments 	ng to Not applicable.
• Transport/Additional information:	Not dangerous according to the above specifications.
	(Contd. on page



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Void

Revision: 12.04.2025

(Contd. of page 7)

Page 8/9

Trade name Muraplast FK 98

· UN "Model Regulation":

SECTION 15: Regulatory information · 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture No further relevant information available. REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 72 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II None of the ingredients is listed. · REGULATION (EU) 2019/1148 Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3)) None of the ingredients is listed. · Annex II - REPORTABLE EXPLOSIVES PRECURSORS None of the ingredients is listed. Regulation (EC) No 273/2004 on drug precursors None of the ingredients is listed. Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors None of the ingredients is listed. · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other info	ormation	
These data are based on our present knowledge. However, they shall not constitute a guarantee fo any specific product features and shall not establish a legally valid contractual relationship.		
· Relevant phrases	 H301 Toxic if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H331 Toxic if inhaled. H335 May cause respiratory irritation. H341 Suspected of causing genetic defects. H350 May cause cancer. 	
 Department issuing data specification sheet: 	Environment protection department.	(Contd. on page 9)



Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 12.04.2025

Version number 33 (replaces version 32)

Revision: 12.04.2025

Trade name Muraplast FK 98

Version number of previous version: 32 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchand dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuse route (European Agreement Concerning the International Carriage of Dang Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicas ELINCS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B	Date of previous version:	(Contd. of pag 13.10.2021
Abbreviations and acronyms: RID: Règlement international concernant le transport des marchand dangereuses par chemin de fer (Regulations Concerning the Internat Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuse route (European Agreement Concerning the International Carriage of Dang Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemica EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B		10.10.2021
dangereuses par chemin de fer (Regulations Concerning the Internat Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuse route (European Agreement Concerning the International Carriage of Dang Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemica EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B	version:	32
Muta. 2: Germ cell mutagenicity – Category 2 Carc. 1B: Carcinogenicity – Category 1B * * Data compared to the		RID: Règlement international concernant le transport des marchand, dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses route (European Agreement Concerning the International Carriage of Danger Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 3: Acute toxicity – Category 3 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Skin Sens. 1: Skin sensitisation – Category 2