

Page 1/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 28 (replaces version 27) Revision: 14.04.2025

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

• Trade name Murasan Hydrotech 862

1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

· Application of the substance

/ the mixture Concrete/Mortar admixtures

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

**number:** Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

· 2.1 Classification of the substance or mixture

· Classification according to

Regulation (EC) No 1272/2008 The product is not classified, according to the CLP regulation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 Void

Hazard pictograms Void
Signal word Void
Hazard statements Void

· Additional information: EUH208 Contains 2-Octyl-2H-isothiazol-3-on. May produce an

allergic reaction.

EUH210 Safety data sheet available on request. Contains biocidal products: 2-Octyl-2H-isothiazol-3-on

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

ΙE



Page 2/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 14.04.2025 Printing date 14.04.2025 Version number 28 (replaces version 27)

Trade name Murasan Hydrotech 862

(Contd. of page 1)

>0.00025-<0.0015%

### SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

· Description: Mixture consisting of the following components.

· Dangerous components:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2,

EINECS: 247-761-7 H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410

(M=100); Skin Sens. 1A, H317, EUH071

ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l

Specific concentration limit: Skin Sens. 1A; H317: C ≥0.0015 %

· Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information For every first aid measure: Pay attention to self-protection.

· After inhalation Take the person out into the fresh air. · After skin contact Clean with plenty of soap and water.

Remove heavily soiled clothing.

Rinse for 10 minutes under running water with the eyelids open or · After eye contact

use eye rinsing solution. Always consult an ophthalmologist!

· After swallowing Drink plenty of water in small sips.

Do not induce vomiting.

## **SECTION 5: Firefighting measures**

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

Void

· 5.2 Special hazards arising from the substance or

mixture

No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Not required.

(Contd. on page 3)



Page 3/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 28 (replaces version 27) Revision: 14.04.2025

#### Trade name Murasan Hydrotech 862

(Contd. of page 2)

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders,

universal binders, sawdust).

· 6.4 Reference to other

sections No dangerous materials are released.

## **SECTION 7: Handling and storage**

· 7.1 Precautions for safe

handling Avoid splashing.

Do not leave containers open.

Provide washing facilities in the work area. Provide an eye shower or eyewash bottle.

· 7.2 Conditions for safe storage, including any incompatibilities

Storage

· Requirements to be met by

storerooms and containers: Store containers tightly closed in a well-ventilated and well-lit room.

Access only for authorised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes,

passageways, thoroughfares and confined spaces.

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2;

7

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 4.3; 5.1C

· Further information about

storage conditions: None.
Storage class 12

### SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical

values that require

monitoring at the workplace: The product does not contain any relevant quantities of materials

with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

(Contd. on page 4)



Page 4/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 28 (replaces version 27) Revision: 14.04.2025

#### Trade name Murasan Hydrotech 862

(Contd. of page 3)

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store any foodstuffs or eat, drink, snuff or smoke in the

work area!

Avoid contact with eyes and skin!

Clean hands thoroughly after work and before cleaning! Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing!

· Breathing equipment: If the limit value is exceeded:

Combination filter A-P2 (brown/white).

· Hand protection Gloves made of: Natural latex, polychloroprene, nitrile rubber.

(Category 3 chemical protective gloves, recognisable by the CE

mark with four-digit test number).

When wearing protective gloves, cotton undergloves are

recommended.

Material of gloves see "Hand protection"

· Penetration time of glove

material

glove manufacturer and

The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

· Eye/face protection Safety glasses

· Body protection: Protective work clothing.

• Skin protection Use greasy skin protection ointment for all uncovered parts of the

body!

### **SECTION 9: Physical and chemical properties**

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Yellowish
 Smell: Characteristic
 Melting point/freezing point: Not determined

Boiling point or initial boiling point and

boiling range 100 °C (CAS: 7732-18-5 Water)

Flash point: Not applicable

· pH at 20 °C

Viscosity:

• Kinematic viscosity
• dynamic at 20 °C:

Not determined.

<100 mPas

Solubility

· Water: Fully miscible

· Steam pressure at 20 °C: 23 hPa (CAS: 7732-18-5 Water)

Density and/or relative density

Density at 20 °C 1.02 g/cm<sup>3</sup>

(Contd. on page 5)



Page 5/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 14.04.2025 Printing date 14.04.2025 Version number 28 (replaces version 27)

#### Trade name Murasan Hydrotech 862

(Contd. of page 4)

· 9.2 Other information

· Appearance:

Fluid · Form:

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. · Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void Flammable gases Void Void · Aerosols · Oxidising gases Void · Gases under pressure Void Flammable liquids Void · Flammable solids Void · Self-reactive substances and mixtures Void · Pyrophoric liquids Void · Pyrophoric solids Void

· Self-heating substances and mixtures

· Substances and mixtures, which emit

flammable gases in contact with water · Oxidising liquids

Void Oxidising solids Void Void · Organic peroxides Void · Corrosive to metals · Desensitised explosives Void

## SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

Void

Void

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

· 10.4 Conditions to avoid No further relevant information available. · 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

(Contd. on page 6)



Page 6/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 28 (replaces version 27) Revision: 14.04.2025

Trade name Murasan Hydrotech 862

(Contd. of page 5)

## **SECTION 11: Toxicological information**

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

• Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification: CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on					
		500 mg/kg (rat)			
Dermal	LD50	311 mg/kg (ATE)			
		>2000 mg/kg (rat)			
Inhalative	LC50/4 h	0.27 mg/l (ATE)			
		0.6 mg/l (rat)			

Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met. • Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin

sensitisation

Germ cell mutagenicity
Carcinogenicity
Reproductive toxicity
STOT-single exposure
STOT-repeated exposure
Aspiration hazard

Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

None of the ingredients is listed.

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity:

CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on

EC50/48h 0.42 mg/l (Daphnien)

12.2 Persistence and

degradability No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.

12.4 Mobility in soil
No further relevant information available.


· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties The product does not contain substances with endocrine disrupting

properties.

(Contd. on page 7)



Page 7/9

Printing date 14.04.2025 Version number 28 (replaces version 27)

ersion number 28 (replaces version 27) Revision: 14.04.2025

### Trade name Murasan Hydrotech 862

(Contd. of page 6)

· 12.7 Other adverse effects

**BE SURE. BUILD SURE.** 

- · Additional ecological information:
- **General notes:**Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

## **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

• **Recommendation**Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

	anow product to reach sewage system.					
· European	· European waste catalogue					
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)					
17 09 00	other construction and demolition wastes					
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances					
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED					
15 01 00	packaging (including separately collected municipal packaging waste)					
15 01 01	paper and cardboard packaging					
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AN PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED					
15 01 00	packaging (including separately collected municipal packaging waste)					
15 01 02	plastic packaging					

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA		
Class	Void	
14.4 Packing group		
ADR, IMDG, IATA	Void	
14.5 Environmental hazards:		
Marine pollutant:	No	

ΙE



Page 8/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 28 (replaces version 27) Revision: 14.04.2025

#### Trade name Murasan Hydrotech 862

(Contd. of page 7)

	(Conta. or page 7)
· 14.6 Special precautions for user	Not applicable.
· 14.7 Maritime transport in bulk according IMO instruments	to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

## **SECTION 15: Regulatory information**

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

## **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H400 Very toxic to aquatic life.

(Contd. on page 9)



Page 9/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025 Version number 28 (replaces version 27) Revision: 14.04.2025

### Trade name Murasan Hydrotech 862

(Contd. of page 8)

H410 Very toxic to aquatic life with long lasting effects.

EUH071 Corrosive to the respiratory tract.

· Department issuing data

**specification sheet:** Environment protection department.

· Date of previous version: 17.10.2021

· Version number of previous

version:

· Abbreviations and acronyms: ADR: Accord relatif au transport international des marchandises dangereuses par

route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1 Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard -

Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic

hazard - Category 1

\* Data compared to the previous version altered.

- IE