



BE SURE. BUILD SURE.

Page 1/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Mycoflex 4000 SP - Komponente A**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

No further relevant information available.

#### 1.3 Details of the supplier of the safety data sheet

Application of the substance / the mixture **Polysulfide-Sealant**

Manufacturer/Supplier: **MC-Bauchemie Müller GmbH & Co. KG**  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: [info@mc-bauchemie.de](mailto:info@mc-bauchemie.de)

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

Informing department: [msds@mc-bauchemie.de](mailto:msds@mc-bauchemie.de)

#### 1.4 Emergency telephone number:

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +48612864565

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008

Lact. H362 May cause harm to breast-fed children.

Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

##### Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

##### Hazard pictograms



GHS09

##### Signal word

Warning

##### Hazard statements

H362 May cause harm to breast-fed children.

H410 Very toxic to aquatic life with long lasting effects.

##### Precautionary statements

P260 Do not breathe dusts or mists.

(Contd. on page 2)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

**Trade name Mycoflex 4000 SP - Komponente A**

(Contd. of page 1)

P263 Avoid contact during pregnancy and while nursing.

P264 Wash thoroughly after handling.

P273 Avoid release to the environment.

P308+P313 IF exposed or concerned: Get medical advice/attention.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Additional information:** EUH066 Repeated exposure may cause skin dryness or cracking. Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:**

85535-85-9	chloroalkanes (C=14-17)
------------	-------------------------

· **vPvB:**

85535-85-9	chloroalkanes (C=14-17)
------------	-------------------------

**SECTION 3: Composition/information on ingredients**

· **3.2 Mixtures**

· **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 68611-50-7	propane, 1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)] bis[2-chloroethane] and sodium sulfide (Na <sub>2</sub> (Sx)), reduced Aquatic Chronic 3, H412	30-60%
CAS: 85535-85-9	chloroalkanes (C=14-17) Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=10); Lact., H362, EUH066 PBT; vPvB	10-30%
CAS: 13463-67-7 EINECS: 236-675-5	titanium dioxide Carc. 2, H351	≥1-<10%

· **SVHC**

85535-85-9	chloroalkanes (C=14-17)
------------	-------------------------

**SECTION 4: First aid measures**

· **4.1 Description of first aid measures**

· **General information** No special measures required.

· **After inhalation** Void

· **After skin contact** The product is not skin irritating.

· **After eye contact** Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· **After swallowing** Rinse out mouth and then drink plenty of water.

(Contd. on page 3)



BE SURE. BUILD SURE.

Page 3/10

## Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 2)

- **4.2 Most important symptoms and effects, both acute and delayed** Seek medical treatment.
- **4.3 Indication of any immediate medical attention and special treatment needed** No further relevant information available.

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** Use fire fighting measures that suit the environment.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** No special measures required.
- **6.3 Methods and material for containment and cleaning up:** Collect mechanically.
- **6.4 Reference to other sections** No dangerous materials are released.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** None.
- **Storage class** 12

(Contd. on page 4)

IE



BE SURE. BUILD SURE.

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

**Trade name Mycoflex 4000 SP - Komponente A**

· **7.3 Specific end use(s)** No further relevant information available.

(Contd. of page 3)

**SECTION 8: Exposure controls/personal protection**

· **8.1 Control parameters**  
· **Components with critical values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**  
· **Appropriate engineering controls**

No further data; see section 7.

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

The usual precautionary measures should be adhered to in handling the chemicals.

· **Breathing equipment:**

In case of hypersensitivity of the respiratory tract and skin (asthma, chronic bronchitis, chronic skin conditions) handling the product is not recommended.

Respiratory protection is required at inadequately ventilated workplaces and during spray processing. Fresh air masks or combination filters A2-P2 are recommended for short-term work.

Breathing protection recommended.

· **Hand protection**

Conditionally suitable materials for protective gloves; EN 374-3: Nitrile rubber - NBR: Thickness  $\geq 0.35\text{mm}$ .

Only suitable for splash protection. Only suitable for short-term exposure. In case of contamination, the protective gloves must be changed immediately.

Protective gloves.

Nitrile rubber, NBR

· **Material of gloves**

· **Penetration time of glove material**

-

· **Eye/face protection**

Safety glasses

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Colour:**

According to product specification

· **Smell:**

Sulphurous

· **Melting point/freezing point:**

Not determined

· **Boiling point or initial boiling point and boiling range**

Not determined

· **Flash point:**

Not applicable

· **pH**

Not determined.

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 4)

- **Viscosity:**
- **Kinematic viscosity** Not determined.
- **dynamic at 20 °C:** 1250000 mPas
- **Solubility**
- **Water:** Not miscible or difficult to mix
- **Steam pressure:** Not determined.
- **Density and/or relative density**
- **Density at 20 °C** 1.47 g/cm<sup>3</sup>

- **9.2 Other information**
- **Appearance:**
- **Form:** Pasty
- **Important information on protection of health and environment, and on safety.**
- **Self-inflammability:** Product is not selfigniting.
- **Explosive properties:** Product is not explosive.

- **Information with regard to physical hazard classes**
- **Explosives** Void
- **Flammable gases** Void
- **Aerosols** Void
- **Oxidising gases** Void
- **Gases under pressure** Void
- **Flammable liquids** Void
- **Flammable solids** Void
- **Self-reactive substances and mixtures** Void
- **Pyrophoric liquids** Void
- **Pyrophoric solids** Void
- **Self-heating substances and mixtures** Void
- **Substances and mixtures, which emit flammable gases in contact with water** Void
- **Oxidising liquids** Void
- **Oxidising solids** Void
- **Organic peroxides** Void
- **Corrosive to metals** Void
- **Desensitised explosives** Void

#### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

**Trade name Mycoflex 4000 SP - Komponente A**

(Contd. of page 5)

- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

**68611-50-7 propane, 1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)]bis[2-chloroethane] and sodium sulfide (Na<sub>2</sub>(Sx)), reduced**

Oral	LD50	>5000 mg/kg (rat)
------	------	-------------------

Dermal	LD50	>7800 mg/kg (rat)
--------	------	-------------------

**13463-67-7 titanium dioxide**

Oral	LD50	>10000 mg/kg (rat)
------	------	--------------------

Dermal	LD50	>10000 mg/kg (rabbit)
--------	------	-----------------------

Inhalative	LC50/4 h	>6.8 mg/l (rat)
------------	----------	-----------------

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** May cause harm to breast-fed children.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

- **12.1 Toxicity**

- **Aquatic toxicity:**

**68611-50-7 propane, 1,2,3-trichloro-, polymer with 1,1'-[methylenebis(oxy)]bis[2-chloroethane] and sodium sulfide (Na<sub>2</sub>(Sx)), reduced**

LC50/96h	>1000 mg/l (Leucidus idus)
----------	----------------------------

EC50/48h	>20 mg/l (Daphnia magna)
----------	--------------------------

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.

(Contd. on page 7)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 6)

· **12.5 Results of PBT and vPvB assessment**

· **PBT:**

85535-85-9 chloroalkanes (C=14-17)

· **vPvB:**

85535-85-9 chloroalkanes (C=14-17)

· **12.6 Endocrine disrupting properties**

The product does not contain substances with endocrine disrupting properties.

· **12.7 Other adverse effects**

· **Additional ecological information:**

· **General notes:**

Do not allow product to reach ground water, water bodies or sewage system.

Danger to drinking water if even small quantities leak into soil.

### SECTION 13: Disposal considerations

· **13.1 Waste treatment methods**

· **Recommendation**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 00 00 WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS

08 04 00 wastes from MFSU of adhesives and sealants (including waterproofing products)

08 04 10 waste adhesives and sealants other than those mentioned in 08 04 09

HP7 Carcinogenic

HP14 Ecotoxic

· **Uncleaned packagings:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

### SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3082

· **14.2 UN proper shipping name**

· **ADR, IATA**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (chloroalkanes (C=14-17))

· **IMDG**

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (chloroalkanes (C=14-17)), MARINE POLLUTANT

(Contd. on page 8)



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 7)

· <b>14.3 Transport hazard class(es)</b>	
· <b>ADR</b>	
· <b>Class</b>	9 (M6) Miscellaneous dangerous substances and articles.
· <b>Label</b>	9
· <b>IMDG, IATA</b>	
· <b>Class</b>	9 Miscellaneous dangerous substances and articles.
· <b>Label</b>	9
· <b>14.4 Packing group</b>	
· <b>ADR, IMDG, IATA</b>	III
· <b>14.5 Environmental hazards:</b>	
· <b>Marine pollutant:</b>	Yes
	Symbol (fish and tree)
· <b>Special marking (ADR):</b>	Symbol (fish and tree)
· <b>Special marking (IATA):</b>	Symbol (fish and tree)
· <b>14.6 Special precautions for user</b>	Warning: Miscellaneous dangerous substances and articles.
· <b>Kemler Number:</b>	90
· <b>EMS Number:</b>	F-A, S-F
· <b>Stowage Category</b>	A
· <b>14.7 Maritime transport in bulk according to IMO instruments</b>	Not applicable.
· <b>Transport/Additional information:</b>	Not dangerous according to the above specifications.
· <b>ADR</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>Transport category</b>	3
· <b>Tunnel restriction code</b>	(-)
· <b>IMDG</b>	
· <b>Limited quantities (LQ)</b>	5L
· <b>Excepted quantities (EQ)</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 9)





BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

Trade name Mycoflex 4000 SP - Komponente A

(Contd. of page 8)

· UN "Model Regulation":	UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CHLOROALKANES (C=14-17)), 9, III
--------------------------	---

#### SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

· Qualifying quantity (tonnes) for the application of lower-tier requirements	200 t
--	-------

· Qualifying quantity (tonnes) for the application of upper-tier requirements	500 t
--	-------

· REGULATION (EC) No 1907/2006 ANNEX XVII	Conditions of restriction: 3
--	------------------------------

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· National regulations

· Other regulations, limitations and prohibitive regulations

· Substances of very high concern (SVHC) according to REACH, Article 57

85535-85-9	chloroalkanes (C=14-17)
------------	-------------------------

· 15.2 Chemical safety assessment:

A Chemical Safety Assessment has not been carried out.



BE SURE. BUILD SURE.

### Safety data sheet according to 1907/2006/EC, Article 31

Printing date 23.06.2023

Version number 29 (replaces version 28)

Revision: 23.06.2023

**Trade name Mycoflex 4000 SP - Komponente A**

(Contd. of page 9)

#### SECTION 16: Other information

*These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Relevant phrases**
  - H351 Suspected of causing cancer.
  - H362 May cause harm to breast-fed children.
  - H400 Very toxic to aquatic life.
  - H410 Very toxic to aquatic life with long lasting effects.
  - H412 Harmful to aquatic life with long lasting effects.
  - EUH066 Repeated exposure may cause skin dryness or cracking.
  
- **Department issuing data specification sheet:** Environment protection department.
- **Date of previous version:** 26.08.2021
- **Version number of previous version:** 28
- **Abbreviations and acronyms:**
  - RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
  - ICAO: International Civil Aviation Organisation
  - ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)
  - IMDG: International Maritime Code for Dangerous Goods
  - IATA: International Air Transport Association
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals
  - EINECS: European Inventory of Existing Commercial Chemical Substances
  - ELINCS: European List of Notified Chemical Substances
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)
  - LC50: Lethal concentration, 50 percent
  - LD50: Lethal dose, 50 percent
  - PBT: Persistent, Bioaccumulative and Toxic
  - SVHC: Substances of Very High Concern
  - vPvB: very Persistent and very Bioaccumulative
  - Carc. 2: Carcinogenicity – Category 2
  - Lact.: Reproductive toxicity – effects on or via lactation
  - Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1
  - Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1
  - Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

· \* Data compared to the previous version altered.