

Page 1/9

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.2 Relevant identified uses	Nafufill GTS-HS rapid
Application of the substance	No further relevant information available.
/ the mixture	Gunned mortar
	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
	Fax : +44-7400533
Informing department: 1.4 Emergency telephone	msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

[•] 2.2 Label elements

- Labelling according to
 - **Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.
- Hazard pictograms



Danger

- · Signal word
- Hazard-determining components of labelling:
- · Hazard statements

Portland cement Fly ash Portland cement H315 Causes skin irritation. H318 Causes serious eye damage.

(Contd. on page 2)

IE



Page 2/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

· Precautionary statements	P280	(Contd. of page 1) Wear protective gloves / eye protection / face protection.
	P305+P351+P338	B IF IN EYES: Rinse cautiously with water fo several minutes. Remove contact lenses, i present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash in before reuse.
	P332+P313	If skin irritation occurs: Get medical advice attention.
[.] 2.3 Other hazards		
Results of PBT and vPvB as	sessment	
· PBT:	Not applicable.	
. VDVP.	Not appliable	

· vPvB: Not applicable.

SECTION 2. Com	nocition/informati	on on ingredients
SECHUNS. COM	0051101/1110111611	UT UT HUTEUTETIS
	poordiorningrinadi	

- · 3.2 Mixtures
- · Description:

Mixture consisting of the following components.

· Dangerous components:		
CAS: 14808-60-7	Quartz (SiO2) 6	
EINECS: 238-878-4	substance with a Community workplace exposure limit	
CAS: 65997-15-1	Portland cement	≥10-<20%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 68475-76-3	3 Fly ash Portland cement ≥1-<	
	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
Additional information For the wording of the listed hazard phrases refer to section 16.		ction 16.

SECTION 4: First aid measures

• 4.1 Description of first aid	l measures
General information	For all first aid measures: observe self-protection and consult a doctor!
· After inhalation	Remove people from the dusty area.
· After skin contact	Remove heavily soiled clothing. Clean with plenty of soap and water.
· After eye contact	Rinse for 10 minutes under running water with the eyelids open. Always consult an ophthalmologist!
· After swallowing	Do NOT induce vomiting. Rinse mouth with water. Medical attention required.

(Contd. on page 3)



Page 3/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

(Contd. of page 2)

IF

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- Suitable extinguishing agents Use fire fighting measures that suit the environment.
- 5.2 Special hazards arising
- from the substance or mixture
- · 5.3 Advice for firefighters
- · Protective equipment:
- No special measures required.

No further relevant information available.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Not required.
6.2 Environmental	
precautions:	No special measures required.
 6.3 Methods and material for 	
containment and cleaning up.	Collect mechanically.
• 6.4 Reference to other	
sections	See Section 7 for information on safe handling
	See Section 8 for information on personal protection equipment.
	See Section 13 for information on disposal.

OFOTIO				
SECTIO	N / H	andlind	n and e	torade
		ununig		ugu

 7.1 Precautions for safe handling

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by	
storerooms and containers:	Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces.
 Information about storage in one common storage facility: 	Combined storage bans apply from a total storage quantity of 200 kg.
	Do not store together with substances of the following LGK: 1; 6.2; 7 (Contd. on page 4)



Page 4/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

(Contd. of page 3) Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C

 Further information about storage conditions:
 Storage class

Store in a dry and frost-free place.

SECTION 8: Exposure controls/personal protection

13

· 8.1 Control parameters			
 Components with critica 	I values that require monitoring at the workplace:		
CAS: 14808-60-7 Quartz	(SiO2)		
OEL (Ireland)	Long-term value: 0.1 mg/m³		
BOELV (European Union)	Long-term value: 0.1* mg/m³		
	*respirable fraction		
CAS: 65997-15-1 Portlan			
OEL (Ireland)	Long-term value: 1 mg/m ³		
	respirable fraction		
· DNELs			
CAS: 65997-15-1 Portlan			
Inhalative DNEL 1 mg/m ³	³ (ArL)		
 Additional information: 	The lists that were valid during the compilation were used as basis.		
 8.2 Exposure controls Appropriate engineering controls Individual protection me General protective and hygienic measures 	No further data; see section 7. asures, such as personal protective equipment Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before breaks! Use skin care products after work (moisturising cream). Change and clean heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after every break.		
 Breathing equipment: Hand protection Material of gloves Penetration time of glove material Eye/face protection Body protection: 	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed. Safety glasses Protective work clothing.		
	(Contd. on page 5)		



Page 5/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

· Skin protection

COTION

(Contd. of page 4) Use greasy skin protection ointment for all uncovered parts of the body!

SECTION 9: Physical and chemical	properties	
· 9.1 Information on basic physical and chemical properties		
· General Information		
· Colour:	Grey	
· Smell:	Odourless	
· Melting point/freezing point:	Not determined	
· Boiling point or initial boiling point and		
boiling range	2230 °C (CAS: 14808-60-7 Quartz (SiO2))	
· Flash point:	Not applicable	
pH	Not applicable.	
· Viscosity:		
· Kinematic viscosity	Not applicable.	
· dynamic:	Not applicable.	
· Solubility		
· Water:	Unsoluble	
 Steam pressure at 1732 °C: 	13.5 hPa (CAS: 14808-60-7 Quartz (SiO2))	
 Density and/or relative density 		
Density	Not determined	
· Particle characteristics	See section 3.	
· 9.2 Other information		
· Appearance:		
Form:	Powder	
· Important information on protection of hea	alth	
and environment, and on safety.		
· Self-inflammability:	Product is not selfigniting.	
· Explosive properties:	Product is not explosive.	
· Information with regard to physical haza	ard	
classes		
[.] Explosives	Void	
· Flammable gases	Void	
Aerosols	Void	
· Oxidising gases	Void	
Gases under pressure	Void	
· Flammable liquids	Void	
Flammable solids	Void	
Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
	(Contd. on page	

IE



Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

•	Oxidising	solids

- Organic peroxides
- · Corrosive to metals

· Desensitised explosives

· 10.4 Conditions to avoid

· 10.5 Incompatible materials:

SECTION 10: Stability and reactivity

10.1 Reactivity
 10.2 Chemical stability

reactions

No further relevant information available.

Void

Void

Void

Void

 Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
 10.3 Possibility of hazardous

- No dangerous reactions known No further relevant information available.
- No further relevant information available.
- No further relevant information available.

10.6 Hazardous
 decomposition products: No da

No dangerous decomposition products known

SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

 · Acute toxicity
 Based on available data, the classification criteria are not met.
- · LD/LC50 values that are relevant for classification: CAS: 65997-15-1 Portland cement Dermal LD50 2000 mg/kg (rabbit) Inhalative LC50/4 h 5 mg/l (rat) · Primary irritant effect: · Skin corrosion/irritation Causes skin irritation. · Serious eye damage/irritation Causes serious eye damage. · Respiratory or skin sensitisation Based on available data, the classification criteria are not met. · Germ cell mutagenicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. · Carcinogenicity Reproductive toxicity Based on available data, the classification criteria are not met. Based on available data, the classification criteria are not met. • STOT-single exposure Based on available data, the classification criteria are not met. · STOT-repeated exposure · Aspiration hazard Based on available data, the classification criteria are not met. · 11.2 Information on other hazards · Endocrine disrupting properties CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol List II

(Contd. on page 7)

(Contd. of page 5)

Page 6/9



Page 7/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

(Contd. of page 6)

SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available. · 12.2 Persistence and degradability No further relevant information available. · 12.3 Bioaccumulative potential No further relevant information available. [.]12.4 Mobility in soil No further relevant information available. 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable. · 12.6 Endocrine disrupting properties For information on endocrine disrupting properties see section 11. · 12.7 Other adverse effects · Additional ecological information: · General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

• 13.1 Waste treatment methods • Recommendation Must not be disposed of together with household garbage. Do n allow product to reach sewage system.		
· Europea	n waste catalogue	
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)	
17 01 00	concrete, bricks, tiles and ceramics	
17 01 01	1 concrete	
HP4	Irritant - skin irritation and eye damage	

· Uncleaned packagings:

· Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information		
 14.1 UN number or ID number ADR, ADN, IMDG, IATA 	Void	
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void	
		(Contd. on page 8)



Page 8/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

	(Co	ontd. of page
· 14.3 Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	Void	
14.4 Packing group ADR, IMDG, IATA	Void	
14.5 Environmental hazards: Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	
<i>14.7 Maritime transport in bulk accord IMO instruments</i>	ing to Not applicable.	
UN "Model Regulation":	Void	

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture
 No further relevant information available.
 DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in
- electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
- Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- · Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

- None of the ingredients is listed.
- 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H315 Causes skin irritation.

IE



Page 9/9

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 17.01.2025

Version number 26 (replaces version 25)

Revision: 17.01.2025

Trade name Nafufill GTS-HS rapid

	(Contd. of page
	H318 Causes serious eye damage.
	H335 May cause respiratory irritation.
· Department issuing data	
specification sheet:	Environment protection department.
[·] Date of previous version:	26.08.2022
· Version number of previous	
version:	25
	-
• Abbreviations and acronyms:	dangereuses par chemin de fer (Regulations Concerning the Internatio
	Transport of Dangerous Goods by Rail)
	ICAO: International Civil Aviation Organisation
	ADR: Accord relatif au transport international des marchandises dangereuses
	route (European Agreement Concerning the International Carriage of Danger
	Goods by Road) IMDG: International Maritime Code for Dangerous Goods
	IATA: International Air Transport Association
	GHS: Globally Harmonised System of Classification and Labelling of Chemicals
	EINECS: European Inventory of Existing Commercial Chemical Substances
	ELINCS: European List of Notified Chemical Substances
	CAS: Chemical Abstracts Service (division of the American Chemical Society)
	DNEL: Derived No-Effect Level (REACH)
	LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent
	PBT: Persistent. Bioaccumulative and Toxic
	vPvB: very Persistent and very Bioaccumulative
	Skin Irrit. 2: Skin corrosion/irritation – Category 2
	Eye Dam. 1: Serious eye damage/eye irritation – Category 1
	STOT SE 3: Specific target organ toxicity (single exposure) – Category 3
• * Data compared to the	