

Page 1/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 28 (replaces version 27) Revision: 13.04.2025

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

· 1.1 Product identifier

· Trade name Nafufill GTS HS

· 1.2 Relevant identified uses of the substance or mixture and uses advised against

· Sector of Use SU22 Professional uses: Public domain (administration,

education, entertainment, services, craftsmen)

· Application of the substance

/ the mixture Gunned mortar

· 1.3 Details of the supplier of the safety data sheet

· Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

Informing department:

msds@mc-bauchemie.de

· 1.4 Emergency telephone

number:

Tel.: +49 / (0)700 24112112 (MCR)

Tel.: +1 872 5888271 (MCR)

## **SECTION 2: Hazards identification**

- · 2.1 Classification of the substance or mixture
- Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage.

- · 2.2 Label elements
- Labelling according to

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



GHS05

· Signal word Danger

· Hazard-determining

components of labelling: Portland cement (low chromate)

Flue dust, portland cement

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage.

(Contd. on page 2)



Page 2/9

# Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 28 (replaces version 27) Revision: 13.04.2025

#### Trade name Nafufill GTS HS

· Precautionary statements P280 Wear protective gloves / eye protection / face

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

P310 Immediately call a POISON CENTER/doc P321 Specific treatment (see on this label).

P362+P364 Take off contaminated clothing and wash it

before reuse.

P332+P313 If skin irritation occurs: Get medical advice/

attention.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:			
	Quartz sand ubstance with a Community workplace exposure limit	60-80%	
CAS: 65997-15-1 Po	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥10-<20%	
CAS: 68475-76-3 FI	lue dust, portland cement ye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<1.5%	

Additional information For the wording of the listed hazard phrases refer to section 16.

## **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

• General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Remove people from the dusty area.

· After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water.

· After eye contact Rinse for 10 minutes under running water with the eyelids open.

Always consult an ophthalmologist!

• After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

(Contd. on page 3)

- IF



Page 3/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 13.04.2025 Printing date 13.04.2025 Version number 28 (replaces version 27)

Trade name Nafufill GTS HS

(Contd. of page 2)

### SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or

mixture No further relevant information available.

5.3 Advice for firefighters

· Protective equipment: No special measures required.

## SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

· 6.2 Environmental

precautions: No special measures required.

· 6.3 Methods and material for

containment and cleaning up: Ensure adequate ventilation.

· 6.4 Reference to other

sections See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

· 7.1 Precautions for safe

Avoid dust formation! Avoid spraying the ready-to-use cementitious handling

product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and

after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

·Storage

· Requirements to be met by

storerooms and containers: Store bags tightly closed; protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

· Information about storage in one common storage facility: Combined storage bans apply from a total storage quantity of 200

Do not store together with substances of the following LGK: 1; 6.2;

(Contd. on page 4)



Page 4/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 28 (replaces version 27) Revision: 13.04.2025

#### Trade name Nafufill GTS HS

(Contd. of page 3)

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about

storage conditions:

Store in a dry and frost-free place.

· Storage class 1

## SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Components with critical values that require monitoring at the workplace:

CAS: 14808-60-7 Quartz sand

OEL (Ireland)

BOELV (European Union)

Long-term value: 0.1 mg/m³

Long-term value: 0.1\* mg/m³

\*respirable fraction

CAS: 65997-15-1 Portland cement (low chromate)

OEL (Ireland) Long-term value: 1 mg/m<sup>3</sup>

respirable fraction

· DNELs

CAS: 65997-15-1 Portland cement (low chromate)

Inhalative DNEL 1 mg/m³ (ArL)

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls · Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store food, eat, drink, sniff or smoke in the work area!

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks!

Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing! Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

after every break.

Breathing equipment: For work with higher dust loads particle filter class P2

• Hand protection Check protective gloves prior to each use for their proper condition.

Material of gloves Nitrile impregnated cotton gloves.

· Penetration time of glove

material The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

• Eye/face protection Safety glasses

Body protection: Protective work clothing.

(Contd. on page 5)



Page 5/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 13.04.2025 Printing date 13.04.2025 Version number 28 (replaces version 27)

Trade name Nafufill GTS HS

(Contd. of page 4)

Use greasy skin protection ointment for all uncovered parts of the · Skin protection

body!

## SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Colour: · Smell: Odourless · Odour threshold: Not determined. Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 2230 °C (CAS: 14808-60-7 Quartz sand)

· Flammability Not determined.

· Lower and upper explosion limit

· Lower: Not determined. Upper: Not determined. · Flash point: Not applicable · Decomposition temperature: Not determined. Not applicable. · pH

· Viscosity:

Not applicable. · Kinematic viscosity Not applicable. · dynamic:

· Solubility · Water:

· Partition coefficient n-octanol/water (log

Not determined. value)

· Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz sand)

Unsoluble

· Density and/or relative density

Not determined Density · Relative density Not determined. · Vapour density Not applicable. · Particle characteristics See section 3.

· 9.2 Other information

· Appearance:

Powder · Form:

· Important information on protection of health

and environment, and on safety.

· Self-inflammability: Product is not selfigniting. Explosive properties: Product is not explosive.

· Change in condition

· Evaporation rate Not applicable.

· Information with regard to physical hazard

classes

Void · Explosives Void Flammable gases

(Contd. on page 6)



Page 6/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 28 (replaces version 27) Revision: 13.04.2025

### Trade name Nafufill GTS HS

(Contd. of page 5)

· Aerosols	Void
· Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
Flammable solids	Void
· Self-reactive substances and mixtures	Void
· Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
· Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

## **SECTION 10: Stability and reactivity**

• 10.1 Reactivity No further relevant information available.

10.2 Chemical stability
Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

## **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

CAS: 65997-15-1 Portland cement (low chromate)

Dermal LD50 2000 mg/kg (rabbit)
Inhalative LC50/4 h 5 mg/l (rat)

· Primary irritant effect:

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

· Respiratory or skin

sensitisation
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

(Contd. on page 7)

ilu. On page 1



Page 7/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 28 (replaces version 27) Revision: 13.04.2025

#### Trade name Nafufill GTS HS

(Contd. of page 6)

STOT-single exposure
 STOT-repeated exposure
 Aspiration hazard
 Based on available data, the classification criteria are not met.
 Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

Endocrine disrupting properties

CAS: 128-37-0 2,6-Di-tert-butyl-p-cresol

List II

## **SECTION 12: Ecological information**

· 12.1 Toxicity

· Aquatic toxicity: No further relevant information available.

· 12.2 Persistence and

**degradability** No further relevant information available.

· 12.3 Bioaccumulative

potential
No further relevant information available.
12.4 Mobility in soil
No further relevant information available.

• 12.5 Results of PBT and vPvB assessment
• PBT:
• vPvB:
Not applicable.
Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

12.7 Other adverse effects

· Additional ecological information:

• General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

	anow product to reach sewage system.		
· European waste catalogue			
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)		
17 09 00	other construction and demolition wastes		
17 09 03*	other construction and demolition wastes (including mixed wastes) containing hazardous substances		
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED		
15 01 00	packaging (including separately collected municipal packaging waste)		
15 01 01	paper and cardboard packaging		
15 00 00	WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED		
15 01 00	packaging (including separately collected municipal packaging waste)		
	(C4		

(Contd. on page 8)



Page 8/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 28 (replaces version 27) Revision: 13.04.2025 Printing date 13.04.2025

#### Trade name Nafufill GTS HS

(Contd. of page 7)

15 01 02 plastic packaging

HP4 Irritant - skin irritation and eye damage

· Uncleaned packagings:

· Recommendation: Non contaminated packagings can be used for recycling.

SECTION 14: Transport Information		
· 14.1 UN number or ID number · ADR, IMDG, IATA	Void	
· 14.2 UN proper shipping name · ADR, IMDG, IATA	Void	
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA · Class	Void	
· 14.4 Packing group · ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards: · Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accordi IMO instruments	<b>ng to</b> Not applicable.	
· UN "Model Regulation":	Void	

## **SECTION 15: Regulatory information**

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous

substances - ANNEX I None of the ingredients is listed.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment - Annex II

None of the ingredients is listed.

- REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

(Contd. on page 9)



Page 9/9

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025 Version number 28 (replaces version 27) Revision: 13.04.2025

### Trade name Nafufill GTS HS

(Contd. of page 8)

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

### **SECTION 16: Other information**

· Relevant phrases H315 Causes skin irritation.

> H318 Causes serious eye damage. H335 May cause respiratory irritation.

16.09.2022 · Date of previous version:

· Version number of previous

version:

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2

Eye Dam. 1: Serious eye damage/eye irritation - Category 1

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

· \* Data compared to the previous version altered.