



BE SURE. BUILD SURE.

Page 1/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name** Nafuflex High Performance - Komponente A

· **Article number:** 2166

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

· **Application of the substance / the mixture**

Bitumen high build coating

· **1.3 Details of the supplier of the safety data sheet**

· **Manufacturer/Supplier:** MC-Bauchemie Müller GmbH & Co. KG  
Am Kruppwald 1-8  
D-46238 Bottrop  
Tel.: +49(0)2041-101-0  
Fax.: +49(0)2041-101-400  
E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG  
Hagackerstr. 10  
CH-8953 Dietikon  
Tel.: +44-7400510  
Fax : +44-7400533

· **Informing department:** msds@mc-bauchemie.de

· **1.4 Emergency telephone number:**

Tel.: +49 / (0)700 24112112 (MCR)  
Tel.: +1 872 5888271 (MCR)

### SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to Regulation (EC) No 1272/2008**

Skin Sens. 1 H317 May cause an allergic skin reaction.

· **2.2 Label elements**

· **Labelling according to**

**Regulation (EC) No 1272/2008** The product is classified and labelled according to the CLP regulation.

· **Hazard pictograms**



GHS07

· **Signal word**

Warning

· **Hazard-determining**

**components of labelling:**

2-Methyl-2H-isothiazol-3-one  
2-Octyl-2H-isothiazol-3-on  
1,2-benzisothiazol-3(2H)-one

· **Hazard statements**

H317 May cause an allergic skin reaction.

(Contd. on page 2)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 1)

- **Precautionary statements**
  - P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
  - P280 Wear protective gloves.
  - P362+P364 Take off contaminated clothing and wash it before reuse.
  - P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
  - P321 Specific treatment (see on this label).
  - P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- **Additional information:** Contains biocidal products: 1,2-benzisothiazol-3(2H)-one, 2-Methyl-2H-isothiazol-3-one, 2-Octyl-2H-isothiazol-3-on
- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

**SECTION 3: Composition/information on ingredients**

- **3.2 Mixtures**
- **Description:** Mixture consisting of the following components.

· **Dangerous components:**

CAS: 8052-42-4 EINECS: 232-490-9	Bitumen substance with a Community workplace exposure limit	30-60%
CAS: 39464-69-2	Poly(oxy-1,2-ethanediyl), alpha-9-octadecenyl omega-hydroxy-, (Z)-, phosphate Eye Dam. 1, H318; Aquatic Acute 1, H400; Skin Irrit. 2, H315; Aquatic Chronic 3, H412	<0.25%
CAS: 1219010-04-4 Reg.nr.: 01-2119487014-41	N-C16-18 (even numbered) and C18 (unsaturated) alkylpropane-1,3-diamine STOT RE 1, H372; Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Acute Tox. 4, H302	<0.025%

(Contd. on page 3)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 2)

CAS: 2634-33-5 EINECS: 220-120-9	1,2-benzisothiazol-3(2H)-one Acute Tox. 2, H330; Eye Dam. 1, H318; Aquatic Acute 1, H400; Aquatic Chronic 1, H410; Acute Tox. 4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317 Specific concentration limit: Skin Sens. 1; H317:C $\geq$ 0.05 %	<0.025%
CAS: 2682-20-4 EINECS: 220-239-6	2-Methyl-2H-isothiazol-3-one Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1B, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=10); Aquatic Chronic 1, H410 (M=1); Skin Sens. 1A, H317, EUH071 Specific concentration limit: Skin Sens. 1A; H317: C $\geq$ 0.0015 %	$\geq$ 0.0015-<0.025%
CAS: 13463-41-7 EINECS: 236-671-3	Pyrithione zinc Acute Tox. 3, H301; Acute Tox. 2, H330; Repr. 1B, H360D; STOT RE 1, H372; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=1000); Aquatic Chronic 1, H410 (M=10) ATE: LD50 oral: 221 mg/kg LC50/4 h inhalative: 0.14 mg/l	$\geq$ 0.0025-<0.025%
CAS: 26530-20-1 EINECS: 247-761-7	2-Octyl-2H-isothiazol-3-on Acute Tox. 3, H301; Acute Tox. 3, H311; Acute Tox. 2, H330; Skin Corr. 1, H314; Eye Dam. 1, H318; Aquatic Acute 1, H400 (M=100); Aquatic Chronic 1, H410 (M=100); Skin Sens. 1A, H317, EUH071 ATE: LD50 oral: 125 mg/kg LD50 dermal: 311 mg/kg LC50/4 h inhalative: 0.27 mg/l Specific concentration limit: Skin Sens. 1A; H317: C $\geq$ 0.0015 %	$\geq$ 0.0015-<0.0025%

**Additional information**

For the wording of the listed hazard phrases refer to section 16.

**SECTION 4: First aid measures**

**4.1 Description of first aid measures**

**General information**

For all first aid measures: observe self-protection and consult a doctor!

**After inhalation**

Take the person out into the fresh air.

**After skin contact**

Remove heavily soiled clothing.

Clean with plenty of water.

Do not use thinner or similar.

**After eye contact**

Rinse for 10 minutes under running water with the eyelids open or use eye rinsing solution. Always consult an ophthalmologist!

(Contd. on page 4)



BE SURE. BUILD SURE.

Page 4/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

Trade name Nafuflex High Performance - Komponente A

· **After swallowing**

Do not induce vomiting, do not give anything to drink.

(Contd. of page 3)

### SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents** CO<sub>2</sub>, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **5.2 Special hazards arising from the substance or mixture** No further relevant information available.
- **5.3 Advice for firefighters**
- **Protective equipment:** No special measures required.

### SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures** Not required.
- **6.2 Environmental precautions:** Inform respective authorities in case product reaches water or sewage system.  
Dilute with much water.
- **6.3 Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections** See Section 7 for information on safe handling  
See Section 8 for information on personal protection equipment.  
See Section 13 for information on disposal.

### SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special measures required.  
No special precautions necessary if used correctly.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and containers:** Store frost-free.  
Protect powder products from moisture and water.  
Only store in the original container or in containers recommended by the manufacturer.  
After decanting, label containers as original containers.  
Store containers tightly closed in a well-ventilated and well-lit room.  
Access only for specialised personnel.  
Do not store in break rooms, recreation rooms or sanitary facilities as well as in stairwells, corridors, escape and rescue routes,

(Contd. on page 5)



BE SURE. BUILD SURE.

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 4)

- **Further information about storage conditions:** passages, passageways and confined spaces.
- **Storage class:** None.
- **Storage class:** 12

#### SECTION 8: Exposure controls/personal protection

##### · 8.1 Control parameters

##### · Components with critical values that require monitoring at the workplace:

**CAS: 8052-42-4 Bitumen**

**OEL (Ireland) Long-term value: 0.5 mg/m<sup>3</sup>**

· **Additional information:** The lists that were valid during the compilation were used as basis.

##### · 8.2 Exposure controls

##### · Appropriate engineering controls

No further data; see section 7.

##### · Individual protection measures, such as personal protective equipment

##### · General protective and hygienic measures

Do not store food, eat, drink, sniff or smoke in the work area!  
 Avoid contact with eyes, skin and clothing!  
 Apply skin protection ointment as a preventive measure to facilitate skin cleansing.  
 Remove product residues from the skin!  
 Only remove dried bitumen from the skin with a suitable cleanser (special skin cleansers, margarine or vegetable oil are also suitable).  
 Never use solvents or diesel to clean the skin.  
 Clean hands thoroughly after work and before breaks!  
 Use skin care products after work (moisturising cream).  
 Wear closed work clothing during work.  
 Change clothes at the end of work!

· **Breathing equipment:** Particle filters P2 are recommended when using the spraying method (with strong aerosol formation).

· **Hand protection**  
 Gloves made of: Nitrile rubber.  
 (Category 3 chemical protective gloves, recognisable by the CE mark with four-digit test number).  
 Cotton undergloves are recommended when wearing protective gloves.  
 Can be used as splash protection:  
 Nitrile-soaked cotton gloves.  
 Suitable glove brands have been identified for work with bitumen emulsions: Best: Nitri-Solve 730  
 KCL: Camatril Velours 730

##### · Material of gloves

##### · Penetration time of glove material

The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.

##### · Eye/face protection

If there is a risk of splashing: frame goggles.

##### · Body protection:

For spraying processes: Disposable protective suit.

(Contd. on page 6)



BE SURE. BUILD SURE.

Page 6/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

Trade name Nafuflex High Performance - Komponente A

· **Skin protection**

Use fat-free or low-fat (oil-in-water emulsion) skin protection ointment for all uncovered parts of the body!

(Contd. of page 5)

### SECTION 9: Physical and chemical properties

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· <b>Colour:</b>	Dark brown
· <b>Smell:</b>	Fish-like
· <b>Melting point/freezing point:</b>	Not determined
· <b>Boiling point or initial boiling point and boiling range</b>	100 °C (CAS: 7732-18-5 Water)
· <b>Flash point:</b>	Not applicable
· <b>pH at 20 °C</b>	8.75
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>dynamic at 20 °C:</b>	33000 mPas
· <b>Solubility</b>	
· <b>Water:</b>	Fully miscible
· <b>Steam pressure at 20 °C:</b>	23 hPa (CAS: 7732-18-5 Water)
· <b>Density and/or relative density</b>	
· <b>Density at 20 °C</b>	0.7 g/cm <sup>3</sup>

· **9.2 Other information**

· <b>Appearance:</b>	
· <b>Form:</b>	Viscous
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Self-inflammability:</b>	Product is not selfigniting.
· <b>Explosive properties:</b>	Product is not explosive.

· **Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void

(Contd. on page 7)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 6)

· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

**SECTION 10: Stability and reactivity**

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

**SECTION 11: Toxicological information**

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· **LD/LC50 values that are relevant for classification:**

**CAS: 8052-42-4 Bitumen**

Dermal	LD50	>2000 mg/kg (rabbit)
	NOAEL	2000 mg/kg (rabbit)
Inhalative	NOAEL	103.9 mg/l (rat)

**CAS: 1219010-04-4 N-C16-18 (even numbered) and C18 (unsaturated) alkylpropane-1,3-diamine**

Oral	LD50	500 mg/kg (rat)
	NOAEL	0.4 mg/kg (rat)

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

Oral	LD50	1020 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)

**CAS: 2682-20-4 2-Methyl-2H-isothiazol-3-one**

Oral	LD50	50-300 mg/kg (rat)
Inhalative	LC50/4 h	0.11 mg/l (rat)

**CAS: 13463-41-7 Pyrithione zinc**

Oral	LD50	221 mg/kg (ATE)
Inhalative	LC50/4 h	0.14 mg/l (ATE)

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

Oral	LD50	125 mg/kg (ATE)
------	------	-----------------

(Contd. on page 8)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 7)

Dermal	LD50	500 mg/kg (rat)
		311 mg/kg (ATE)
Inhalative	LC50/4 h	>2000 mg/kg (rat)
		0.27 mg/l (ATE)
		0.6 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation** May cause an allergic skin reaction.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

· **Endocrine disrupting properties**

None of the ingredients is listed.

**SECTION 12: Ecological information**

· **12.1 Toxicity**

· **Aquatic toxicity:**

**CAS: 8052-42-4 Bitumen**

EC50/72h	>1000 mg/l (algae)
LC50/96h	0.002 mg/l (Coregonus clupeaformis)
	>1000 mg/l (fish)
EC50	0.062 mg/l (Gammarus pseudolimnaeus)
LC50/48h	>1000 mg/l (Daphnien)
NOEC	>1000 mg/l (Daphnien)

**CAS: 1219010-04-4 N-C16-18 (even numbered) and C18 (unsaturated) alkylpropane-1,3-diamine**

LC50/24h	0.148 mg/l (fish)
EC50	0.29 mg/l (Daphnia magna)
NOEC	>0.01 mg/l (algae)

**CAS: 2634-33-5 1,2-benzisothiazol-3(2H)-one**

EC50/72h	0.067 mg/l (Pseudokirchneriella subcapitata)
	0.11 mg/l (Selenastrum capricornutum)
LC50/96h	1.6 mg/l (Oncorhynchus mykiss)
EC50/48h	1.1 mg/l (Daphnia magna)

(Contd. on page 9)





BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 8)

**CAS: 2682-20-4 2-Methyl-2H-isothiazol-3-one**

EC50/72h 0.157 mg/l (*Pseudokirchneriella subcapitata*)

LC50/96h 6 mg/l (*Oncorhynchus mykiss*)

EC50/48h 1.68 mg/l (*Daphnies*)

**CAS: 13463-41-7 Pyrithione zinc**

IC50/72h 0.067 mg/l (*Selenastrum capricornutum*)

LC50/96h 0.15 mg/l (*Oncorhynchus mykiss*)

EC50/48h 0.05 mg/l (*Daphnies*)

**CAS: 26530-20-1 2-Octyl-2H-isothiazol-3-on**

EC50/48h 0.42 mg/l (*Daphnien*)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Harmful to fish
- **Additional ecological information:**
- **General notes:** Harmful to aquatic organisms  
Danger to drinking water if even extremely small quantities leak into soil.  
Das ausgehärtete Produkt ist wie Bitumen im allgemeinen nicht wassergefährdend

**SECTION 13: Disposal considerations**

- **13.1 Waste treatment methods**
- **Recommendation** Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 14	aqueous sludges containing adhesives or sealants other than those mentioned in 08 04 13

(Contd. on page 10)



BE SURE. BUILD SURE.

**Safety data sheet**  
according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 9)

- **Uncleaned packagings:**
- **Recommendation:** *Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.*
- **Recommended cleaning agent:** *Water, if necessary with cleaning agent.*

**SECTION 14: Transport information**

- **14.1 UN number or ID number**  
· **ADR, ADN, IMDG, IATA** *Void*
- **14.2 UN proper shipping name**  
· **ADR, ADN, IMDG, IATA** *Void*
- **14.3 Transport hazard class(es)**  
· **ADR, ADN, IMDG, IATA**  
· **Class** *Void*
- **14.4 Packing group**  
· **ADR, IMDG, IATA** *Void*
- **14.5 Environmental hazards:**  
· **Marine pollutant:** *No*
- **14.6 Special precautions for user** *Not applicable.*
- **14.7 Maritime transport in bulk according to IMO instruments** *Not applicable.*
- **Transport/Additional information:** *Not dangerous according to the above specifications.*
- **UN "Model Regulation":** *Void*

**SECTION 15: Regulatory information**

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture** *No further relevant information available.*
- **REGULATION (EC) No 1907/2006 ANNEX XVII** *Conditions of restriction: 3*
- **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**  
*None of the ingredients is listed.*

(Contd. on page 11)



BE SURE. BUILD SURE.

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

**Trade name Nafuflex High Performance - Komponente A**

(Contd. of page 10)

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **15.2 Chemical safety assessment:**

A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Relevant phrases**

- H301 Toxic if swallowed.
- H302 Harmful if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H330 Fatal if inhaled.
- H360D May damage the unborn child.
- H372 Causes damage to organs through prolonged or repeated exposure.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.
- H412 Harmful to aquatic life with long lasting effects.
- EUH071 Corrosive to the respiratory tract.

· **Department issuing data specification sheet:**

Environment protection department.

· **Date of previous version:**

17.10.2021

· **Version number of previous version:**

43

· **Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)  
 ICAO: International Civil Aviation Organisation  
 ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
 IMDG: International Maritime Code for Dangerous Goods  
 IATA: International Air Transport Association

(Contd. on page 12)



BE SURE. BUILD SURE.

Page 12/12

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 14.04.2025

Version number 44 (replaces version 43)

Revision: 14.04.2025

### Trade name Nafuflex High Performance - Komponente A

(Contd. of page 11)

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Acute Tox. 3: Acute toxicity – Category 3

Acute Tox. 4: Acute toxicity – Category 4

Acute Tox. 2: Acute toxicity – Category 2

Skin Corr. 1: Skin corrosion/irritation – Category 1

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation – Category 1

Skin Sens. 1A: Skin sensitisation – Category 1A

Repr. 1B: Reproductive toxicity – Category 1B

STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard – Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 3: Hazardous to the aquatic environment - long-term aquatic hazard – Category 3

\* Data compared to the  
previous version altered.

IE