

Page 1/10

# Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
· Trade name	Nafuquick HT
<ul> <li>Article number:</li> <li>1.2 Relevant identified uses of the substance or mixture and uses advised against</li> <li>Application of the substance</li> </ul>	3724 No further relevant information available.
/ the mixture	Knife filler/ Surfacer
• 1.3 Details of the supplier of the supplier of the supplier:	he safety data sheet MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax : +44-7400533
<ul> <li>Informing department:</li> <li>1.4 Emergency telephone number:</li> </ul>	msds@mc-bauchemie.de Tel.: +49 /  (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	
2.1 Classification of the subst Classification according to Re Skin Irrit. 2 H315 Causes skin Eye Dam. 1 H318 Causes seric STOT SE 3 H335 May cause re	e <b>gulation (EC) No 1272/2008</b> irritation. bus eye damage.
• 2.2 Label elements • Labelling according to Regulation (EC) No 1272/2008	The product is classified and labelled according to the CLP regulation.

· Hazard pictograms



Danger

· Signal word

(Contd. on page 2)



Page 2/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

(Contd. of page 1)

Trade name Nafuquick HT

		(conta: of page 1)
Hazard-determining		
components of labelling:	Portland cemer	nt (low chromate)
	calcium oxide	
	Flue dust, portla	and cement
Hazard statements	H315 Causes s	
	H318 Causes s	erious eye damage.
		se respiratory irritation.
Precautionary statements	P261	Avoid breathing dust/fume/gas/mist/vapours/
·····		spray.
	P305+P351+P3	338 IF IN EYES: Rinse cautiously with water for
		several minutes. Remove contact lenses, if
		present and easy to do. Continue rinsing.
	P310	Immediately call a POISON CENTER/doctor.
	P321	Specific treatment (see on this label).
	P362+P364	Take off contaminated clothing and wash it
		before reuse.
	P403+P233	Store in a well-ventilated place. Keep container
	1 100 1 200	tightly closed.
2.3 Other hazards		lightly blobbu.
Results of PBT and vPvB as	sossmont	
PBT:	Not applicable.	
	Not applicable.	

· vPvB: Not applicable.

#### SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
- · Description:

Mixture consisting of the following components.

Dangerous compo	nents:	
CAS: 14808-60-7 EINECS: 238-878-4	Quartz sand substance with a Community workplace exposure limit	30-60%
CAS: 65997-15-1 EINECS: 266-043-4	Portland cement (low chromate) Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	30-60%
CAS: 1305-78-8 EINECS: 215-138-9	calcium oxide Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥3-<5%
CAS: 68475-76-3 EINECS: 270-659-9	Flue dust, portland cement Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	≥1-<2.5%
CAS: 13463-67-7 EINECS: 236-675-5	Titanium dioxide Carc. 2, H351	<1%
· Additional informa	tion For the wording of the listed hazard phrases refer to se	ction 16.

#### **SECTION 4: First aid measures**

· 4.1 Description of first aid measures

General information For all first aid measures: observe self-protection and consult a doctor! Remove people from the dusty area.

· After inhalation

IE



Page 3/10

### **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025	Version number 29 (replaces version 28)	Revision: 15.03.2025
Trade name Nafuquick H1		
· After skin contact	Remove heavily soiled clothing. Clear	(Contd. of page 2) n with plenty of soap and
· After eye contact	water. Rinse for 10 minutes under running wa	
-	Always consult an ophthalmologist! Do NOT induce vomiting. Rinse mo	
• After swallowing	attention required.	ulli willi waler. Meullar

#### SECTION 5: Firefighting measures

<ul> <li>5.1 Extinguishing media</li> <li>Suitable extinguishing agent</li> </ul>	<b>s</b> CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam.
<ul> <li>5.2 Special hazards arising from the substance or mixture</li> <li>5.3 Advice for firefighters</li> <li>Protective equipment:</li> </ul>	No further relevant information available. No special measures required.

SECTION 6: Accidental release measures		
6.1 Personal precautions, protective equipment and		
emergency procedures	Not required.	
6.2 Environmental		
precautions:	Do not allow to enter drainage system, surface or ground water.	
6.3 Methods and material for	r	
containment and cleaning u	<b>p:</b> Collect mechanically.	
	Dispose of the material collected according to regulations.	
6.4 Reference to other		
sections	See Section 7 for information on safe handling	
	See Section 8 for information on personal protection equipment.	
	See Section 13 for information on disposal.	

#### SECTION 7: Handling and storage

<ul> <li>7.1 Precautions for safe</li> </ul>	
handling	Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

- · Requirements to be met by
- storerooms and containers:

Store bags tightly closed; protect from moisture and water! Store containers tightly closed in a well-ventilated and well-lit room. (Contd. on page 4)

IF



Page 4/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Version number 29 (replaces version 28) Revision: 15.03.2025 Printing date 15.03.2025 Trade name Nafuquick HT (Contd. of page 3) Access only for specialised personnel. Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages, passageways and confined spaces. Information about storage in one common storage facility: Combined storage bans apply from a total storage quantity of 200 kg. Do not store together with substances of the following LGK: 1; 6.2; 7 Storage with substances of the following LGK is only possible under the conditions specified in TRGS 510: 4.1A; 5.1C · Further information about storage conditions: Store in a dry and frost-free place. Storage class 13

#### **SECTION 8: Exposure controls/personal protection**

Components with critical	I values that require monitoring at the workplace:
CAS: 14808-60-7 Quartz	sand
OEL (Ireland)	Long-term value: 0.1 mg/m³
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
CAS: 65997-15-1 Portlan	d cement (low chromate)
OEL (Ireland)	Long-term value: 1 mg/m³ respirable fraction
CAS: 1305-78-8 calcium	oxide
OEL (Ireland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ IOELV, respirable fraction
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction
CAS: 13463-67-7 Titaniur	n dioxide
OEL (Ireland)	Long-term value: 10* 4** mg/m³ *total inhalable **respirable dust
DNELs	
CAS: 65997-15-1 Portlan	d cement (low chromate)
Inhalative DNEL 1 mg/m <sup>3</sup>	(ArL)
CAS: 1305-78-8 calcium	oxide
Inhalative DNEL 1 mg/m <sup>3</sup>	(ArL)



Page 5/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

Trade name Nafuquick HT

	(Contd. of page 4)
· PNECs	
CAS: 1305-78-8 calcium oxide	9
PNEC 2.27 mg/l (BEL)	
0.24 mg/l (Mew)	
0.37 mg/l (Freshwater)	
PNEC 817.4 mg/kg dwt (Bod)	
· Additional information:	The lists that were valid during the compilation were used as basis.
· 8.2 Exposure controls	
· Appropriate engineering	
controls	No further data; see section 7.
	es, such as personal protective equipment
General protective and	De vertetere fand, ant driek, aniff an amaka in the word, anal
hygienic measures	Do not store food, eat, drink, sniff or smoke in the work area! Avoid contact with eyes and skin!
	Clean hands thoroughly at the end of work and before breaks!
	Use skin care products after work (moisturising cream).
	Change and clean heavily soiled clothing!
	Change clothes at the end of work!
	Apply greasy skin protection ointment before starting work and after every break.
<ul> <li>Breathing equipment:</li> </ul>	For work with higher dust loads particle filter class P2
<ul> <li>Hand protection</li> </ul>	Check protective gloves prior to each use for their proper condition.
• Material of gloves	Nitrile impregnated cotton gloves.
Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective
	glove manufacturer and must be observed.
Eye/face protection	Safety glasses
<ul> <li>Body protection:</li> <li>Skin protection</li> </ul>	Protective work clothing. Use greasy skin protection ointment for all uncovered parts of the
Shin protection	body!

#### **SECTION 9: Physical and chemical properties**

· General Information	
· Colour:	Grey
· Smell:	Odourless
• Melting point/freezing point:	Not determined
· Boiling point or initial boiling point a	nd
boiling range	2230 °C (CAS: 14808-60-7 Quartz sand)
· Flash point:	Not applicable
PH	Not applicable.
Viscosity:	
· Kinematic viscosity	Not applicable.
· dynamic:	Not applicable.

(Contd. on page 6)

IE



Page 6/10

# **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

Trade name Nafuquick HT

	(Contd. of page
Solubility	
Water:	Fully miscible
<sup>•</sup> Steam pressure at 1732 °C:	13.5 hPa (CAS: 14808-60-7 Quartz sand)
<ul> <li>Density and/or relative density</li> </ul>	
· Density at 20 °C	2.71 g/cm³
Particle characteristics	See section 3.
9.2 Other information	
Appearance:	
Form:	Powder
<ul> <li>Important information on protection of hea and environment, and on safety.</li> </ul>	alth
Self-inflammability:	Product is not selfigniting.
• Explosive properties:	Product is not explosive.
<ul> <li>Information with regard to physical haz classes</li> <li>Evaluation</li> </ul>	Void
Explosives	Void Void
r Flammable gases • Aerosols	Void
• Oxidising gases	Void
Gases under pressure	Void
Flammable liquids	Void
· Flammable solids	Void
· Self-reactive substances and mixtures	Void
Pyrophoric liquids	Void
Pyrophoric solids	Void
Self-heating substances and mixtures	Void
Substances and mixtures, which emit	
flammable gases in contact with water	Void
· Oxidising liquids	Void
· Oxidising solids	Void
· Organic peroxides	Void
Corrosive to metals	Void
Desensitised explosives	Void

### SECTION 10: Stability and reactivity

<ul> <li>10.1 Reactivity</li> <li>10.2 Chemical stability</li> </ul>	No further relevant information available.
<ul> <li>Thermal decomposition / conditions to be avoided:</li> <li>10.3 Possibility of hazardous</li> </ul>	No decomposition if used according to specifications.
reactions	No dangerous reactions known
<ul> <li>10.4 Conditions to avoid</li> </ul>	No further relevant information available.
<ul> <li>10.5 Incompatible materials:</li> </ul>	No further relevant information available.
	(Contd. on page 7)



Page 7/10

### Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

(Contd. of page 6)

Trade name Nafuquick HT

 10.6 Hazardous decomposition products:

No dangerous decomposition products known

#### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008** • **Acute toxicity** Based on available data, the classification criteria are not met.
- LD/LC50 values that are relevant for classification:CAS: 65997-15-1 Portland cement (low chromate)DermalLD50lnhalative2000 mg/kg (rabbit)InhalativeLC50/4 h5 mg/l (rat)CAS: 1305-78-8 calcium oxide
- Oral
   LD50
   >2000 mg/kg (rat)

   Dermal
   LD50
   >2500 mg/kg (rabbit)

   CAS: 13463-67-7 Titanium dioxide

   Oral
   LD50
   >5000 mg/kg (rat)

   Dermal
   LD50
   >5000 mg/kg (rat)

   Inhalative
   LC50/4 h
   >6.8 mg/l (rat)

Primary irritant effect:
 Skin corrosion/irritation
 Sorious ovo damago/irritati

Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

- Respiratory or skin sensitisation
   Germ cell mutagenicity
   Carcinogenicity
   Reproductive toxicity
   STOT-single exposure
   STOT-repeated exposure
  - Aspiration hazard Based on available data, the classification criteria are not met.
  - 11.2 Information on other hazards

• Endocrine disrupting properties None of the ingredients is listed.

#### **SECTION 12: Ecological information**

 · 12.1 Toxicity

 · Aquatic toxicity:

 CAS: 1305-78-8 calcium oxide

 EC50/72h
 184.57 mg/l (algae)

 LC50/96h
 50.6 mg/l (Fis)

 158 mg/l (Mew)
 (Contd. on page 8)



Page 8/10

## Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

#### Trade name Nafuquick HT

		(Contd. of page 7)
EC50/48h	49.1 mg/l (Freshwa	ter)
NOEC	32 mg/l (Mew)	
	48 mg/l (algae)	
· 12.2 Persi	stence and	
degradab	ility	No further relevant information available.
<sup>.</sup> 12.3 Bioad	cumulative	
potential		No further relevant information available.
· 12.4 Mobi	lity in soil	No further relevant information available.
<sup>.</sup> 12.5 Resu	Its of PBT and vPv	B assessment
· PBT:		Not applicable.
· vPvB:		Not applicable.
· 12.6 Endo	crine disrupting	
properties	;	The product does not contain substances with endocrine disrupting properties.
· 12.7 Othe	r adverse effects	
· Additiona	l ecological inform	ation:
· General n	otes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

#### **SECTION 13: Disposal considerations**

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· Europea	· European waste catalogue				
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)				
17 01 00	concrete, bricks, tiles and ceramics				
17 01 01	concrete				
HP4	Irritant - skin irritation and eye damage				
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity				
· Uncleane	ed packagings:				

• Uncleaned packagings:

· Recommendation:

*Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.* 

14.1 UN number or ID number		
ADR, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name		
ADR, ADN, IMDG, IATA	Void	



Page 9/10

### **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025

Version number 29 (replaces version 28)

Revision: 15.03.2025

Trade name Nafuquick HT

	(Conte	d. of page
· 14.3 Transport hazard class(es)		
· ADR, ADN, IMDG, IATA		
· Class	Void	
<sup>.</sup> 14.4 Packing group		
· ADR, IMDG, IATA	Void	
· 14.5 Environmental hazards:		
· Marine pollutant:	No	
· 14.6 Special precautions for user	Not applicable.	
· 14.7 Maritime transport in bulk accord	ing to	
IMO instruments	Not applicable.	
· UN "Model Regulation":	Void	

#### **SECTION 15: Regulatory information**

- 15.1 Safety, health and environmental regulations/ legislation specific for the substance or mixture
   No further relevant information available.
   DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in
- electrical and electronic equipment Annex II
- None of the ingredients is listed.
- · REGULATION (EU) 2019/1148
- Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))
- None of the ingredients is listed.
- · Annex II REPORTABLE EXPLOSIVES PRECURSORS
- None of the ingredients is listed.
- Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

• Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

- None of the ingredients is listed.
- 15.2 Chemical safety assessment:
- A Chemical Safety Assessment has not been carried out.

#### **SECTION 16: Other information**

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Relevant phrases
- H315 Causes skin irritation.



Page 10/10

### **Safety data sheet** according to Regulation (EC) No 1907/2006, Article 31

Revision: 15.03.2025 Printing date 15.03.2025 Version number 29 (replaces version 28) Trade name Nafuquick HT (Contd. of page 9) H318 Causes serious eye damage. H335 May cause respiratory irritation. H351 Suspected of causing cancer. · Department issuing data specification sheet: Environment protection department. · Date of previous version: 19.10.2021 · Version number of previous 28 version: · Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) DNEL: Derived No-Effect Level (REACH) PNEC: Predicted No-Effect Concentration (REACH) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Carc. 2: Carcinogenicity - Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 ·\* Data compared to the previous version altered.