

Page 1/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier	
 Trade name 1.2 Relevant identified uses of the substance or mixture 	Reparoxyd Primer - Komponente A
and uses advised against • Application of the substance	No further relevant information available.
/ the mixture	Special priming
• 1.3 Details of the supplier of the supplier of the supplier:	MC-Bauchemie Müller GmbH & Co. KG Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510
 Informing department: 1.4 Emergency telephone 	Fax : +44-7400533 msds@mc-bauchemie.de
number:	Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)
SECTION 2: Hazards ide	

2.1 Classification of the substance or mixture Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

STOT SE 3 H335 May cause respiratory irritation.

· 2.2 Label elements

· Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms



Danger

· Signal word

 Hazard-determining components of labelling:

methyl methacrylate N-Hydroxyethyl-N-methyl-p-toluidine

(Contd. on page 2)

IF



Page 2/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

		(Contd. of page 1)
· Hazard statements	H225 Highly flamm	nable liquid and vapour.
	H315 Causes skin	
	H317 May cause a	an allergic skin reaction.
	-	respiratory irritation.
Precautionary statements	P210	Keep away from heat, hot surfaces, sparks,
Frecautionary statements	1210	
		open flames and other ignition sources. No smoking.
	P241	Use explosion-proof [electrical/ventilating/
		lighting] equipment.
	P261	Avoid breathing dust/fume/gas/mist/vapours/
		spray.
	P280	Wear protective gloves/protective clothing/eye
		protection/face protection/hearing protection.
	P303+P361+P353	F ON SKIN (or hair): Take off immediately all
		contaminated clothing. Rinse skin with water [or
		shower].
	P403+P233	Store in a well-ventilated place. Keep container
	1 100 1 200	tightly closed.
2.3 Other hazards		
Results of PBT and vPvB as	sessment	
PBT:	Not applicable.	
· · · · · · · · · · · · · · · · · ·	Natawaliaahia	

· vPvB:

Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

EINECS: 220-638-5

· Description:	Mixture consisting of the following components.	
 Dangerous components: 		
CAS: 80-62-6	methyl methacrylate	80-100%
EINECS: 201-297-1	Flam. Liq. 2, H225; Skin Irrit. 2, H315; Skin Sens. 1, H317;	
Reg.nr.: 01-2119452498-28	STOT SE 3, H335	
CAS: 2082-81-7	tetramethylene dimethacrylate	<10%
EINECS: 218-218-1	Skin Irrit. 2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 2842-44-6	N-Hydroxyethyl-N-methyl-p-toluidine	<i>≥</i> 0.1-<1%

Eye Irrit. 2, H319; Skin Sens. 1, H317

SECTION 4: First aid measures

• 4.1 Description of first aid measures

General informationImmediately remove any clothing contaminated with the product.After inhalationSupply fresh air and call for doctor for safety reasons.After skin contactInstantly wash with water and soap and rinse thoroughly.After eye contactRinse opened eye for several minutes under running water.
Seek medical treatment.

(Contd. on page 3)

IF



Page 3/10

Safety data sheet

according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

· After swallowing

(Contd. of page 2) Do not induce vomiting; instantly call for medical help.

SECTION 5: Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents CO2, extinguishing powder or water jet. Fight larger fires with water jet or alcohol-resistant foam. - **F** - **A**

 For safety reasons unsuitable 	e
extinguishing agents	Water with a full water jet.
5.2 Special hazards arising	
from the substance or	
mixture	Can be released in case of fire
	Nitrogen oxides (NOx)
	Carbon monoxide (CÓ)
 5.3 Advice for firefighters 	
· Protoctivo oquinmont:	Put on breathing apparatus

Protective equipment:

Put on breathing apparatus.

SECTION 6: Accidental release measures

 6.1 Personal precautions, protective equipment and 	
emergency procedures	Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
[.] 6.2 Environmental	
precautions:	Do not allow product to reach sewage system or water bodies. Prevent material from reaching sewage system, holes and cellars. Inform respective authorities in case product reaches water or sewage system.
[.] 6.3 Methods and material for	
containment and cleaning up:	Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Ensure adequate ventilation.
[.] 6.4 Reference to other	•
sections	See Section 7 for information on safe handling See Section 8 for information on personal protection equipment. See Section 13 for information on disposal.

SECTION 7: Handling and storage

 7.1 Precautions for safe 	
handling	Ensure good ventilation/exhaustion at the workplace.
-	Prevent formation of aerosols.
	Open and handle container with care.
 Information about protection 	•
against explosions and fires:	Keep ignition sources away - Do not smoke.
-	Protect against electrostatic charges.

(Contd. on page 4)

IE



Page 4/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

	(Contd. of page 3
	The product is not flammable Fumes can combine with air to form an explosive mixture.
	-
-	e, including any incompatibilities
Storage	
Requirements to be met by	.
storerooms and containers:	Store in cool location.
	Store only in the original container.
Information about storage in	
one common storage facility:	Not required.
Further information about	
storage conditions:	Keep container tightly sealed.
eterage contaitioner	Store in cool, dry conditions in well sealed containers.
	Protect from heat and direct sunlight.
Storage class	
Storage class	3

SECTION 8: Exposure controls/personal protection · 8.1 Control parameters · Components with critical values that require monitoring at the workplace: CAS: 80-62-6 methyl methacrylate OEL (Ireland) Short-term value: 100 ppm Long-term value: 50 ppm IOELV, Sens IOELV (European Union) Short-term value: 100 ppm Long-term value: 50 ppm · Additional information: The lists that were valid during the compilation were used as basis. · 8.2 Exposure controls · Appropriate engineering controls No further data; see section 7. Individual protection measures, such as personal protective equipment · General protective and hygienic measures Keep away from foodstuffs, beverages and food. Instantly remove any soiled and impregnated garments. Wash hands during breaks and at the end of the work. Avoid contact with the eyes and skin. · Breathing equipment: Filter AX. In case of brief exposure or low pollution or when application is performed at confined area with adequate mechanical ventilation meeting local authority requirements, use breathing filter apparatus. In case of intensive or longer exposure use breathing apparatus that is independent of circulating air. · Hand protection Protective gloves. Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation After use of gloves apply skin-cleaning agents and skin cosmetics. · Material of gloves Nitrile rubber, NBR (Contd. on page 5)



Page 5/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

	(Contd. of page 4) Butyl rubber, BR
	The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
· Penetration time of glove	
material	The exact breakthrough time must be obtained from the protective glove manufacturer and must be observed.
 Eye/face protection Body protection: 	Not required. Protective work clothing.

SECTION 9: Physical and chemical properties

Colour:Light yellowSmell:AcridMelting point/freezing point:-48 °CBoiling point or initial boiling point and boiling range101 °CLower and upper explosion limit101 °CLower:2.1 Vol %Upper:12.5 Vol %Flash point:10 °CAuto-ignition temperature:430 °CpHNot determined.Viscosity:	9.1 Information on basic physical and cher	nical properties
Smell:AcridMelting point/freezing point:-48 °CBoiling point or initial boiling point and boiling range101 °CLower and upper explosion limit101 °CLower:2.1 Vol %Upper:12.5 Vol %'Upper:12.5 Vol %'Viscosity:10 °C'Kinematic viscosity at 20 °C11 s (DIN 53211/4)'Viscosity:Not determined.'Viscosity:Not determined.'Viscosity:Not determined.'Viscosity:Not determined.'Viscosity:Not determined.'SolubilityNot miscible or difficult to mix'Steam pressure at 20 °C:47 hPa'Density and/or relative density0.99 g/cm³'Density at 20 °C0.99 g/cm³'9.2 Other informationSAPT > 55 °C'Appearance:Liquid'Form:Liquid'Important information on protection of health and environment, and on safety.'Explosive properties:Product is not explosive. However, formation of explosive air/steam mixtures is possible.'Information with regard to physical hazard classesVoid	· General Information	
Melting point/freezing point:-48 °CBoiling point or initial boiling point and boiling range101 °CLower and upper explosion limit101 °CLower:2.1 Vol %Upper:12.5 Vol %Flash point:10 °CAuto-ignition temperature:430 °CPHNot determined.Viscosity:11 s (DIN 53211/4)Kinematic viscosity at 20 °C11 s (DIN 53211/4)Water:Not determined.SolubilityNot determined.Water:Not miscible or difficult to mixSteam pressure at 20 °C:47 hPaDensity and/or relative density0.99 g/cm³Density at 20 °C0.99 g/cm³9.2 Other informationSAPT > 55°CAppearance:LiquidImportant information on protection of health and environment, and on safety.Product is not explosive. However, formation of explosive air/steam mixtures is possible.Information with regard to physical hazard classesVoid		
Boiling point or initial boiling point and boiling range101 °CLower and upper explosion limit101 °CLower:2.1 Vol %Upper:12.5 Vol %Flash point:10 °CAuto-ignition temperature:430 °CpHNot determined.Viscosity:*Kinematic viscosity at 20 °C11 s (DIN 53211/4)dynamic:Not determined.Solubility*Water:Not miscible or difficult to mixSteam pressure at 20 °C:47 hPaDensity and/or relative density0.99 g/cm³• 9.2 Other informationSAPT > 55°CAppearance:.* Form:LiquidImportant information on protection of health and environment, and on safety.• Explosive properties:Product is not explosive. However, formation of explosive air/steam mixtures is possible.• Information with regard to physical hazard classesVoid	••	Acrid
boiling range101 °CLower and upper explosion limit2.1 Vol %Upper:12.5 Vol %'Flash point:10 °CAuto-ignition temperature:430 °C'pHNot determined.'Viscosity:'Viscosity:'Kinematic viscosity at 20 °C11 s (DIN 53211/4)'dynamic:Not determined.'Solubility'Vistop of the state of	• Melting point/freezing point:	-48 °C
 Lower and upper explosion limit Lower: How the explosive of the explosite o	 Boiling point or initial boiling point and 	
Lower:2.1 Vol %Upper:12.5 Vol %Flash point:10 °CAuto-ignition temperature:430 °CpHNot determined.Viscosity:	boiling range	101 °C
Upper:12.5 Vol %Flash point:10 °CAuto-ignition temperature:430 °CpHNot determined.'Viscosity:11 s (DIN 53211/4)'Kinematic viscosity at 20 °C11 s (DIN 53211/4)'dynamic:Not determined.'SolubilityNot determined.'Water:Not miscible or difficult to mix'Steam pressure at 20 °C:47 hPa'Density and/or relative density0.99 g/cm³'Density at 20 °C0.99 g/cm³'9.2 Other informationSAPT > 55°CAppearance:Liquid'Form:Liquid'Important information on protection of health and environment, and on safety.'Explosive properties:Product is not explosive. However, formation of explosive air/steam mixtures is possible.'Information with regard to physical hazard classesVoid	· Lower and upper explosion limit	
Flash point:10 °CAuto-ignition temperature:430 °CpHNot determined.Viscosity:Not determined.Kinematic viscosity at 20 °C11 s (DIN 53211/4)dynamic:Not determined.SolubilityNot determined.Water:Not miscible or difficult to mixSteam pressure at 20 °C:47 hPaDensity and/or relative density0.99 g/cm³Density at 20 °C0.99 g/cm³9.2 Other informationSAPT > 55°CAppearance:LiquidImportant information on protection of health and environment, and on safety.Product is not explosive. However, formation of explosive air/steam mixtures is possible.Information with regard to physical hazard classesVoid	·Lower:	2.1 Vol %
Flash point:10 °CAuto-ignition temperature:430 °CpHNot determined.Viscosity:Not determined.Kinematic viscosity at 20 °C11 s (DIN 53211/4)dynamic:Not determined.SolubilityNot determined.Water:Not miscible or difficult to mixSteam pressure at 20 °C:47 hPaDensity and/or relative density0.99 g/cm³Density at 20 °C0.99 g/cm³9.2 Other informationSAPT > 55°CAppearance:LiquidImportant information on protection of health and environment, and on safety.Product is not explosive. However, formation of explosive air/steam mixtures is possible.Information with regard to physical hazard classesVoid	· Upper:	12.5 Vol %
 Auto-ignition temperature: 430 °C pH Not determined. Viscosity: Not determined. Viscosity: Not determined. Viscosity at 20 °C 11 s (DIN 53211/4) dynamic: Not determined. Solubility Water: Not miscible or difficult to mix Steam pressure at 20 °C: 47 hPa Density and/or relative density Density at 20 °C 0.99 g/cm³ 9.2 Other information SAPT > 55°C Appearance: Liquid Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 		10 °C
pHNot determined.Viscosity:		430 °C
Viscosity: Viscosity at 20 °C 11 s (DIN 53211/4) 'Kinematic viscosity at 20 °C 11 s (DIN 53211/4) 'dynamic: Not determined. 'Solubility Not miscible or difficult to mix 'Steam pressure at 20 °C: 47 hPa 'Density and/or relative density 0.99 g/cm³ 'Density at 20 °C 0.99 g/cm³ '9.2 Other information SAPT > 55°C 'Appearance: Liquid 'Important information on protection of health and environment, and on safety. Product is not explosive. However, formation of explosive air/steam mixtures is possible. 'Information with regard to physical hazard classes Void		Not determined.
 Kinematic viscosity at 20 °C Kinematic viscosity at 20 °C I1 s (DIN 53211/4) Not determined. Solubility Water: Not miscible or difficult to mix Steam pressure at 20 °C: 47 hPa Density and/or relative density Density at 20 °C 0.99 g/cm³ 9.2 Other information SAPT > 55 °C Appearance: Form: Liquid Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 		
dynamic:Not determined.SolubilityNot miscible or difficult to mixWater:Not miscible or difficult to mixSteam pressure at 20 °C:47 hPaDensity and/or relative density0.99 g/cm³Density at 20 °C0.99 g/cm³9.2 Other informationSAPT > 55 °CAppearance:LiquidForm:LiquidImportant information on protection of health and environment, and on safety.Product is not explosive. However, formation of explosive air/steam mixtures is possible.Information with regard to physical hazard classesVoid		11 s (DIN 53211/4)
 Solubility Water: Not miscible or difficult to mix Steam pressure at 20 °C: 47 hPa Density and/or relative density Density at 20 °C 0.99 g/cm³ 9.2 Other information SAPT > 55°C Appearance: Form: Liquid Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 		
 Water: Not miscible or difficult to mix Steam pressure at 20 °C: 47 hPa Density and/or relative density Density at 20 °C 0.99 g/cm³ 9.2 Other information SAPT > 55 °C Appearance: Liquid Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 		Not dotommod.
 Steam pressure at 20 °C: 47 hPa Density and/or relative density Density at 20 °C 0.99 g/cm³ 9.2 Other information SAPT > 55°C Appearance: Liquid Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 	•	Not miscible or difficult to mix
Density and/or relative density Density at 20 °C 0.99 g/cm ³ 9.2 Other information SAPT > 55°C Appearance: Liquid ' Important information on protection of health and environment, and on safety. Product is not explosive. However, formation of explosive air/steam mixtures is possible. ' Information with regard to physical hazard classes Void		
• Density at 20 °C 0.99 g/cm ³ • 9.2 Other information SAPT > 55°C • Appearance: Liquid • Form: Liquid • Important information on protection of health and environment, and on safety. Product is not explosive. However, formation of explosive air/steam mixtures is possible. • Information with regard to physical hazard classes Void		// /// a
• 9.2 Other information SAPT > 55°C • Appearance: Liquid • Form: Liquid • Important information on protection of health and environment, and on safety. Product is not explosive. However, formation of explosive properties: • Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. • Information with regard to physical hazard classes Void		$0.99 a/cm^3$
 Appearance: Form: Liquid Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 	,	
· Form: Liquid · Important information on protection of health and environment, and on safety. Product is not explosive. However, formation of explosive air/steam mixtures is possible. · Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. · Information with regard to physical hazard classes Void	• 9.2 Other information	SAPT > 55°C
 Important information on protection of health and environment, and on safety. Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void 	· Appearance:	
and environment, and on safety. Product is not explosive. However, formation of explosive air/steam mixtures is possible. • Information with regard to physical hazard classes • Explosives • Explosives Void	· Form:	Liquid
• Explosive properties: Product is not explosive. However, formation of explosive air/steam mixtures is possible. • Information with regard to physical hazard classes • Explosives • Explosives Void	 Important information on protection of heat 	lth
explosive air/steam mixtures is possible. Information with regard to physical hazard classes Explosives Void	and environment, and on safety.	
Information with regard to physical hazard classes • Explosives Void	Explosive properties:	Product is not explosive. However, formation of
classes Explosives Void		explosive air/steam mixtures is possible.
classes Explosives Void	· Information with regard to physical haza	ard
· Explosives Void	• • •	
•		Void
	r	(Contd. on page 6)



Page 6/10

IE

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

	(Contd. of page		
· Flammable gases	Void		
Aerosols	Void		
· Oxidising gases	Void		
[.] Gases under pressure	Void		
· Flammable liquids	Highly flammable liquid and vapour.		
· Flammable solids	Void		
• Self-reactive substances and mixtures	Void		
· Pyrophoric liquids	Void		
Pyrophoric solids	Void		
Self-heating substances and mixtures	Void		
Substances and mixtures, which emit			
flammable gases in contact with water	Void		
Oxidising liquids	Void		
Oxidising solids	Void		
· Organic peroxides	Void		
· Corrosive to metals	Void		
· Desensitised explosives	Void		

SECTION 10: Stability and reactivity · 10.1 Reactivity No further relevant information available. · 10.2 Chemical stability · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. · 10.3 Possibility of hazardous reactions No dangerous reactions known · 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available. 10.6 Hazardous No dangerous decomposition products known decomposition products:

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity	Based on available data, the classification criteria are not met.
----------------	---

 LD/LC50 values that are relevant for classification: 				
CAS: 80	CAS: 80-62-6 methyl methacrylate			
Oral	I LD50 >6000 mg/kg (Rat)			
Dermal	LD50	LD50 >7550 mg/kg (rabbit)		
Skin co Serious Respira	• Primary irritant effect: • Skin corrosion/irritation Causes skin irritation. • Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin			
	sensitisation May cause an allergic skin reaction.			
		Based on available data, the classification criteria are not met.		
· Carcino	ogenic	ity	Based on available data, the classification criteria are not met. (Contd. on page 7)	



Page 7/10

IF

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

	(Contd. of page 6)
Reproductive toxicity	Based on available data, the classification criteria are not met.
STOT-single exposure	May cause respiratory irritation.
STOT-repeated exposure	Based on available data, the classification criteria are not met.

· Aspiration hazard

Based on available data, the classification criteria are not met.

- · 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	oxicity:	
CAS: 80-6	2-6 methyl methacr	ylate
EC50/24h	502 mg/l (Daphnia n	nagna)
LC50/96h	130 mg/l (Pimephale	es promelas)
	191 mg/l (Lepomis n	nacrochirus)
EC50/48h	69 mg/l (Daphnia ma	agna)
· 12.2 Persi	stence and	
degradabi	-	No further relevant information available.
· 12.3 Bioad	cumulative	
potential		No further relevant information available.
· 12.4 Mobil	lity in soil	No further relevant information available.
[.] 12.5 Resu	Its of PBT and vPvE	3 assessment
· PBT:		Not applicable.
· vPvB:		Not applicable.
[.] 12.6 Endo	crine disrupting	
properties	5	The product does not contain substances with endocrine disrupting properties.
 12.7 Other 	r adverse effects	
· Additiona	l ecological informa	ition:
· General n	otes:	Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods · Recommendation
 - Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

· European	waste catalogue
07 00 00	WASTES FROM ORGANIC CHEMICAL PROCESSES
07 02 00	wastes from the MFSU of plastics, synthetic rubber and man-made fibres
07 02 08*	other still bottoms and reaction residues
HP3	Flammable
	(Contd. on page 8)



Page 8/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

	(Contd. of page 7)
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity
HP13	Sensitising
· Unclean	ed packagings:

Recommendation:

Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.

SECTION 14: Transport information	tion
14.1 UN number or ID number ADR, IMDG, IATA	UN1247
• 14.2 UN proper shipping name • ADR, IMDG, IATA	METHYL METHACRYLATE MONOMER STABILIZED
· 14.3 Transport hazard class(es)	
· ADR · Class · Label	3 (F1) Flammable liquids. 3
' IMDG, IATA · Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG, IATA	11
[.] 14.5 Environmental hazards: [.] Marine pollutant:	no No
• 14.6 Special precautions for user • Kemler Number: • EMS Number: • Stowage Category • Stowage Code	Warning: Flammable liquids. 33 F-E,S-D C SW1 Protected from sources of heat. SW2 Clear of living quarters.
 14.7 Maritime transport in bulk accordi IMO instruments 	ng to Not applicable.
Transport/Additional information:	
ADR · Limited quantities (LQ) · Excepted quantities (EQ)	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 m
 Transport category 	2

IE



Page 9/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

	(Contd. of page 8)
 Tunnel restriction code Remarks: 	D/E 1 kg Gebinde: Begrenzte Mengen
 IMDG Limited quantities (LQ) Excepted quantities (EQ) 	1L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
· UN "Model Regulation":	UN 1247 METHYL METHACRYLATE MONOMER, STABILIZED, 3, II

SECTION 15: Regulatory information

 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

mixture	
Directive 2012/18/EU Qualifying quantity (tonnes) for the application of lower- tier requirements Qualifying quantity (tonnes) for the application of upper- tier requirements REGULATION (EC) No 1907/2006 ANNEX XVII	5000 t 50000 t Conditions of restriction: 3
· DIPECTIVE 2011/65/EIL on th	e restriction of the use of certain hazardous substances in
electrical and electronic equi	
None of the ingredients is listed	1.
· REGULATION (EU) 2019/1148	}
• Annex I - RESTRICTED EXPL licensing under Article 5(3))	OSIVES PRECURSORS (Upper limit value for the purpose of
None of the ingredients is listed	1.
· Annex II - REPORTABLE EXF	PLOSIVES PRECURSORS
None of the ingredients is listed	1.
· Regulation (EC) No 273/2004	on drug precursors
None of the ingredients is listed	1.
• Regulation (EC) No 111/2005 Community and third countri	laying down rules for the monitoring of trade between the es in drug precursors
None of the ingredients is listed	1.
· 15.2 Chemical safety	
assessment:	A Chemical Safety Assessment has not been carried out.
	iE-

(Contd. on page 10)



Page 10/10

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 13.04.2025

Version number 33 (replaces version 32)

Revision: 13.04.2025

Trade name Reparoxyd Primer - Komponente A

(Contd. of page 9)

IE

Delesses (base e e	
Relevant phrases	H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H317 May cause an allergic skin reaction. H319 Causes serious eye irritation. H335 May cause respiratory irritation.
Department issuing data	
specification sheet:	Environment protection department.
Date of previous version:	15.10.2021
Version number of previous	
version:	32
Abbreviations and acronyn	 ns: RID: Règlement international concernant le transport des marchandis dangereuses par chemin de fer (Regulations Concerning the Internation Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord relatif au transport international des marchandises dangereuses proute (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Skin Sens. 1: Skin sensitisation – Category 1 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3