

Page 1/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

· 1.1 Product identifier

ombran FG rapid · Trade name

3766 · Article number:

· 1.2 Relevant identified uses of the substance or mixture

and uses advised against No further relevant information available.

· Application of the substance

/ the mixture Filling mortar

· 1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: MC-Bauchemie Müller GmbH & Co. KG

Am Kruppwald 1-8 D-46238 Bottrop Tel.: +49(0)2041-101-0 Fax.: +49(0)2041-101-400 E-Mail: info@mc-bauchemie.de

MC-Bauchemie AG Hagackerstr. 10 CH-8953 Dietikon Tel.: +44-7400510 Fax: +44-7400533

· Informing department:

1.4 Emergency telephone

number:

msds@mc-bauchemie.de

Tel.: +49 / (0)700 24112112 (MCR) Tel.: +1 872 5888271 (MCR)

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008

Skin Irrit. 2 H315 Causes skin irritation.

Eye Dam. 1 H318 Causes serious eye damage. STOT SE 3 H335 May cause respiratory irritation.

- · 2.2 Label elements
- Labelling according to

Regulation (EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

· Signal word

Danger

(Contd. on page 2)





Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 1)

Hazard-determining

components of labelling: Portland cement (low chromate)

Flue dust, portland cement

calcium oxide

P362+P364

· Hazard statements H315 Causes skin irritation.

H318 Causes serious eye damage. H335 May cause respiratory irritation.

• Precautionary statements P261 Avoid breathing dust/fume/gas/mist/vapours/

spray.

spray.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P321 Specific treatment (see on this label).

Take off contaminated clothing and wash it

before reuse.
P403+P233 Store in a well-ventilated place. Keep container

Store in a well-ventilated place. Keep container tightly closed.

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

· Determination of endocrine-disrupting properties

CAS: 554-13-2 Lithium carbonate List III

SECTION 3: Composition/information on ingredients

· 3.2 Mixtures

• **Description:** Mixture consisting of the following components.

· Dangerous components:		
CAS: 65997-15-1	Portland cement (low chromate)	30-60%
EINECS: 266-043-4	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 14808-60-7	Quartz sand	30-60%
EINECS: 238-878-4	substance with a Community workplace exposure limit	
CAS: 1317-65-3	Calcium carbonate	<10%
EINECS: 207-439-9	substance with a Community workplace exposure limit	
CAS: 68475-76-3	Flue dust, portland cement	≥1-<3%
EINECS: 270-659-9	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 1305-78-8	calcium oxide	≥1-<2.5%
EINECS: 215-138-9	Eye Dam. 1, H318; Skin Irrit. 2, H315; STOT SE 3, H335	
CAS: 21645-51-2	aluminium hydroxide	<2.5%
EINECS: 244-492-7	substance with a Community workplace exposure limit	
Reg.nr.: 01-2119529246-39		

IE



Page 3/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Revision: 15.03.2025 Printing date 15.03.2025 Version number 25 (replaces version 24)

Trade name ombran FG rapid

(Contd. of page 2) CAS: 554-13-2 Lithium carbonate EINECS: 209-062-5 Acute Tox. 4, H302; Eye Irrit. 2, H319 Reg.nr.: 01-2119516034-53-0000 · Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

· General information For all first aid measures: observe self-protection and consult a

doctor!

· After inhalation Remove people from the dusty area.

· After skin contact Remove heavily soiled clothing. Clean with plenty of soap and

water.

Rinse for 10 minutes under running water with the eyelids open. · After eye contact

Always consult an ophthalmologist!

· After swallowing Do NOT induce vomiting. Rinse mouth with water. Medical

attention required.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

· Suitable extinguishing agents Use fire fighting measures that suit the environment.

· 5.2 Special hazards arising from the substance or

No further relevant information available. mixture

· 5.3 Advice for firefighters

No special measures required. · Protective equipment:

SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and

emergency procedures Not required.

6.2 Environmental

No special measures required. precautions:

· 6.3 Methods and material for

containment and cleaning up: Collect mechanically.

· 6.4 Reference to other

See Section 7 for information on safe handling sections

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

(Contd. on page 4)



Page 4/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 3)

SECTION 7: Handling and storage

· 7.1 Precautions for safe

handling Avoid dust fo

Avoid dust formation! Avoid spraying the ready-to-use cementitious product! Avoid contact with eyes and skin! Clean hands thoroughly at the end of work and before every break! Use skin care products! Change heavily soiled clothing! Change clothes at the end of work! Apply greasy skin protection ointment before starting work and

after each break. Observe work restrictions!

· 7.2 Conditions for safe storage, including any incompatibilities

· Storage

· Requirements to be met by

storerooms and containers:

Store bags tightly closed; protect from moisture and water!

Store containers tightly closed in a well-ventilated and well-lit room.

Access only for specialised personnel.

Do not store in break rooms, recreation rooms or sanitary facilities or in stairwells, corridors, escape and rescue routes, passages,

passageways and confined spaces.

· Information about storage in

one common storage facility: Combined storage bans apply from a total storage quantity of 200

kg.

Do not store together with substances of the following LGK: 1; 6.2;

7

Storage with substances of the following LGK is only possible

under the conditions specified in TRGS 510: 4.1A; 5.1C

· Further information about

storage conditions:

Store in a dry and frost-free place.

Storage class

13

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

orr common parameters	
· Components with critical values that require monitoring at the workplace:	
CAS: 65997-15-1 Portland	d cement (low chromate)
OEL (Ireland)	Long-term value: 1 mg/m³ respirable fraction
CAS: 14808-60-7 Quartz	sand
OEL (Ireland)	Long-term value: 0.1 mg/m³
BOELV (European Union)	Long-term value: 0.1* mg/m³ *respirable fraction
CAS: 1317-65-3 Calcium	carbonate
OEL (Ireland)	Long-term value: 10* 4** mg/m³ *inhalable dust, **respirable dust

(Contd. on page 5)





Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

CAS: 1305-78-8 calcium	(Contd. of p	
OEL (Ireland)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ IOELV, respirable fraction	
IOELV (European Union)	Short-term value: 4 mg/m³ Long-term value: 1 mg/m³ Respirable fraction	
CAS: 21645-51-2 alumini	um hydroxide	
OEL (Ireland)	Long-term value: 2 mg/m³	
DNELs		
CAS: 65997-15-1 Portlan	d cement (low chromate)	
Inhalative DNEL 1 mg/m ³	(ArL)	
CAS: 1317-65-3 Calcium	carbonate	
Oral DNEL 6.1 mg/k		
Inhalative DNEL 10 mg/m	,	
CAS: 1305-78-8 calcium	oxide	
Inhalative DNEL 1 mg/m ³	• • •	
CAS: 21645-51-2 alumini	•	
	/kg bw/Tag (ArL)	
Inhalative DNEL 3.59 mg	/m³ (ArL)	
PNECs		
CAS: 1317-65-3 Calcium	carbonate	
PNEC 100 mg/l (Sewage	,	
CAS: 1305-78-8 calcium	oxide	
PNEC 2.27 mg/l (BEL)		
0.24 mg/l (Mew)		
0.37 mg/l (Freshwa	•	
PNEC 817.4 mg/kg dwt (E	,	
CAS: 21645-51-2 alumini	um hydroxide	
PNEC 20 mg/l (Kla)		

• Additional information: The lists that were valid during the compilation were used as basis.

· 8.2 Exposure controls

· Appropriate engineering

controls No further data; see section 7.

· Individual protection measures, such as personal protective equipment

· General protective and

hygienic measures Do not store food, eat, drink, sniff or smoke in the work area!

Avoid contact with eyes and skin!

Clean hands thoroughly at the end of work and before breaks!

Use skin care products after work (moisturising cream).

Change and clean heavily soiled clothing! Change clothes at the end of work!

Apply greasy skin protection ointment before starting work and

(Contd. on page 6)



Page 6/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 5)

after every break.

• Breathing equipment: For work with higher dust loads particle filter class P2

• Hand protection Check protective gloves prior to each use for their proper condition.

· Material of gloves Nitrile impregnated cotton gloves.

· Penetration time of glove

material The exact breakthrough time must be obtained from the protective

glove manufacturer and must be observed.

Eye/face protection Safety glasses

Body protection: Protective work clothing.

Skin protection Use greasy skin protection ointment for all uncovered parts of the

body!

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

Colour: Grey
 Smell: Odourless
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range 2230 °C (CAS: 14808-60-7 Quartz sand)

· Flash point: Not applicable pH Not applicable.

· Viscosity:

· Kinematic viscosity
· dynamic:

Not applicable.

Not applicable.

· Solubility

· Water: Unsoluble

· Steam pressure at 1732 °C: 13.5 hPa (CAS: 14808-60-7 Quartz sand)

· Density and/or relative density

Density Not determinedParticle characteristics See section 3.

· 9.2 Other information

· Appearance:

Form: Powder

· Important information on protection of health

and environment, and on safety.

• Self-inflammability: Product is not selfigniting. • Explosive properties: Product is not explosive.

· Information with regard to physical hazard

classes

· Explosives Void

· Flammable gases Void

· Aerosols Void

· Oxidising gases Void

· Gases under pressure Void

(Contd. on page 7)





Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 6)

· Flammable liquids	Void	
Flammable solids	Void	
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
· Pyrophoric solids	Void	
· Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
· Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
Desensitised explosives	Void	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability · Thermal decomposition /

conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous

reactions No dangerous reactions known

• 10.4 Conditions to avoid No further relevant information available. • 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous

decomposition products: No dangerous decomposition products known

SECTION 11: Toxicological information

· 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

· Acute toxicity Based on available data, the classification criteria are not met.

Acute tox	icity	based on available data, the diassification effects are not met.
LD/LC50	values tha	t are relevant for classification:
CAS: 659	97-15-1 Po	ortland cement (low chromate)
Dermal	LD50	2000 mg/kg (rabbit)
Inhalative	LC50/4 h	5 mg/l (rat)
CAS: 131	7-65-3 Cal	cium carbonate
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rat)
CAS: 130	5-78-8 cal	cium oxide
Oral	LD50	>2000 mg/kg (rat)
Dermal	LD50	>2500 mg/kg (rabbit)
CAS: 216	45-51-2 al	uminium hydroxide
Oral	LD50	>2000 mg/kg (rat)
		(Contd. on page





Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

		(Contd. of page 7)
CAS: 554	-13-2 Lithi	ium carbonate
Oral	LD50	525 mg/kg (rat)
	NOAEL	19.23 mg/kg (rat)
Dermal	LD50	>3000 mg/kg (rat)
	NOAEL	64.3 mg/kg (rat)

Primary irritant effect:

Inhalative LC50/4 h >2 mg/l (rat)

Skin corrosion/irritation Causes skin irritation.

· Serious eye damage/irritation Causes serious eye damage.

Respiratory or skin

sensitisation
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Carcinogenicity
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.
Based on available data, the classification criteria are not met.

STOT-single exposure May cause respiratory irritation.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Based on available data, the classification criteria are not met.

· 11.2 Information on other hazards

· Endocrine disrupting properties

CAS: 554-13-2 Lithium carbonate List III

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic to	xicity:	
CAS: 1317	'-65-3 Calcium carbonate	
EC50/72h	>14 mg/l (Desmodesmus subspicatus)	
LC50/96h	>10000 mg/l (Oncorhynchus mykiss)	
LC50/48h	>1000 mg/l (Daphnia magna)	
EC50/48h	>1000 mg/l (Daphnia magna)	
CAS: 1305	-78-8 calcium oxide	
EC50/72h	184.57 mg/l (algae)	
LC50/96h	50.6 mg/l (Fis)	
	158 mg/l (Mew)	
EC50/48h	49.1 mg/l (Freshwater)	
NOEC	32 mg/l (Mew)	
	48 mg/l (algae)	
CAS: 2164	5-51-2 aluminium hydroxide	
NOEC	0.004 mg/l (Freshwater)	
	>0.005 mg/l (Daphnia magna)	
	>0.07 mg/l (fish)	
		(Contd. on page 9)



Page 9/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 8)

CAS: 554-1	13-2 Lithium carbonate
LC50/96h	30.3 mg/l (Oncorhynchus mykiss)
EC50	278 mg/l (BEL)
EC50/48h	33 mg/l (Daphnia magna)
NOEC	15.25 mg/l (Danio rerio)
	50 mg/l (Desmodesmus subspicatus)
	19.1 mg/l (Oncorhynchus mykiss)
	20 mg/l (Daphnia magna)
ErC50/72h	>400 mg/l (Desmodesmus subspicatus)

12.2 Persistence and

degradability No further relevant information available.

12.3 Bioaccumulative

potential No further relevant information available.

12.4 Mobility in soil No further relevant information available.

· 12.5 Results of PBT and vPvB assessment · PBT: Not applicable. · vPvB: Not applicable.

· 12.6 Endocrine disrupting

properties For information on endocrine disrupting properties see section 11.

· 12.7 Other adverse effects

· Additional ecological information:

· General notes: Do not allow undiluted product or large quantities of it to reach

ground water, water bodies or sewage system.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not

allow product to reach sewage system.

· Europea	n waste catalogue
17 00 00	CONSTRUCTION AND DEMOLITION WASTES (INCLUDING EXCAVATED SOIL FROM CONTAMINATED SITES)
17 01 00	concrete, bricks, tiles and ceramics
17 01 01	concrete
HP4	Irritant - skin irritation and eye damage
HP5	Specific Target Organ Toxicity (STOT)/Aspiration Toxicity

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

(Contd. on page 10)



Page 10/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 9)

14.1 UN number or ID number ADR, ADN, IMDG, IATA	Void
14.2 UN proper shipping name ADR, ADN, IMDG, IATA	Void
14.3 Transport hazard class(es)	
ADR, ADN, IMDG, IATA Class	Void
14.4 Packing group ADR, IMDG, IATA	Void
14.5 Environmental hazards: Marine pollutant:	No
14.6 Special precautions for user	Not applicable.
14.7 Maritime transport in bulk according IMO instruments	ng to Not applicable.
UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/ legislation specific for the

substance or mixture No further relevant information available.

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

(Contd. on page 11)



Page 11/11

Safety data sheet according to Regulation (EC) No 1907/2006, Article 31

Printing date 15.03.2025 Version number 25 (replaces version 24) Revision: 15.03.2025

Trade name ombran FG rapid

(Contd. of page 10)

· 15.2 Chemical safety

assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

· Relevant phrases H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eye damage. H319 Causes serious eye irritation. H335 May cause respiratory irritation.

· Department issuing data

specification sheet: Environment protection department.

Date of previous version: 19.10.2021

· Version number of previous

version: 24

· Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises

dangereuses par chemin de fer (Regulations Concerning the International

Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous

Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2

Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) - Category 3

* Data compared to the previous version altered.